

**CONTROLLED SUBSTANCES REVISIONS**

2013 GENERAL SESSION

STATE OF UTAH

---

---

**LONG TITLE****General Description:**

This bill modifies the Utah Controlled Substances Act by adding controlled substances and making a technical correction.

**Highlighted Provisions:**

This bill:

- ▶ adds new "spice" and "bath salts" analogs to the list of unscheduled controlled substances; and
- ▶ makes a technical spelling correction of a substance listed in the scheduled controlled substances.

**Money Appropriated in this Bill:**

None

**Other Special Clauses:**

None

**Utah Code Sections Affected:**

AMENDS:

**58-37-4**, as last amended by Laws of Utah 2012, Chapter 297

**58-37-4.2**, as last amended by Laws of Utah 2012, Chapter 297

---

---

*Be it enacted by the Legislature of the state of Utah:*

Section 1. Section **58-37-4** is amended to read:

**58-37-4. Schedules of controlled substances -- Schedules I through V -- Findings required -- Specific substances included in schedules.**

(1) There are established five schedules of controlled substances known as Schedules I, II, III, IV, and V which consist of substances listed in this section.

(2) Schedules I, II, III, IV, and V consist of the following drugs or other substances by the official name, common or usual name, chemical name, or brand name designated:

(a) Schedule I:

33 (i) Unless specifically excepted or unless listed in another schedule, any of the  
34 following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and  
35 ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific  
36 chemical designation:

37 (A) Acetyl-alpha-methylfentanyl

38 (N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);

39 (B) Acetylmethadol;

40 (C) Allyprodine;

41 (D) Alphacetylmethadol, except levo-alphacetylmethadol also known as

42 levo-alpha-acetylmethadol, levomethadyl acetate, or LAAM;

43 (E) Alphameprodine;

44 (F) Alphamethadol;

45 (G) Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl]

46 propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-propanilido) piperidine);

47 (H) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl)ethyl-4-

48 piperidinyl]-N-phenylpropanamide);

49 (I) Benzylpiperazine;

50 (J) Benzethidine;

51 (K) Betacetylmethadol;

52 (L) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-

53 piperidinyl]-N-phenylpropanamide);

54 (M) Beta-hydroxy-3-methylfentanyl, other name: N-[1-(2-hydroxy-2-

55 phenethyl)-3-methyl-4-piperidinyl]-N-phenylpropanamide;

56 (N) Betameprodine;

57 (O) Betamethadol;

58 (P) Betaprodine;

59 (Q) Clonitazene;

60 (R) Dextromoramide;

61 (S) Diampromide;

62 (T) Diethylthiambutene;

63 (U) Difenoxin;

- 64 (V) Dimenoxadol;  
65 (W) Dimepheptanol;  
66 (X) Dimethylthiambutene;  
67 (Y) Dioxaphetyl butyrate;  
68 (Z) Dipipanone;  
69 (AA) Ethylmethylthiambutene;  
70 (BB) Etonitazene;  
71 (CC) Etoxidine;  
72 (DD) Furethidine;  
73 (EE) Hydroxypethidine;  
74 (FF) Ketobemidone;  
75 (GG) Levomoramide;  
76 (HH) Levophenacymorphan;  
77 (II) Morpheridine;  
78 (JJ) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);  
79 (KK) Noracymethadol;  
80 (LL) Norlevorphanol;  
81 (MM) Normethadone;  
82 (NN) Norpipanone;  
83 (OO) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-piperidinyl]  
84 propanamide;  
85 (PP) PEPAP (1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine);  
86 (QQ) Phenadoxone;  
87 (RR) Phenampromide;  
88 (SS) Phenomorphan;  
89 (TT) Phenoperidine;  
90 (UU) Piritramide;  
91 (VV) Proheptazine;  
92 (WW) Properidine;  
93 (XX) Propiram;  
94 (YY) Racemoramide;

95 (ZZ) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]- propanamide;  
96 (AAA) Tilidine;  
97 (BBB) Trimeperidine;  
98 (CCC) 3-methylfentanyl, including the optical and geometric isomers  
99 (N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]- N-phenylpropanamide); and  
100 (DDD) 3-methylthiofentanyl  
101 (N-[(3-methyl-1-(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide).

102 (ii) Unless specifically excepted or unless listed in another schedule, any of the  
103 following opium derivatives, their salts, isomers, and salts of isomers when the existence of the  
104 salts, isomers, and salts of isomers is possible within the specific chemical designation:

105 (A) Acetorphine;  
106 (B) Acetyldihydrocodeine;  
107 (C) Benzylmorphine;  
108 (D) Codeine methylbromide;  
109 (E) Codeine-N-Oxide;  
110 (F) Cyprenorphine;  
111 (G) Desomorphine;  
112 (H) Dihydromorphine;  
113 (I) Drotebanol;  
114 (J) Etorphine (except hydrochloride salt);  
115 (K) Heroin;  
116 (L) Hydromorphanol;  
117 (M) Methyldesorphine;  
118 (N) Methylhydromorphine;  
119 (O) Morphine methylbromide;  
120 (P) Morphine methylsulfonate;  
121 (Q) Morphine-N-Oxide;  
122 (R) Myrophine;  
123 (S) Nicocodeine;  
124 (T) Nicomorphine;  
125 (U) Normorphine;

- 126 (V) Pholcodine; and  
127 (W) Thebacon.
- 128 (iii) Unless specifically excepted or unless listed in another schedule, any material,  
129 compound, mixture, or preparation which contains any quantity of the following hallucinogenic  
130 substances, or which contains any of their salts, isomers, and salts of isomers when the  
131 existence of the salts, isomers, and salts of isomers is possible within the specific chemical  
132 designation; as used in this Subsection (2)(iii) only, "isomer" includes the optical, position, and  
133 geometric isomers:
- 134 (A) Alpha-ethyltryptamine, some trade or other names: etryptamine; Monase;  
135  $\alpha$ -ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole;  $\alpha$ -ET; and AET;
- 136 (B) 4-bromo-2,5-dimethoxy-amphetamine, some trade or other names:  
137 4-bromo-2,5-dimethoxy- $\alpha$ -methylphenethylamine; 4-bromo-2,5-DMA;
- 138 (C) 4-bromo-2,5-~~dimethoxyphenethylamine~~dimethoxyphenethylamine, some trade or  
139 other names: 2-(4-bromo-2,5-dimethoxyphenyl)-1-aminoethane; alpha-desmethyl DOB; 2C-B,  
140 Nexus;
- 141 (D) 2,5-dimethoxyamphetamine, some trade or other names:  
142 2,5-dimethoxy- $\alpha$ -methylphenethylamine; 2,5-DMA;
- 143 (E) 2,5-dimethoxy-4-ethylamphetamine, some trade or other names: DOET;
- 144 (F) 4-methoxyamphetamine, some trade or other names:  
145 4-methoxy- $\alpha$ -methylphenethylamine; paramethoxyamphetamine, PMA;
- 146 (G) 5-methoxy-3,4-methylenedioxyamphetamine;
- 147 (H) 4-methyl-2,5-dimethoxy-amphetamine, some trade and other names:  
148 4-methyl-2,5-dimethoxy- $\alpha$ -methylphenethylamine; "DOM"; and "STP";
- 149 (I) 3,4-methylenedioxy amphetamine;
- 150 (J) 3,4-methylenedioxymethamphetamine (MDMA);
- 151 (K) 3,4-methylenedioxy-N-ethylamphetamine, also known as N-ethyl-  
152 alpha-methyl-3,4(methylenedioxy)phenethylamine, N-ethyl MDA, MDE, MDEA;
- 153 (L) N-hydroxy-3,4-methylenedioxyamphetamine, also known as  
154 N-hydroxy-alpha-methyl-3,4(methylenedioxy)phenethylamine, and N-hydroxy MDA;
- 155 (M) 3,4,5-trimethoxy amphetamine;
- 156 (N) Bufotenine, some trade and other names:

- 157 3-( $\beta$ -Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,  
158 N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine;  
159 (O) Diethyltryptamine, some trade and other names: N,N-Diethyltryptamine; DET;  
160 (P) Dimethyltryptamine, some trade or other names: DMT;  
161 (Q) Ibogaine, some trade and other names:  
162 7-Ethyl-6,6 $\beta$ ,7,8,9,10,12,13-octahydro-2-methoxy-6,9-methano-5H-pyrido [1', 2':1,2] azepino  
163 [5,4-b] indole; Tabernanthe iboga;  
164 (R) Lysergic acid diethylamide;  
165 (S) Marijuana;  
166 (T) Mescaline;  
167 (U) Parahexyl, some trade or other names:  
168 3-Hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran; Synhexyl;  
169 (V) Peyote, meaning all parts of the plant presently classified botanically as  
170 *Lophophora williamsii* Lemaire, whether growing or not, the seeds thereof, any extract from  
171 any part of such plant, and every compound, manufacture, salts, derivative, mixture, or  
172 preparation of such plant, its seeds or extracts (Interprets 21 USC 812(c), Schedule I(c) (12));  
173 (W) N-ethyl-3-piperidyl benzilate;  
174 (X) N-methyl-3-piperidyl benzilate;  
175 (Y) Psilocybin;  
176 (Z) Psilocyn;  
177 (AA) Tetrahydrocannabinols, naturally contained in a plant of the genus *Cannabis*  
178 (*cannabis* plant), as well as synthetic equivalents of the substances contained in the *cannabis*  
179 plant, or in the resinous extractives of *Cannabis*, sp. and/or synthetic substances, derivatives,  
180 and their isomers with similar chemical structure and pharmacological activity to those  
181 substances contained in the plant, such as the following:  $\Delta$ 1 cis or trans tetrahydrocannabinol,  
182 and their optical isomers  $\Delta$ 6 cis or trans tetrahydrocannabinol, and their optical isomers  $\Delta$ 3,4  
183 cis or trans tetrahydrocannabinol, and its optical isomers, and since nomenclature of these  
184 substances is not internationally standardized, compounds of these structures, regardless of  
185 numerical designation of atomic positions covered;  
186 (BB) Ethylamine analog of phencyclidine, some trade or other names:  
187 N-ethyl-1-phenylcyclohexylamine, (1-phenylcyclohexyl)ethylamine,

- 188 N-(1-phenylcyclohexyl)ethylamine, cyclohexamine, PCE;
- 189 (CC) Pyrrolidine analog of phencyclidine, some trade or other names:
- 190 1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP;
- 191 (DD) Thiophene analog of phencyclidine, some trade or other names:
- 192 1-[1-(2-thienyl)-cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine, TPCP, TCP; and
- 193 (EE) 1-[1-(2-thienyl)cyclohexyl]pyrrolidine, some other names: TCPy.
- 194 (iv) Unless specifically excepted or unless listed in another schedule, any material
- 195 compound, mixture, or preparation which contains any quantity of the following substances
- 196 having a depressant effect on the central nervous system, including its salts, isomers, and salts
- 197 of isomers when the existence of the salts, isomers, and salts of isomers is possible within the
- 198 specific chemical designation:
- 199 (A) Mecloqualone; and
- 200 (B) Methaqualone.
- 201 (v) Any material, compound, mixture, or preparation containing any quantity of the
- 202 following substances having a stimulant effect on the central nervous system, including their
- 203 salts, isomers, and salts of isomers:
- 204 (A) Aminorex, some other names: aminoxaphen; 2-amino-5-phenyl-2-oxazoline; or
- 205 4,5-dihydro-5-phenyl-2-oxazolamine;
- 206 (B) Cathinone, some trade or other names: 2-amino-1-phenyl-1-propanone,
- 207 alpha-aminopropiophenone, 2-aminopropiophenone, and norephedrone;
- 208 (C) Fenethylamine;
- 209 (D) Methcathinone, some other names: 2-(methylamino)-propionophenone;
- 210 alpha-(methylamino)propionophenone; 2-(methylamino)-1-phenylpropan-1-one;
- 211 alpha-N-methylaminopropionophenone; monomethylpropion; ephedrone; N-methylcathinone;
- 212 methylcathinone; AL-464; AL-422; AL-463 and UR1432, its salts, optical isomers, and salts of
- 213 optical isomers;
- 214 (E) ( $\pm$ )cis-4-methylaminorex (( $\pm$ )cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazolamine);
- 215 (F) N-ethylamphetamine; and
- 216 (G) N,N-dimethylamphetamine, also known as
- 217 N,N-alpha-trimethyl-benzeneethanamine; N,N-alpha-trimethylphenethylamine.
- 218 (vi) Any material, compound, mixture, or preparation which contains any quantity of

219 the following substances, including their optical isomers, salts, and salts of isomers, subject to  
220 temporary emergency scheduling:

221 (A) N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl); and

222 (B) N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl).

223 (vii) Unless specifically excepted or unless listed in another schedule, any material,  
224 compound, mixture, or preparation which contains any quantity of gamma hydroxy butyrate  
225 (gamma hydrobutyric acid), including its salts, isomers, and salts of isomers.

226 (b) Schedule II:

227 (i) Unless specifically excepted or unless listed in another schedule, any of the  
228 following substances whether produced directly or indirectly by extraction from substances of  
229 vegetable origin, or independently by means of chemical synthesis, or by a combination of  
230 extraction and chemical synthesis:

231 (A) Opium and opiate, and any salt, compound, derivative, or preparation of opium or  
232 opiate, excluding apomorphine, dextrophan, nalbuphine, nalmefene, naloxone, and naltrexone,  
233 and their respective salts, but including:

234 (I) Raw opium;

235 (II) Opium extracts;

236 (III) Opium fluid;

237 (IV) Powdered opium;

238 (V) Granulated opium;

239 (VI) Tincture of opium;

240 (VII) Codeine;

241 (VIII) Ethylmorphine;

242 (IX) Etorphine hydrochloride;

243 (X) Hydrocodone;

244 (XI) Hydromorphone;

245 (XII) Metopon;

246 (XIII) Morphine;

247 (XIV) Oxycodone;

248 (XV) Oxymorphone; and

249 (XVI) Thebaine;

250 (B) Any salt, compound, derivative, or preparation which is chemically equivalent or  
251 identical with any of the substances referred to in Subsection (2)(b)(i)(A), except that these  
252 substances may not include the isoquinoline alkaloids of opium;

253 (C) Opium poppy and poppy straw;

254 (D) Coca leaves and any salt, compound, derivative, or preparation of coca leaves, and  
255 any salt, compound, derivative, or preparation which is chemically equivalent or identical with  
256 any of these substances, and includes cocaine and ecgonine, their salts, isomers, derivatives,  
257 and salts of isomers and derivatives, whether derived from the coca plant or synthetically  
258 produced, except the substances may not include decocainized coca leaves or extraction of coca  
259 leaves, which extractions do not contain cocaine or ecgonine; and

260 (E) Concentrate of poppy straw, which means the crude extract of poppy straw in either  
261 liquid, solid, or powder form which contains the phenanthrene alkaloids of the opium poppy.

262 (ii) Unless specifically excepted or unless listed in another schedule, any of the  
263 following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and  
264 ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific  
265 chemical designation, except dextrophan and levopropoxyphene:

266 (A) Alfentanil;

267 (B) Alphaprodine;

268 (C) Anileridine;

269 (D) Bezitramide;

270 (E) Bulk dextropropoxyphene (nondosage forms);

271 (F) Carfentanil;

272 (G) Dihydrocodeine;

273 (H) Diphenoxylate;

274 (I) Fentanyl;

275 (J) Isomethadone;

276 (K) Levo-alpha-acetylmethadol, some other names: levo-alpha-acetylmethadol,  
277 levomethadyl acetate, or LAAM;

278 (L) Levomethorphan;

279 (M) Levorphanol;

280 (N) Metazocine;

- 281 (O) Methadone;
- 282 (P) Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl butane;
- 283 (Q) Moramide-Intermediate, 2-methyl-3-morpholino-1, 1-diphenylpropane-carboxylic  
284 acid;
- 285 (R) Pethidine (meperidine);
- 286 (S) Pethidine-Intermediate-A, 4-cyano-1-methyl-4-phenylpiperidine;
- 287 (T) Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-carboxylate;
- 288 (U) Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-4-carboxylic acid;
- 289 (V) Phenazocine;
- 290 (W) Piminodine;
- 291 (X) Racemethorphan;
- 292 (Y) Racemorphan;
- 293 (Z) Remifentanil; and
- 294 (AA) Sufentanil.

295 (iii) Unless specifically excepted or unless listed in another schedule, any material,  
296 compound, mixture, or preparation which contains any quantity of the following substances  
297 having a stimulant effect on the central nervous system:

- 298 (A) Amphetamine, its salts, optical isomers, and salts of its optical isomers;
- 299 (B) Methamphetamine, its salts, isomers, and salts of its isomers;
- 300 (C) Phenmetrazine and its salts; and
- 301 (D) Methylphenidate.

302 (iv) Unless specifically excepted or unless listed in another schedule, any material,  
303 compound, mixture, or preparation which contains any quantity of the following substances  
304 having a depressant effect on the central nervous system, including its salts, isomers, and salts  
305 of isomers when the existence of the salts, isomers, and salts of isomers is possible within the  
306 specific chemical designation:

- 307 (A) Amobarbital;
- 308 (B) Glutethimide;
- 309 (C) Pentobarbital;
- 310 (D) Phencyclidine;
- 311 (E) Phencyclidine immediate precursors: 1-phenylcyclohexylamine and

312 1-piperidinocyclohexanecarbonitrile (PCC); and

313 (F) Secobarbital.

314 (v) (A) Unless specifically excepted or unless listed in another schedule, any material,  
315 compound, mixture, or preparation which contains any quantity of Phenylacetone.

316 (B) Some of these substances may be known by trade or other names:

317 phenyl-2-propanone; P2P; benzyl methyl ketone; and methyl benzyl ketone.

318 (vi) Nabilone, another name for nabilone:

319 ( $\pm$ )-trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6,

320 6-dimethyl-9H-dibenzo[b,d]pyran-9-one.

321 (c) Schedule III:

322 (i) Unless specifically excepted or unless listed in another schedule, any material,  
323 compound, mixture, or preparation which contains any quantity of the following substances  
324 having a stimulant effect on the central nervous system, including its salts, isomers whether  
325 optical, position, or geometric, and salts of the isomers when the existence of the salts, isomers,  
326 and salts of isomers is possible within the specific chemical designation:

327 (A) Those compounds, mixtures, or preparations in dosage unit form containing any  
328 stimulant substances listed in Schedule II, which compounds, mixtures, or preparations were  
329 listed on August 25, 1971, as excepted compounds under Section 1308.32 of Title 21 of the  
330 Code of Federal Regulations, and any other drug of the quantitative composition shown in that  
331 list for those drugs or which is the same except that it contains a lesser quantity of controlled  
332 substances;

333 (B) Benzphetamine;

334 (C) Chlorphentermine;

335 (D) Clortermine; and

336 (E) Phendimetrazine.

337 (ii) Unless specifically excepted or unless listed in another schedule, any material,  
338 compound, mixture, or preparation which contains any quantity of the following substances  
339 having a depressant effect on the central nervous system:

340 (A) Any compound, mixture, or preparation containing amobarbital, secobarbital,  
341 pentobarbital, or any salt of any of them, and one or more other active medicinal ingredients  
342 which are not listed in any schedule;

343 (B) Any suppository dosage form containing amobarbital, secobarbital, or  
344 pentobarbital, or any salt of any of these drugs which is approved by the Food and Drug  
345 Administration for marketing only as a suppository;

346 (C) Any substance which contains any quantity of a derivative of barbituric acid or any  
347 salt of any of them;

348 (D) Chlorhexadol;

349 (E) Buprenorphine;

350 (F) Any drug product containing gamma hydroxybutyric acid, including its salts,  
351 isomers, and salts of isomers, for which an application is approved under the federal Food,  
352 Drug, and Cosmetic Act, Section 505;

353 (G) Ketamine, its salts, isomers, and salts of isomers, some other names for ketamine:  
354  $\pm$  -2-(2-chlorophenyl)-2-(methylamino)-cyclohexanone;

355 (H) Lysergic acid;

356 (I) Lysergic acid amide;

357 (J) Methyprylon;

358 (K) Sulfondiethylmethane;

359 (L) Sulfonethylmethane;

360 (M) Sulfonmethane; and

361 (N) Tiletamine and zolazepam or any of their salts, some trade or other names for a  
362 tiletamine-zolazepam combination product: Telazol, some trade or other names for tiletamine:  
363 2-(ethylamino)-2-(2-thienyl)-cyclohexanone, some trade or other names for zolazepam:  
364 4-(2-fluorophenyl)-6,8-dihydro-1,3,8-trimethylpyrazolo-[3,4-e] [1,4]-diazepin-7(1H)-one,  
365 flupyrazapon.

366 (iii) Dronabinol (synthetic) in sesame oil and encapsulated in a soft gelatin capsule in a  
367 U.S. Food and Drug Administration approved drug product, some other names for dronabinol:  
368 (6aR-trans)-6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol, or  
369 (-)-delta-9-(trans)-tetrahydrocannabinol.

370 (iv) Nalorphine.

371 (v) Unless specifically excepted or unless listed in another schedule, any material,  
372 compound, mixture, or preparation containing limited quantities of any of the following  
373 narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid:

374 (A) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90  
375 milligrams per dosage unit, with an equal or greater quantity of an isoquinoline alkaloid of  
376 opium;

377 (B) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90  
378 milligrams per dosage unit, with one or more active non-narcotic ingredients in recognized  
379 therapeutic amounts;

380 (C) Not more than 300 milligrams of dihydrocodeinone per 100 milliliters or not more  
381 than 15 milligrams per dosage unit, with a fourfold or greater quantity of an isoquinoline  
382 alkaloid of opium;

383 (D) Not more than 300 milligrams of dihydrocodeinone per 100 milliliters or not more  
384 than 15 milligrams per dosage unit, with one or more active, non-narcotic ingredients in  
385 recognized therapeutic amounts;

386 (E) Not more than 1.8 grams of dihydrocodeine per 100 milliliters or not more than 90  
387 milligrams per dosage unit, with one or more active non-narcotic ingredients in recognized  
388 therapeutic amounts;

389 (F) Not more than 300 milligrams of ethylmorphine per 100 milliliters or not more  
390 than 15 milligrams per dosage unit, with one or more active, non-narcotic ingredients in  
391 recognized therapeutic amounts;

392 (G) Not more than 500 milligrams of opium per 100 milliliters or per 100 grams, or not  
393 more than 25 milligrams per dosage unit, with one or more active, non-narcotic ingredients in  
394 recognized therapeutic amounts; and

395 (H) Not more than 50 milligrams of morphine per 100 milliliters or per 100 grams with  
396 one or more active, non-narcotic ingredients in recognized therapeutic amounts.

397 (vi) Unless specifically excepted or unless listed in another schedule, anabolic steroids  
398 including any of the following or any isomer, ester, salt, or derivative of the following that  
399 promotes muscle growth:

400 (A) Boldenone;

401 (B) Chlorotestosterone (4-chlortestosterone);

402 (C) Clostebol;

403 (D) Dehydrochlormethyltestosterone;

404 (E) Dihydrotestosterone (4-dihydrotestosterone);

- 405 (F) Drostanolone;  
406 (G) Ethylestrenol;  
407 (H) Fluoxymesterone;  
408 (I) Formebolone (formebolone);  
409 (J) Mesterolone;  
410 (K) Methandienone;  
411 (L) Methandranone;  
412 (M) Methandriol;  
413 (N) Methandrostenolone;  
414 (O) Methenolone;  
415 (P) Methyltestosterone;  
416 (Q) Mibolerone;  
417 (R) Nandrolone;  
418 (S) Norethandrolone;  
419 (T) Oxandrolone;  
420 (U) Oxymesterone;  
421 (V) Oxymetholone;  
422 (W) Stanolone;  
423 (X) Stanozolol;  
424 (Y) Testolactone;  
425 (Z) Testosterone; and  
426 (AA) Trenbolone.

427 (vii) Anabolic steroids expressly intended for administration through implants to cattle  
428 or other nonhuman species, and approved by the Secretary of Health and Human Services for  
429 use, may not be classified as a controlled substance.

430 (d) Schedule IV:

431 (i) Unless specifically excepted or unless listed in another schedule, any material,  
432 compound, mixture, or preparation containing not more than 1 milligram of difenoxin and not  
433 less than 25 micrograms of atropine sulfate per dosage unit, or any salts of any of them.

434 (ii) Unless specifically excepted or unless listed in another schedule, any material,  
435 compound, mixture, or preparation which contains any quantity of the following substances,

436 including its salts, isomers, and salts of isomers when the existence of the salts, isomers, and  
437 salts of isomers is possible within the specific chemical designation:

- 438 (A) Alprazolam;
- 439 (B) Barbitol;
- 440 (C) Bromazepam;
- 441 (D) Butorphanol;
- 442 (E) Camazepam;
- 443 (F) Carisoprodol;
- 444 (G) Chloral betaine;
- 445 (H) Chloral hydrate;
- 446 (I) Chlordiazepoxide;
- 447 (J) Clobazam;
- 448 (K) Clonazepam;
- 449 (L) Clorazepate;
- 450 (M) Clotiazepam;
- 451 (N) Cloxazolam;
- 452 (O) Delorazepam;
- 453 (P) Diazepam;
- 454 (Q) Dichloralphenazone;
- 455 (R) Estazolam;
- 456 (S) Ethchlorvynol;
- 457 (T) Ethinamate;
- 458 (U) Ethyl loflazepate;
- 459 (V) Fludiazepam;
- 460 (W) Flunitrazepam;
- 461 (X) Flurazepam;
- 462 (Y) Halazepam;
- 463 (Z) Haloxazolam;
- 464 (AA) Ketazolam;
- 465 (BB) Loprazolam;
- 466 (CC) Lorazepam;

467 (DD) Lormetazepam;  
468 (EE) Mebutamate;  
469 (FF) Medazepam;  
470 (GG) Meprobamate;  
471 (HH) Methohexital;  
472 (II) Methylphenobarbital (mephobarbital);  
473 (JJ) Midazolam;  
474 (KK) Nimetazepam;  
475 (LL) Nitrazepam;  
476 (MM) Nordiazepam;  
477 (NN) Oxazepam;  
478 (OO) Oxazolam;  
479 (PP) Paraldehyde;  
480 (QQ) Pentazocine;  
481 (RR) Petrichloral;  
482 (SS) Phenobarbital;  
483 (TT) Pinazepam;  
484 (UU) Prazepam;  
485 (VV) Quazepam;  
486 (WW) Temazepam;  
487 (XX) Tetrazepam;  
488 (YY) Triazolam;  
489 (ZZ) Zaleplon; and  
490 (AAA) Zolpidem.

491 (iii) Any material, compound, mixture, or preparation of fenfluramine which contains  
492 any quantity of the following substances, including its salts, isomers whether optical, position,  
493 or geometric, and salts of the isomers when the existence of the salts, isomers, and salts of  
494 isomers is possible.

495 (iv) Unless specifically excepted or unless listed in another schedule, any material,  
496 compound, mixture, or preparation which contains any quantity of the following substances  
497 having a stimulant effect on the central nervous system, including its salts, isomers whether

498 optical, position, or geometric isomers, and salts of the isomers when the existence of the salts,  
499 isomers, and salts of isomers is possible within the specific chemical designation:

500 (A) Cathine ((+)-norpseudoephedrine);

501 (B) Diethylpropion;

502 (C) Fencamfamine;

503 (D) Fenproporex;

504 (E) Mazindol;

505 (F) Mefenorex;

506 (G) Modafinil;

507 (H) Pemoline, including organometallic complexes and chelates thereof;

508 (I) Phentermine;

509 (J) Pipradrol;

510 (K) Sibutramine; and

511 (L) SPA ((-)-1-dimethylamino-1,2-diphenylethane).

512 (v) Unless specifically excepted or unless listed in another schedule, any material,  
513 compound, mixture, or preparation which contains any quantity of dextropropoxyphene  
514 (alpha-(+)-4-dimethylamino-1, 2-diphenyl-3-methyl-2-propionoxybutane), including its salts.

515 (e) Schedule V: Any compound, mixture, or preparation containing any of the  
516 following limited quantities of narcotic drugs, or their salts calculated as the free anhydrous  
517 base or alkaloid, which includes one or more non-narcotic active medicinal ingredients in  
518 sufficient proportion to confer upon the compound, mixture, or preparation valuable medicinal  
519 qualities other than those possessed by the narcotic drug alone:

520 (i) not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;

521 (ii) not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100  
522 grams;

523 (iii) not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100  
524 grams;

525 (iv) not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of  
526 atropine sulfate per dosage unit;

527 (v) not more than 100 milligrams of opium per 100 milliliters or per 100 grams;

528 (vi) not more than 0.5 milligram of difenoxin and not less than 25 micrograms of

529 atropine sulfate per dosage unit; and

530 (vii) unless specifically exempted or excluded or unless listed in another schedule, any  
531 material, compound, mixture, or preparation which contains Pyrovalerone having a stimulant  
532 effect on the central nervous system, including its salts, isomers, and salts of isomers.

533 Section 2. Section **58-37-4.2** is amended to read:

534 **58-37-4.2. Listed controlled substances.**

535 The following substances, their analogs, homologs, and synthetic equivalents are listed  
536 controlled substances:

537 (1) AB-001;

538 (2) AKB48;

539 (3) alpha-Pyrrolidinovalerophenone (alpha-PVP);

540 [(+)] (4) AM-694; 1-[(5-fluoropentyl)-1H-indol-3-yl]-(2-iodophenyl)methanone;

541 (5) AM-1248;

542 [(2)] (6) AM-2201; 1-(5-fluoropentyl)-3-(1-naphthoyl)indole;

543 (7) AM-2233;

544 (8) AM-679;

545 (9) A796,260;

546 (10) Butylone;

547 [(3)] (11) CP 47,497 and its C6, C8, and C9 homologs;

548 2-[(1R,3S)-3-hydroxycyclohexyl]-5-(2-methyloctan-2-yl)phenol;

549 (12) Diisopropyltryptamine (DiPT);

550 (13) Ethylone;

551 (14) Fluoroisocathinone;

552 (15) Fluoromethamphetamine;

553 [(4)] (16) Fluoromethcathinone;

554 [(5)] (17) HU-210;

555 (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)

556 -6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol;

557 [(6)] (18) HU-211; Dexanabinol,(6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-

558 methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol;

559 [(7)] (19) JWH-015; (2-methyl-1-propyl-1H-indol-3-yl)-1-naphthalenyl-methanone;

- 560           ~~[(8)]~~ (20) JWH-018; Naphthalen-1-yl-(pentylindol-3-yl)methanone {also known as  
561 1-Pentyl-3-(1-naphthoyl)indole};
- 562           ~~[(9)]~~ (21) JWH-019; 1-hexyl-3-(1-naphthoyl)indole;
- 563           ~~[(10)]~~ (22) JWH-073; Naphthalen-1-yl(1-butylindol-3-yl)methanone {also known as  
564 1-Butyl-3-(1-naphthoyl)indole};
- 565           ~~[(11)]~~ (23) JWH-081; 4-methoxynaphthalen-1-yl-(1-pentylindol-3-yl)methanone;
- 566           ~~[(12)]~~ (24) JWH-122; CAS#619294-47-2; (1-Pentyl-3-(4-methyl-1-naphthoyl)indole);
- 567           ~~[(13)]~~ (25) JWH-200; 1-(2-(4-(morpholinyl)ethyl))-3-(1-naphthoyl)indole;
- 568           ~~[(14)]~~ (26) JWH-203; 1-pentyl-3-(2-chlorophenylacetyl)indole;
- 569           ~~[(15)]~~ (27) JWH-210; 4-ethyl-1-naphthalenyl(1-pentyl-1H-indol-3-yl)-methanone;
- 570           ~~[(16)]~~ (28) JWH-250; 1-pentyl-3-(2-methoxyphenylacetyl)indole;
- 571           ~~[(17)]~~ (29) JWH-251; 2-(2-methylphenyl)-1-(1-pentyl-1H-indol-3-yl)ethanone;
- 572           ~~[(18)]~~ (30) JWH-398; 1-pentyl-3-(4-chloro-1-naphthoyl)indole;
- 573           (31) MAM-2201;
- 574           (32) Methoxetamine;
- 575           (33) Naphyrone;
- 576           (34) Pentedrone;
- 577           (35) Pentylone;
- 578           ~~[(19)]~~ (36) RCS-4; 1-pentyl-3-(4-methoxybenzoyl)indole;
- 579           ~~[(20)]~~ (37) RCS-8; 1-(2-cyclohexylethyl)-3-(2-methoxyphenylacetyl)indole {also  
580 known as BTW-8 and SR-18};
- 581           (38) STS-135;
- 582           (39) UR-144;
- 583           (40) UR-144 N-(5-chloropentyl) analog;
- 584           (41) XLR11;
- 585           (42) 2C-C
- 586           (43) 2C-D;
- 587           (44) 2C-E;
- 588           (45) 2C-H
- 589           (46) 2C-I;
- 590           (47) 2C-N;

- 591 (48) 2C-P;  
592 (49) 2C-T-2;  
593 (50) 2C-T-4;  
594 (51) 2NE1;  
595 (52) 25I-NBOMe;  
596 (53) 2,5-Dimethoxy-4-chloroamphetamine (DOC);  
597 ~~[(21)]~~ (54) 4-methylmethcathinone {also known as mephedrone};  
598 ~~[(22)]~~ (55) 3,4-methylenedioxypropylamphetamine {also known as MDPV};  
599 ~~[(23)]~~ (56) 3,4-Methylenedioxypropylamphetamine {also known as methylone}; ~~[and]~~  
600 ~~[(24)]~~ (57) 4-methoxymethcathinone[-];  
601 (58) 4-Methyl-alpha-pyrrolidinopropiophenone;  
602 (59) 4-Methylethcathinone;  
603 (60) 5-Iodo-2-aminoindane (5-IAI); and  
604 (61) 5-MeO-DALT.