

15A-4-206 Amendments to IRC applicable to Park City Corporation or Park City Fire District.

- (1) The following amendment is adopted as an amendment to the IRC for the Park City Corporation, Appendix P, of the 2006 IRC is adopted.
- (2) The following amendments are adopted as amendments to the IRC for Park City Corporation and Park City Fire District:
 - (a) IRC, Section R905.7, is deleted and replaced with the following: "R905.7 Wood shingles. The installation of wood shingles shall comply with the provisions of this section. Wood roof covering is prohibited in areas with a combined rating of more than 11 using the following tables with a score of 9 for weather factors.

TABLE		
WILDFIRE HAZARD SEVERITY SCALE		
RATING	SLOPE	VEGETATION
1	less than or equal to 10%	Pinion-juniper
2	10.1 - 20%	Grass-sagebrush
3	greater than 20%	Mountain brush or softwoods
PROHIBITION/EXEMPTION TABLE		
RATING	WOOD ROOF PROHIBITION	
less than or equal to 11	wood roofs are allowed	
greater than or equal to 12	wood roofs are prohibited"	

- (b) IRC, Section R905.8, is deleted and replaced with the following: "R905.8 Wood Shakes. The installation of wood shakes shall comply with the provisions of this section. Wood roof covering is prohibited in areas with a combined rating of more than 11 using the following tables with a score of 9 for weather factors.

TABLE		
WILDFIRE HAZARD SEVERITY SCALE		
RATING	SLOPE	VEGETATION
1	less than or equal to 10%	Pinion-juniper
2	10.1 - 20%	Grass-sagebrush
3	greater than 20%	Mountain brush or softwoods
PROHIBITION/EXEMPTION TABLE		
RATING	WOOD ROOF PROHIBITION	
less than or equal to 11	wood roofs are allowed	
greater than or equal to 12	wood roofs are prohibited"	

- (c) Appendix K is adopted.

Enacted by Chapter 14, 2011 General Session