

1st Sub. (Buff) H.B. 262

02-21-12 10:50 AM

24	 permissible log walls; and
25	 the inspection of buildings for air leakage.
26	Money Appropriated in this Bill:
27	None
28	Other Special Clauses:
29	This bill provides effective dates.
30	This bill provides revisor instructions.
31	Utah Code Sections Affected:
32	AMENDS:
33	15A-2-103 , as enacted by Laws of Utah 2011, Chapter 14
34	15A-3-203, as enacted by Laws of Utah 2011, Chapter 14
35	15A-3-701, as enacted by Laws of Utah 2011, Chapter 14
36	
37	Be it enacted by the Legislature of the state of Utah:
38	Section 1. Section 15A-2-103 is amended to read:
39	15A-2-103. Specific editions adopted of construction code of a nationally
40	recognized code authority.
41	(1) Subject to the other provisions of this part, the following construction codes are
42	incorporated by reference, and together with the amendments specified in Chapters 3 and 4, are
43	the construction standards to be applied to building construction, alteration, remodeling, and
44	repair, and in the regulation of building construction, alteration, remodeling, and repair in the
45	state:
46	(a) the 2009 edition of the International Building Code, including Appendix J, issued
47	by the International Code Council;
48	(b) the 2009 edition of the International Residential Code, issued by the International
49	Code Council;
50	(c) the 2009 edition of the International Plumbing Code, issued by the International
51	Code Council;
52	(d) the 2009 edition of the International Mechanical Code, issued by the International
53	Code Council;
54	(e) the 2009 edition of the International Fuel Gas Code, issued by the International

55	Code Council;
56	(f) the [2008] 2011 edition of the National Electrical Code, issued by the National Fire
57	Protection Association;
58	(g) the 2009 edition of the International Energy Conservation Code, issued by the
59	International Code Council;
60	(h) subject to Subsection 15A-2-104(2), the HUD Code;
61	(i) subject to Subsection 15A-2-104(1), Appendix E of the 2009 edition of the
62	International Residential Code, issued by the International Code Council; and
63	(j) subject to Subsection 15A-2-104(1), the 2005 edition of the NFPA 225 Model
64	Manufactured Home Installation Standard, issued by the National Fire Protection Association.
65	(2) Consistent with Title 65A, Chapter 8, Management of Forest Lands and Fire
66	Control, the Legislature adopts the 2006 edition of the Utah Wildland Urban Interface Code,
67	issued by the International Code Council, with the alternatives or amendments approved by the
68	Utah Division of Forestry, as a construction code that may be adopted by a local compliance
69	agency by local ordinance or other similar action as a local amendment to the codes listed in
70	this section.
71	(3) The state and a county, city, town, or other political subdivision of the state may not
72	adopt any version of the International Green Construction Code.
73	Section 2. Section 15A-3-203 is amended to read:
74	15A-3-203. Amendments to Chapters 6 through 15 of IRC.
75	(1) IRC, Sections R612.2 through R612.4.2, are deleted.
76	[(2) IRC, Chapter 11, is deleted and replaced with Chapter 11 of the 2006 International
77	Residential Code and Chapter 4 of the 2006 International Energy Conservation Code.]
78	[(3)] <u>(2)</u> IRC, Section M1411.6, is deleted.
79	[(4)] <u>(3)</u> In IRC, Section M1502.4.4.1, the words "25 feet (7,620 mm)" are deleted and
80	replaced with "35 feet (10,668 mm)".
81	Section 3. Section 15A-3-701 is amended to read:
82	15A-3-701. General provision.
83	The following [is] are adopted as [an amendment] amendments to the IECC to be
84	applicable statewide[, in]:
85	(1) in IECC, Section 303.1.3:

86	(a) the following is added at the end of the second sentence before the period: "or, for a
87	site-built fenestration product, shall be assigned the system U-factor stated in the
88	manufacturer's documentation, if the manufacturer has produced documentation of the
89	applicable system U-factor"; and
90	(b) the following is added at the end of the fourth sentence before the period: "or, for a
91	site-built fenestration product, shall be assigned the system SHGC stated in the manufacturer's
92	documentation, if the manufacturer has produced documentation of the applicable system
93	SHGC":
94	(2) the following is added as footnote k to IECC Table 402.1.1: "Log walls complying
95	with ICC400 and with a minimum average wall thickness of 5" or greater shall be permitted in
96	Zones 5-8 when overall window glazing is .31 U-factor or lower, minimum heating equipment
97	efficiency is 90 AFUE (gas) or 84 AFUE (oil), and all other component requirements are met.";
98	(3) in IECC, Section 402.4.2.2:
99	(a) the following is added at the end of the first sentence before the period: "in the
100	presence of a code official"; and
101	(b) the second sentence is deleted; and
102	(4) in IECC, Section 504.4, a new exception is added as follows: "Exception: Heat
103	traps, other than the arrangement of piping and fittings, shall be prohibited unless a means of
104	controlling thermal expansion can be ensured as required in the IPC Section 607.3."
105	Section 4. Effective date.
106	(1) Except as provided in Subsection (2), this bill takes effect July 1, 2012.
107	(2) Section 15A-3-203 and Subsection 15A-3-701(2) take effect January 1, 2013.
108	Section 5. Revisor instructions.
109	Due to the delayed effective date of Subsection 15A-3-701(2), the Legislature intends
110	that the Office of Legislative Research and General Counsel, in preparing the Utah Code
111	database for publication, modify Section 15A-3-701 to read as follows until January 1, 2013:
112	<u>"15A-3-701.</u> General provision.
113	The following [is] are adopted as [an amendment] amendments to the IECC to be
114	applicable statewide[, in]:
115	(1) in IECC, Section 303.1.3:
116	(a) the following is added at the end of the second sentence before the period: "or, for a

117	site-built fenestration product, shall be assigned the system U-factor stated in the
118	manufacturer's documentation, if the manufacturer has produced documentation of the
119	applicable system U-factor"; and
120	(b) the following is added at the end of the fourth sentence before the period: "or, for a
121	site-built fenestration product, shall be assigned the system SHGC stated in the manufacturer's
122	documentation, if the manufacturer has produced documentation of the applicable system
123	SHGC"; and
124	(2) in IECC, Section 504.4, a new exception is added as follows: "Exception: Heat
125	traps, other than the arrangement of piping and fittings, shall be prohibited unless a means of
126	controlling thermal expansion can be ensured as required in the IPC Section 607.3."