1	CONTROLLED SUBSTANCES REVISIONS	
2	2013 GENERAL SESSION	
3	STATE OF UTAH	
4	Chief Sponsor: Paul Ray	
5	Senate Sponsor: Allen M. Christensen	
6		
7	LONG TITLE	
8	General Description:	
9	This bill modifies the Utah Controlled Substances Act by adding controlled substances	
10	and making a technical correction.	
11	Highlighted Provisions:	
12	This bill:	
13	adds new "spice" and "bath salts" analogs to the list of unscheduled controlled	
14	substances; and	
15	 makes a technical spelling correction of a substance listed in the scheduled 	
16	controlled substances.	
17	Money Appropriated in this Bill:	
18	None	
19	Other Special Clauses:	
20	None	
21	Utah Code Sections Affected:	
22	AMENDS:	
23	58-37-4, as last amended by Laws of Utah 2012, Chapter 297	
24	58-37-4.2 , as last amended by Laws of Utah 2012, Chapter 297	
25		
26	Be it enacted by the Legislature of the state of Utah:	
27	Section 1. Section 58-37-4 is amended to read:	
28	58-37-4. Schedules of controlled substances Schedules I through V Findings	
29	required Specific substances included in schedules.	

30	(1) There are established five schedules of controlled substances known as Schedules I
31	II, III, IV, and V which consist of substances listed in this section.
32	(2) Schedules I, II, III, IV, and V consist of the following drugs or other substances by
33	the official name, common or usual name, chemical name, or brand name designated:
34	(a) Schedule I:
35	(i) Unless specifically excepted or unless listed in another schedule, any of the
36	following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and
37	ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific
38	chemical designation:
39	(A) Acetyl-alpha-methylfentanyl
40	(N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);
41	(B) Acetylmethadol;
42	(C) Allylprodine;
43	(D) Alphacetylmethadol, except levo-alphacetylmethadol also known as
44	levo-alpha-acetylmethadol, levomethadyl acetate, or LAAM;
45	(E) Alphameprodine;
46	(F) Alphamethadol;
47	(G) Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl]
48	propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-propanilido) piperidine);
49	(H) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl)ethyl-4-
50	piperidinyl]-N-phenylpropanamide);
51	(I) Benzylpiperazine;
52	(J) Benzethidine;
53	(K) Betacetylmethadol;
54	(L) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-
55	piperidinyl]-N-phenylpropanamide);
56	(M) Beta-hydroxy-3-methylfentanyl, other name: N-[1-(2-hydroxy-2-
57	phenethyl)-3-methyl-4-piperidinyl]-N-phenylpropanamide;

58 (N) Betameprodine; 59 (O) Betamethadol; 60 (P) Betaprodine; 61 (Q) Clonitazene; 62 (R) Dextromoramide; 63 (S) Diampromide; 64 (T) Diethylthiambutene; 65 (U) Difenoxin; 66 (V) Dimenoxadol; 67 (W) Dimepheptanol; 68 (X) Dimethylthiambutene; 69 (Y) Dioxaphetyl butyrate; 70 (Z) Dipipanone; (AA) Ethylmethylthiambutene; 71 72 (BB) Etonitazene; 73 (CC) Etoxeridine; 74 (DD) Furethidine; 75 (EE) Hydroxypethidine; 76 (FF) Ketobemidone; 77 (GG) Levomoramide; 78 (HH) Levophenacylmorphan; 79 (II) Morpheridine; 80 (JJ) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine); (KK) Noracymethadol; 81 82 (LL) Norlevorphanol; 83 (MM) Normethadone; 84 (NN) Norpipanone;

(OO) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4- piperidinyl]

86	propanamide;	
87	(PP) PEPAP (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);	
88	(QQ) Phenadoxone;	
89	(RR) Phenampromide;	
90	(SS) Phenomorphan;	
91	(TT) Phenoperidine;	
92	(UU) Piritramide;	
93	(VV) Proheptazine;	
94	(WW) Properidine;	
95	(XX) Propiram;	
96	(YY) Racemoramide;	
97	(ZZ) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]- propanamide;	
98	(AAA) Tilidine;	
99	(BBB) Trimeperidine;	
100	(CCC) 3-methylfentanyl, including the optical and geometric isomers	
101	(N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]- N-phenylpropanamide); and	
102	(DDD) 3-methylthiofentanyl	
103	(N-[(3-methyl-1-(2-thienyl)ethyl-4-piperidinyl]-N-phenyl propanamide).	
104	(ii) Unless specifically excepted or unless listed in another schedule, any of the	
105	following opium derivatives, their salts, isomers, and salts of isomers when the existence of the	
106	salts, isomers, and salts of isomers is possible within the specific chemical designation:	
107	(A) Acetorphine;	
108	(B) Acetyldihydrocodeine;	
109	(C) Benzylmorphine;	
110	(D) Codeine methylbromide;	
111	(E) Codeine-N-Oxide;	
112	(F) Cyprenorphine;	
113	(G) Desomorphine;	

114	(H) Dihydromorphine;
115	(I) Drotebanol;
116	(J) Etorphine (except hydrochloride salt);
117	(K) Heroin;
118	(L) Hydromorphinol;
119	(M) Methyldesorphine;
120	(N) Methylhydromorphine;
121	(O) Morphine methylbromide;
122	(P) Morphine methylsulfonate;
123	(Q) Morphine-N-Oxide;
124	(R) Myrophine;
125	(S) Nicocodeine;
126	(T) Nicomorphine;
127	(U) Normorphine;
128	(V) Pholcodine; and
129	(W) Thebacon.
130	(iii) Unless specifically excepted or unless listed in another schedule, any material,
131	compound, mixture, or preparation which contains any quantity of the following hallucinogenic
132	substances, or which contains any of their salts, isomers, and salts of isomers when the
133	existence of the salts, isomers, and salts of isomers is possible within the specific chemical
134	designation; as used in this Subsection (2)(iii) only, "isomer" includes the optical, position, and
135	geometric isomers:
136	(A) Alpha-ethyltryptamine, some trade or other names: etryptamine; Monase;
137	α -ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole; α -ET; and AET;
138	(B) 4-bromo-2,5-dimethoxy-amphetamine, some trade or other names:
139	4-bromo-2,5-dimethoxy-α-methylphenethylamine; 4-bromo-2,5-DMA;
140	(C) 4-bromo-2,5-[dimethoxypenethylamine]dimethoxyphenethylamine, some trade or
141	other names: 2-(4-bromo-2,5-dimethoxyphenyl)-1-aminoethane; alpha-desmethyl DOB; 2C-B,

142	Nexus;	
143	(D) 2,5-dimethoxyamphetamine, some trade or other names:	
	. 7	
144	2,5-dimethoxy-α-methylphenethylamine; 2,5-DMA;	
145	(E) 2,5-dimethoxy-4-ethylamphetamine, some trade or other names: DOET;	
146	(F) 4-methoxyamphetamine, some trade or other names:	
147	4-methoxy-α-methylphenethylamine; paramethoxyamphetamine, PMA;	
148	(G) 5-methoxy-3,4-methylenedioxyamphetamine;	
149	(H) 4-methyl-2,5-dimethoxy-amphetamine, some trade and other names:	
150	4-methyl-2,5-dimethoxy- α -methylphenethylamine; "DOM"; and "STP";	
151	(I) 3,4-methylenedioxy amphetamine;	
152	(J) 3,4-methylenedioxymethamphetamine (MDMA);	
153	(K) 3,4-methylenedioxy-N-ethylamphetamine, also known as N-ethyl-	
154	alpha-methyl-3,4(methylenedioxy)phenethylamine, N-ethyl MDA, MDE, MDEA;	
155	(L) N-hydroxy-3,4-methylenedioxyamphetamine, also known as	
156	N-hydroxy-alpha-methyl-3,4(methylenedioxy)phenethylamine, and N-hydroxy MDA;	
157	(M) 3,4,5-trimethoxy amphetamine;	
158	(N) Bufotenine, some trade and other names:	
159	3-(β-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,	
160	N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine;	
161	(O) Diethyltryptamine, some trade and other names: N,N-Diethyltryptamine; DET;	
162	(P) Dimethyltryptamine, some trade or other names: DMT;	
163	(Q) Ibogaine, some trade and other names:	
164	7-Ethyl-6,6β,7,8,9,10,12,13-octahydro-2-methoxy-6,9-methano-5H-pyrido [1', 2':1,2] azepino	
165	[5,4-b] indole; Tabernanthe iboga;	
166	(R) Lysergic acid diethylamide;	
167	(S) Marijuana;	
168	(T) Mescaline;	

(U) Parahexyl, some trade or other names:

170 3-Hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran; Synhexyl; 171 (V) Peyote, meaning all parts of the plant presently classified botanically as Lophophora williamsii Lemaire, whether growing or not, the seeds thereof, any extract from 172 173 any part of such plant, and every compound, manufacture, salts, derivative, mixture, or 174 preparation of such plant, its seeds or extracts (Interprets 21 USC 812(c), Schedule I(c) (12)); 175 (W) N-ethyl-3-piperidyl benzilate; 176 (X) N-methyl-3-piperidyl benzilate; (Y) Psilocybin; 177 178 (Z) Psilocyn; 179 (AA) Tetrahydrocannabinols, naturally contained in a plant of the genus Cannabis 180 (cannabis plant), as well as synthetic equivalents of the substances contained in the cannabis 181 plant, or in the resinous extractives of Cannabis, sp. and/or synthetic substances, derivatives, 182 and their isomers with similar chemical structure and pharmacological activity to those 183 substances contained in the plant, such as the following: $\Delta 1$ cis or trans tetrahydrocannabinol, 184 and their optical isomers $\Delta 6$ cis or trans tetrahydrocannabinol, and their optical isomers $\Delta 3.4$ 185 cis or trans tetrahydrocannabinol, and its optical isomers, and since nomenclature of these 186 substances is not internationally standardized, compounds of these structures, regardless of 187 numerical designation of atomic positions covered; 188 (BB) Ethylamine analog of phencyclidine, some trade or other names: 189 N-ethyl-1-phenylcyclohexylamine, (1-phenylcyclohexyl)ethylamine, 190 N-(1-phenylcyclohexyl)ethylamine, cyclohexamine, PCE; 191 (CC) Pyrrolidine analog of phencyclidine, some trade or other names: 192 1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP; 193 (DD) Thiophene analog of phencyclidine, some trade or other names: 194 1-[1-(2-thienyl)-cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine, TPCP, TCP; and 195 (EE) 1-[1-(2-thienyl)cyclohexyl]pyrrolidine, some other names: TCPy. 196 (iv) Unless specifically excepted or unless listed in another schedule, any material 197 compound, mixture, or preparation which contains any quantity of the following substances

198 having a depressant effect on the central nervous system, including its salts, isomers, and salts 199 of isomers when the existence of the salts, isomers, and salts of isomers is possible within the 200 specific chemical designation: 201 (A) Mecloqualone; and 202 (B) Methaqualone. 203 (v) Any material, compound, mixture, or preparation containing any quantity of the 204 following substances having a stimulant effect on the central nervous system, including their 205 salts, isomers, and salts of isomers: 206 (A) Aminorex, some other names: aminoxaphen; 2-amino-5-phenyl-2-oxazoline; or 207 4,5-dihydro-5-phenyl-2-oxazolamine; 208 (B) Cathinone, some trade or other names: 2-amino-1-phenyl-1-propanone, 209 alpha-aminopropiophenone, 2-aminopropiophenone, and norephedrone; 210 (C) Fenethylline; 211 (D) Methcathinone, some other names: 2-(methylamino)-propiophenone; 212 alpha-(methylamino)propiophenone; 2-(methylamino)-1-phenylpropan-1-one; 213 alpha-N-methylaminopropiophenone; monomethylpropion; ephedrone; N-methylcathinone; 214 methylcathinone; AL-464; AL-422; AL-463 and UR1432, its salts, optical isomers, and salts of 215 optical isomers; 216 (E) (±)cis-4-methylaminorex ((±)cis-4.5-dihydro-4-methyl-5-phenyl-2-oxazolamine); 217 (F) N-ethylamphetamine; and (G) N.N-dimethylamphetamine, also known as 218 219 N,N-alpha-trimethyl-benzeneethanamine; N,N-alpha-trimethylphenethylamine. 220 (vi) Any material, compound, mixture, or preparation which contains any quantity of 221 the following substances, including their optical isomers, salts, and salts of isomers, subject to 222 temporary emergency scheduling: 223 (A) N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl); and

(B) N-[1- (2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl).

(vii) Unless specifically excepted or unless listed in another schedule, any material,

224

226 compound, mixture, or preparation which contains any quantity of gamma hydroxy butyrate 227 (gamma hydrobutyric acid), including its salts, isomers, and salts of isomers. 228 (b) Schedule II: 229 (i) Unless specifically excepted or unless listed in another schedule, any of the 230 following substances whether produced directly or indirectly by extraction from substances of 231 vegetable origin, or independently by means of chemical synthesis, or by a combination of 232 extraction and chemical synthesis: 233 (A) Opium and opiate, and any salt, compound, derivative, or preparation of opium or 234 opiate, excluding apomorphine, dextrorphan, nalbuphine, nalmefene, naloxone, and naltrexone, 235 and their respective salts, but including: 236 (I) Raw opium; 237 (II) Opium extracts; 238 (III) Opium fluid; 239 (IV) Powdered opium; 240 (V) Granulated opium; 241 (VI) Tincture of opium; 242 (VII) Codeine; 243 (VIII) Ethylmorphine; 244 (IX) Etorphine hydrochloride; 245 (X) Hydrocodone; 246 (XI) Hydromorphone; 247 (XII) Metopon; 248 (XIII) Morphine; 249 (XIV) Oxycodone; 250 (XV) Oxymorphone; and 251 (XVI) Thebaine; 252 (B) Any salt, compound, derivative, or preparation which is chemically equivalent or

identical with any of the substances referred to in Subsection (2)(b)(i)(A), except that these

254 substances may not include the isoquinoline alkaloids of opium; 255 (C) Opium poppy and poppy straw; 256 (D) Coca leaves and any salt, compound, derivative, or preparation of coca leaves, and 257 any salt, compound, derivative, or preparation which is chemically equivalent or identical with 258 any of these substances, and includes cocaine and ecgonine, their salts, isomers, derivatives, 259 and salts of isomers and derivatives, whether derived from the coca plant or synthetically 260 produced, except the substances may not include decocainized coca leaves or extraction of coca 261 leaves, which extractions do not contain cocaine or ecgonine; and 262 (E) Concentrate of poppy straw, which means the crude extract of poppy straw in either 263 liquid, solid, or powder form which contains the phenanthrene alkaloids of the opium poppy. 264 (ii) Unless specifically excepted or unless listed in another schedule, any of the 265 following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and 266 ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific 267 chemical designation, except dextrorphan and levopropoxyphene: 268 (A) Alfentanil; 269 (B) Alphaprodine; 270 (C) Anileridine; 271 (D) Bezitramide; 272 (E) Bulk dextropropoxyphene (nondosage forms); 273 (F) Carfentanil; 274 (G) Dihydrocodeine; 275 (H) Diphenoxylate; 276 (I) Fentanyl; 277 (J) Isomethadone; 278 (K) Levo-alphacetylmethadol, some other names: levo-alpha-acetylmethadol, 279 levomethadyl acetate, or LAAM;

280

281

(L) Levomethorphan;

(M) Levorphanol;

282	(N) Metazocine;
283	(O) Methadone;
284	(P) Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl butane;
285	(Q) Moramide-Intermediate, 2-methyl-3-morpholino-1, 1-diphenylpropane-carboxylic
286	acid;
287	(R) Pethidine (meperidine);
288	(S) Pethidine-Intermediate-A, 4-cyano-1-methyl-4-phenylpiperidine;
289	(T) Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-carboxylate;
290	(U) Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-4-carboxylic acid;
291	(V) Phenazocine;
292	(W) Piminodine;
293	(X) Racemethorphan;
294	(Y) Racemorphan;
295	(Z) Remifentanil; and
296	(AA) Sufentanil.
297	(iii) Unless specifically excepted or unless listed in another schedule, any material,
298	compound, mixture, or preparation which contains any quantity of the following substances
299	having a stimulant effect on the central nervous system:
300	(A) Amphetamine, its salts, optical isomers, and salts of its optical isomers;
301	(B) Methamphetamine, its salts, isomers, and salts of its isomers;
302	(C) Phenmetrazine and its salts; and
303	(D) Methylphenidate.
304	(iv) Unless specifically excepted or unless listed in another schedule, any material,
305	compound, mixture, or preparation which contains any quantity of the following substances
306	having a depressant effect on the central nervous system, including its salts, isomers, and salts
307	of isomers when the existence of the salts, isomers, and salts of isomers is possible within the
308	specific chemical designation:
309	(A) Amobarbital;

H.B. 52 **Enrolled Copy** 310 (B) Glutethimide; 311 (C) Pentobarbital; 312 (D) Phencyclidine;

- 313 (E) Phencyclidine immediate precursors: 1-phenylcyclohexylamine and
- 314 1-piperidinocyclohexanecarbonitrile (PCC); and 315

(F) Secobarbital.

- 316 (v) (A) Unless specifically excepted or unless listed in another schedule, any material, 317 compound, mixture, or preparation which contains any quantity of Phenylacetone.
- 318 (B) Some of these substances may be known by trade or other names: 319 phenyl-2-propanone; P2P; benzyl methyl ketone; and methyl benzyl ketone.
- 320 (vi) Nabilone, another name for nabilone:
- 321 (±)-trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6,
- 322 6-dimethyl-9H-dibenzo[b,d]pyran-9-one.
- 323 (c) Schedule III:

324

325

326

327

328

329

330

331

332

333

- (i) Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers whether optical, position, or geometric, and salts of the isomers when the existence of the salts, isomers, and salts of isomers is possible within the specific chemical designation:
- (A) Those compounds, mixtures, or preparations in dosage unit form containing any stimulant substances listed in Schedule II, which compounds, mixtures, or preparations were listed on August 25, 1971, as excepted compounds under Section 1308.32 of Title 21 of the Code of Federal Regulations, and any other drug of the quantitive composition shown in that list for those drugs or which is the same except that it contains a lesser quantity of controlled substances;
- (B) Benzphetamine; 335
- 336 (C) Chlorphentermine;
- 337 (D) Clortermine; and

338	(E) Phendimetrazine.	
339	(ii) Unless specifically excepted or unless listed in another schedule, any material,	
340	compound, mixture, or preparation which contains any quantity of the following substances	
341	having a depressant effect on the central nervous system:	
342	(A) Any compound, mixture, or preparation containing amobarbital, secobarbital,	
343	pentobarbital, or any salt of any of them, and one or more other active medicinal ingredients	
344	which are not listed in any schedule;	
345	(B) Any suppository dosage form containing amobarbital, secobarbital, or	
346	pentobarbital, or any salt of any of these drugs which is approved by the Food and Drug	
347	Administration for marketing only as a suppository;	
348	(C) Any substance which contains any quantity of a derivative of barbituric acid or any	
349	salt of any of them;	
350	(D) Chlorhexadol;	
351	(E) Buprenorphine;	
352	(F) Any drug product containing gamma hydroxybutyric acid, including its salts,	
353	isomers, and salts of isomers, for which an application is approved under the federal Food,	
354	Drug, and Cosmetic Act, Section 505;	
355	(G) Ketamine, its salts, isomers, and salts of isomers, some other names for ketamine:	
356	± -2-(2-chlorophenyl)-2-(methylamino)-cyclohexanone;	
357	(H) Lysergic acid;	
358	(I) Lysergic acid amide;	
359	(J) Methyprylon;	
360	(K) Sulfondiethylmethane;	
361	(L) Sulfonethylmethane;	
362	(M) Sulfonmethane; and	
363	(N) Tiletamine and zolazepam or any of their salts, some trade or other names for a	
364	tiletamine-zolazepam combination product: Telazol, some trade or other names for tiletamine:	
365	2-(ethylamino)-2-(2-thienyl)-cyclohexanone, some trade or other names for zolazepam:	

4-(2-fluorophenyl)-6,8-dihydro-1,3,8-trimethylpyrazolo-[3,4-e] [1,4]-diazepin-7(1H)-one, 366 367 flupyrazapon. 368 (iii) Dronabinol (synthetic) in sesame oil and encapsulated in a soft gelatin capsule in a 369 U.S. Food and Drug Administration approved drug product, some other names for dronabinol: 370 (6aR-trans)-6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol, or 371 (-)-delta-9-(trans)-tetrahydrocannabinol. 372 (iv) Nalorphine. 373 (v) Unless specifically excepted or unless listed in another schedule, any material, 374 compound, mixture, or preparation containing limited quantities of any of the following 375 narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid: 376 (A) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90 377 milligrams per dosage unit, with an equal or greater quantity of an isoquinoline alkaloid of 378 opium; 379 (B) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90 380 milligrams per dosage unit, with one or more active non-narcotic ingredients in recognized therapeutic amounts: 381 382 (C) Not more than 300 milligrams of dihydrocodeinone per 100 milliliters or not more 383 than 15 milligrams per dosage unit, with a fourfold or greater quantity of an isoquinoline 384 alkaloid of opium; (D) Not more than 300 milligrams of dihydrocodeinone per 100 milliliters or not more 385 386 than 15 milligrams per dosage unit, with one or more active, non-narcotic ingredients in 387 recognized therapeutic amounts; 388 (E) Not more than 1.8 grams of dihydrocodeine per 100 milliliters or not more than 90 389 milligrams per dosage unit, with one or more active non-narcotic ingredients in recognized

- (F) Not more than 300 milligrams of ethylmorphine per 100 milliliters or not more than 15 milligrams per dosage unit, with one or more active, non-narcotic ingredients in
- 393 recognized therapeutic amounts;

therapeutic amounts;

390

391

394	(G) Not more than 500 milligrams of opium per 100 milliliters or per 100 grams, or no	
395	more than 25 milligrams per dosage unit, with one or more active, non-narcotic ingredients in	
396	recognized therapeutic amounts; and	
397	(H) Not more than 50 milligrams of morphine per 100 milliliters or per 100 grams with	
398	one or more active, non-narcotic ingredients in recognized therapeutic amounts.	
399	(vi) Unless specifically excepted or unless listed in another schedule, anabolic steroids	
100	including any of the following or any isomer, ester, salt, or derivative of the following that	
401	promotes muscle growth:	
402	(A) Boldenone;	
103	(B) Chlorotestosterone (4-chlortestosterone);	
104	(C) Clostebol;	
105	(D) Dehydrochlormethyltestosterone;	
106	(E) Dihydrotestosterone (4-dihydrotestosterone);	
407	(F) Drostanolone;	
108	(G) Ethylestrenol;	
409	(H) Fluoxymesterone;	
410	(I) Formebulone (formebolone);	
411	(J) Mesterolone;	
412	(K) Methandienone;	
413	(L) Methandranone;	
114	(M) Methandriol;	
415	(N) Methandrostenolone;	
416	(O) Methenolone;	
417	(P) Methyltestosterone;	
418	(Q) Mibolerone;	
419	(R) Nandrolone;	
420	(S) Norethandrolone;	
12.1	(T) Oxandrolone:	

H.B. 52 **Enrolled Copy** 422 (U) Oxymesterone; 423 (V) Oxymetholone; 424 (W) Stanolone; 425 (X) Stanozolol; 426 (Y) Testolactone; 427 (Z) Testosterone; and 428 (AA) Trenbolone. 429 (vii) Anabolic steroids expressly intended for administration through implants to cattle 430 or other nonhuman species, and approved by the Secretary of Health and Human Services for 431 use, may not be classified as a controlled substance. 432 (d) Schedule IV: 433 (i) Unless specifically excepted or unless listed in another schedule, any material, 434 compound, mixture, or preparation containing not more than 1 milligram of difenoxin and not 435 less than 25 micrograms of atropine sulfate per dosage unit, or any salts of any of them. 436 (ii) Unless specifically excepted or unless listed in another schedule, any material, 437 compound, mixture, or preparation which contains any quantity of the following substances, 438 including its salts, isomers, and salts of isomers when the existence of the salts, isomers, and 439 salts of isomers is possible within the specific chemical designation: 440 (A) Alprazolam; 441 (B) Barbital; 442 (C) Bromazepam; 443 (D) Butorphanol; 444 (E) Camazepam; 445 (F) Carisoprodol; 446 (G) Chloral betaine;

447

448

449

(H) Chloral hydrate;

(I) Chlordiazepoxide;

(J) Clobazam;

450	(K) Clonazepam;
451	(L) Clorazepate;
452	(M) Clotiazepam;
453	(N) Cloxazolam;
454	(O) Delorazepam;
455	(P) Diazepam;
456	(Q) Dichloralphenazone;
457	(R) Estazolam;
458	(S) Ethchlorvynol;
459	(T) Ethinamate;
460	(U) Ethyl loflazepate;
461	(V) Fludiazepam;
462	(W) Flunitrazepam;
463	(X) Flurazepam;
464	(Y) Halazepam;
465	(Z) Haloxazolam;
466	(AA) Ketazolam;
467	(BB) Loprazolam;
468	(CC) Lorazepam;
469	(DD) Lormetazepam;
470	(EE) Mebutamate;
471	(FF) Medazepam;
472	(GG) Meprobamate;
473	(HH) Methohexital;
474	(II) Methylphenobarbital (mephobarbital);
475	(JJ) Midazolam;
476	(KK) Nimetazepam;

(LL) Nitrazepam;

478 (MM) Nordiazepam; 479 (NN) Oxazepam; 480 (OO) Oxazolam; 481 (PP) Paraldehyde; (OO) Pentazocine; 482 483 (RR) Petrichloral; 484 (SS) Phenobarbital; 485 (TT) Pinazepam; 486 (UU) Prazepam; 487 (VV) Quazepam; 488 (WW) Temazepam; 489 (XX) Tetrazepam; 490 (YY) Triazolam; 491 (ZZ) Zaleplon; and 492 (AAA) Zolpidem. 493 (iii) Any material, compound, mixture, or preparation of fenfluramine which contains 494 any quantity of the following substances, including its salts, isomers whether optical, position, 495 or geometric, and salts of the isomers when the existence of the salts, isomers, and salts of 496 isomers is possible. 497 (iv) Unless specifically excepted or unless listed in another schedule, any material. 498 compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers whether 499 500 optical, position, or geometric isomers, and salts of the isomers when the existence of the salts, 501 isomers, and salts of isomers is possible within the specific chemical designation: 502 (A) Cathine ((+)-norpseudoephedrine); 503 (B) Diethylpropion; 504 (C) Fencamfamine; 505 (D) Fenproprex;

506	(E) Mazindol;	
507	(F) Mefenorex;	
508	(G) Modafinil;	
509	(H) Pemoline, including organometallic complexes and chelates thereof;	
510	(I) Phentermine;	
511	(J) Pipradrol;	
512	(K) Sibutramine; and	
513	(L) SPA ((-)-1-dimethylamino-1,2-diphenylethane).	
514	(v) Unless specifically excepted or unless listed in another schedule, any material,	
515	compound, mixture, or preparation which contains any quantity of dextropropoxyphene	
516	(alpha-(+)-4-dimethylamino-1, 2-diphenyl-3-methyl-2-propionoxybutane), including its salts.	
517	(e) Schedule V: Any compound, mixture, or preparation containing any of the	
518	following limited quantities of narcotic drugs, or their salts calculated as the free anhydrous	
519	base or alkaloid, which includes one or more non-narcotic active medicinal ingredients in	
520	sufficient proportion to confer upon the compound, mixture, or preparation valuable medicinal	
521	qualities other than those possessed by the narcotic drug alone:	
522	(i) not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;	
523	(ii) not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100	
524	grams;	
525	(iii) not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100	
526	grams;	
527	(iv) not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of	
528	atropine sulfate per dosage unit;	
529	(v) not more than 100 milligrams of opium per 100 milliliters or per 100 grams;	
530	(vi) not more than 0.5 milligram of difenoxin and not less than 25 micrograms of	
531	atropine sulfate per dosage unit; and	
532	(vii) unless specifically exempted or excluded or unless listed in another schedule, any	
533	material, compound, mixture, or preparation which contains Pyrovalerone having a stimulant	

```
534
       effect on the central nervous system, including its salts, isomers, and salts of isomers.
535
               Section 2. Section 58-37-4.2 is amended to read:
536
               58-37-4.2. Listed controlled substances.
537
              The following substances, their analogs, homologs, and synthetic equivalents are listed
538
       controlled substances:
539
               (1) AB-001;
540
               (2) AKB48;
541
               (3) alpha-Pyrrolidinovalerophenone (alpha-PVP);
542
               [(1)] (4) AM-694; 1-[(5-fluoropentyl)-1H-indol-3-yl]-(2-iodophenyl)methanone;
543
              (5) AM-1248;
544
               [<del>(2)</del>] (6) AM-2201; 1-(5-fluoropentyl)-3-(1-naphthoyl)indole;
545
               (7) AM-2233;
546
               (8) AM-679;
547
               (9) A796,260;
548
               (10) Butylone;
549
               [<del>(3)</del>] (11) CP 47,497 and its C6, C8, and C9 homologs;
550
       2-[(1R,3S)-3-hydroxycyclohexyl] -5-(2-methyloctan-2-yl)phenol;
551
               (12) Diisopropyltryptamine (DiPT);
552
               (13) Ethylone;
553
               (14) Fluoroisocathinone;
               (15) Fluoromethamphetamine;
554
555
               [<del>(4)</del>] (16) Fluoromethcathinone;
556
               [<del>(5)</del>] (17) HU-210;
557
       (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)
558
       -6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol;
559
               [<del>(6)</del>] (18) HU-211; Dexanabinol, (6aS, 10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-
560
       methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol;
561
               [<del>(7)</del>] (19) JWH-015; (2-methyl-1-propyl-1H-indol-3-yl)-1-naphthalenyl-methanone;
```

```
562
               [<del>(8)</del>] (20) JWH-018; Naphthalen-1-yl-(pentylindol-3-yl)methanone {also known as
563
       1-Pentyl-3-(1-naphthoyl)indole};
564
              [<del>(9)</del>] (21) JWH-019; 1-hexyl-3-(1-naphthoyl)indole;
565
              [(10)] (22) JWH-073; Naphthalen-1-yl(1-butylindol-3-yl)methanone {also known as
566
       1-Butyl-3-(1-naphthoyl)indole};
567
              [(11)] (23) JWH-081; 4-methoxynaphthalen-1-yl-(1-pentylindol-3-yl)methanone;
568
              [<del>(12)</del>] (24) JWH-122; CAS#619294-47-2; (1-Pentyl-3-(4-methyl-1-naphthoyl)indole);
569
              [<del>(13)</del>] (25) JWH-200; 1-(2-(4-(morpholinyl)ethyl))-3-(1-naphthoyl)indole;
570
              [(14)] (26) JWH-203; 1-pentyl-3-(2-chlorophenylacetyl)indole;
571
              [(15)] (27) JWH-210; 4-ethyl-1-naphthalenyl(1-pentyl-1H-indol-3-yl)-methanone;
572
              [(16)] (28) JWH-250; 1-pentyl-3-(2-methoxyphenylacetyl)indole;
573
              [<del>(17)</del>] (29) JWH-251; 2-(2-methylphenyl)-1-(1-pentyl-1H-indol-3-yl)ethanone;
574
              [<del>(18)</del>] (30) JWH-398; 1-pentyl-3-(4-chloro-1-naphthoyl)indole;
575
              (31) MAM-2201;
576
              (32) Methoxetamine;
577
              (33) Naphyrone;
578
              (34) Pentedrone;
579
              (35) Pentylone;
580
              [(19)] (36) RCS-4; 1-pentyl-3-(4-methoxybenzoyl)indole;
581
              [(20)] (37) RCS-8; 1-(2-cyclohexylethyl)-3-(2-methoxyphenylacetyl)indole {also
582
       known as BTW-8 and SR-18};
583
              (38) STS-135;
584
              (39) UR-144;
585
              (40) UR-144 N-(5-chloropentyl) analog;
586
              (41) XLR11;
587
              (42) 2C-C;
588
              (43) 2C-D;
589
              (44) 2C-E;
```

H.B. 52 **Enrolled Copy** 590 (45) 2C-H; 591 (46) 2C-I; 592 (47) 2C-N; 593 (48) 2C-P; 594 (49) 2C-T-2; 595 (50) 2C-T-4; 596 (51) 2NE1; 597 (52) 25I-NBOMe; 598 (53) 2,5-Dimethoxy-4-chloroamphetamine (DOC); 599 [(21)] (54) 4-methylmethcathinone {also known as mephedrone}; 600 [(22)] (55) 3,4-methylenedioxypyrovalerone {also known as MDPV}; 601 [(23)] (56) 3,4-Methylenedioxymethcathinone {also known as methylone}; [and] 602 $\left[\frac{(24)}{(57)}\right]$ 4-methoxymethcathinone[-]; 603 (58) 4-Methyl-alpha-pyrrolidinopropiophenone; 604 (59) 4-Methylethcathinone; 605 (60) 5-Iodo-2-aminoindane (5-IAI); and

606

(61) 5-MeO-DALT.