<b>CONTROLLED SUBSTANCES REVISIONS</b>
2013 GENERAL SESSION
STATE OF UTAH
Chief Sponsor: Paul Ray
Senate Sponsor: Allen M. Christensen
LONG TITLE
Committee Note:
The Health and Human Services Interim Committee recommended this bill.
General Description:
This bill modifies the Utah Controlled Substances Act by adding controlled substances
and making a technical correction.
Highlighted Provisions:
This bill:
<ul> <li>adds new "spice" and "bath salts" analogs to the list of unscheduled controlled</li> </ul>
substances; and
<ul> <li>makes a technical spelling correction of a substance listed in the scheduled</li> </ul>
controlled substances.
Money Appropriated in this Bill:
None
Other Special Clauses:
None
Utah Code Sections Affected:
AMENDS:
58-37-4, as last amended by Laws of Utah 2012, Chapter 297
58-37-4.2, as last amended by Laws of Utah 2012, Chapter 297

# 

28	Be it enacted by the Legislature of the state of Utah:
29	Section 1. Section <b>58-37-4</b> is amended to read:
30	58-37-4. Schedules of controlled substances Schedules I through V Findings
31	required Specific substances included in schedules.
32	(1) There are established five schedules of controlled substances known as Schedules I,
33	II, III, IV, and V which consist of substances listed in this section.
34	(2) Schedules I, II, III, IV, and V consist of the following drugs or other substances by
35	the official name, common or usual name, chemical name, or brand name designated:
36	(a) Schedule I:
37	(i) Unless specifically excepted or unless listed in another schedule, any of the
38	following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and
39	ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific
40	chemical designation:
41	(A) Acetyl-alpha-methylfentanyl
42	(N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);
43	(B) Acetylmethadol;
44	(C) Allylprodine;
45	(D) Alphacetylmethadol, except levo-alphacetylmethadol also known as
46	levo-alpha-acetylmethadol, levomethadyl acetate, or LAAM;
47	(E) Alphameprodine;
48	(F) Alphamethadol;
49	(G) Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl]
50	propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-propanilido) piperidine);
51	(H) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl)ethyl-4-
52	piperidinyl]-N-phenylpropanamide);
53	(I) Benzylpiperazine;
54	(J) Benzethidine;
55	(K) Betacetylmethadol;
56	(L) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-
57	piperidinyl]-N-phenylpropanamide);
58	(M) Beta-hydroxy-3-methylfentanyl, other name: N-[1-(2-hydroxy-2-

59 phenethyl)-3-methyl-4-piperidinyl]-N-phenylpropanamide; 60 (N) Betameprodine; 61 (O) Betamethadol; 62 (P) Betaprodine; 63 (Q) Clonitazene; 64 (R) Dextromoramide; 65 (S) Diampromide; 66 (T) Diethylthiambutene; 67 (U) Difenoxin; (V) Dimenoxadol; 68 69 (W) Dimepheptanol; 70 (X) Dimethylthiambutene; 71 (Y) Dioxaphetyl butyrate; (Z) Dipipanone; 72 73 (AA) Ethylmethylthiambutene; 74 (BB) Etonitazene; 75 (CC) Etoxeridine; 76 (DD) Furethidine; 77 (EE) Hydroxypethidine; 78 (FF) Ketobemidone; 79 (GG) Levomoramide; 80 (HH) Levophenacylmorphan; 81 (II) Morpheridine; 82 (JJ) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine); 83 (KK) Noracymethadol; 84 (LL) Norlevorphanol; 85 (MM) Normethadone; 86 (NN) Norpipanone; 87 (OO) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4- piperidinyl] 88 propanamide; 89 (PP) PEPAP (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);

90	(QQ) Phenadoxone;
91	(RR) Phenampromide;
92	(SS) Phenomorphan;
93	(TT) Phenoperidine;
94	(UU) Piritramide;
95	(VV) Proheptazine;
96	(WW) Properidine;
97	(XX) Propiram;
98	(YY) Racemoramide;
99	(ZZ) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]- propanamide;
100	(AAA) Tilidine;
101	(BBB) Trimeperidine;
102	(CCC) 3-methylfentanyl, including the optical and geometric isomers
103	(N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]- N-phenylpropanamide); and
104	(DDD) 3-methylthiofentanyl
105	(N-[(3-methyl-1-(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide).
106	(ii) Unless specifically excepted or unless listed in another schedule, any of the
107	following opium derivatives, their salts, isomers, and salts of isomers when the existence of the
108	salts, isomers, and salts of isomers is possible within the specific chemical designation:
109	(A) Acetorphine;
110	(B) Acetyldihydrocodeine;
111	(C) Benzylmorphine;
112	(D) Codeine methylbromide;
113	(E) Codeine-N-Oxide;
114	(F) Cyprenorphine;
115	(G) Desomorphine;
116	(H) Dihydromorphine;
117	(I) Drotebanol;
118	(J) Etorphine (except hydrochloride salt);
119	(K) Heroin;
120	(L) Hydromorphinol;

121	(M) Methyldesorphine;
122	(N) Methylhydromorphine;
123	(O) Morphine methylbromide;
124	(P) Morphine methylsulfonate;
125	(Q) Morphine-N-Oxide;
126	(R) Myrophine;
127	(S) Nicocodeine;
128	(T) Nicomorphine;
129	(U) Normorphine;
130	(V) Pholcodine; and
131	(W) Thebacon.
132	(iii) Unless specifically excepted or unless listed in another schedule, any material,
133	compound, mixture, or preparation which contains any quantity of the following hallucinogenic
134	substances, or which contains any of their salts, isomers, and salts of isomers when the
135	existence of the salts, isomers, and salts of isomers is possible within the specific chemical
136	designation; as used in this Subsection (2)(iii) only, "isomer" includes the optical, position, and
137	geometric isomers:
138	(A) Alpha-ethyltryptamine, some trade or other names: etryptamine; Monase;
139	$\alpha$ -ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole; $\alpha$ -ET; and AET;
140	(B) 4-bromo-2,5-dimethoxy-amphetamine, some trade or other names:
141	4-bromo-2,5-dimethoxy-α-methylphenethylamine; 4-bromo-2,5-DMA;
142	(C) 4-bromo-2,5-[dimethoxypenethylamine]dimethoxyphenethylamine, some trade or
143	other names: 2-(4-bromo-2,5-dimethoxyphenyl)-1-aminoethane; alpha-desmethyl DOB; 2C-B,
144	Nexus;
145	(D) 2,5-dimethoxyamphetamine, some trade or other names:
146	2,5-dimethoxy-α-methylphenethylamine; 2,5-DMA;
147	(E) 2,5-dimethoxy-4-ethylamphetamine, some trade or other names: DOET;
148	(F) 4-methoxyamphetamine, some trade or other names:
149	4-methoxy- $\alpha$ -methylphenethylamine; paramethoxyamphetamine, PMA;
150	(G) 5-methoxy-3,4-methylenedioxyamphetamine;
151	(H) 4-methyl-2,5-dimethoxy-amphetamine, some trade and other names:

152	4-methyl-2,5-dimethoxy-α-methylphenethylamine; "DOM"; and "STP";
153	(I) 3,4-methylenedioxy amphetamine;
154	(J) 3,4-methylenedioxymethamphetamine (MDMA);
155	(K) 3,4-methylenedioxy-N-ethylamphetamine, also known as N-ethyl-
156	alpha-methyl-3,4(methylenedioxy)phenethylamine, N-ethyl MDA, MDE, MDEA;
157	(L) N-hydroxy-3,4-methylenedioxyamphetamine, also known as
158	N-hydroxy-alpha-methyl-3,4(methylenedioxy)phenethylamine, and N-hydroxy MDA;
159	(M) 3,4,5-trimethoxy amphetamine;
160	(N) Bufotenine, some trade and other names:
161	3-(β-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,
162	N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine;
163	(O) Diethyltryptamine, some trade and other names: N,N-Diethyltryptamine; DET;
164	(P) Dimethyltryptamine, some trade or other names: DMT;
165	(Q) Ibogaine, some trade and other names:
166	7-Ethyl-6,6β,7,8,9,10,12,13-octahydro-2-methoxy-6,9-methano-5H-pyrido [1', 2':1,2] azepino
167	[5,4-b] indole; Tabernanthe iboga;
168	(R) Lysergic acid diethylamide;
169	(S) Marijuana;
170	(T) Mescaline;
171	(U) Parahexyl, some trade or other names:
172	3-Hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran; Synhexyl;
173	(V) Peyote, meaning all parts of the plant presently classified botanically as
174	Lophophora williamsii Lemaire, whether growing or not, the seeds thereof, any extract from
175	any part of such plant, and every compound, manufacture, salts, derivative, mixture, or
176	preparation of such plant, its seeds or extracts (Interprets 21 USC 812(c), Schedule I(c) (12));
177	(W) N-ethyl-3-piperidyl benzilate;
178	(X) N-methyl-3-piperidyl benzilate;
179	(Y) Psilocybin;
180	(Z) Psilocyn;
181	(AA) Tetrahydrocannabinols, naturally contained in a plant of the genus Cannabis

182 (cannabis plant), as well as synthetic equivalents of the substances contained in the cannabis

183	plant, or in the resinous extractives of Cannabis, sp. and/or synthetic substances, derivatives,
184	and their isomers with similar chemical structure and pharmacological activity to those
185	substances contained in the plant, such as the following: $\Delta 1$ cis or trans tetrahydrocannabinol,
186	and their optical isomers $\Delta 6$ cis or trans tetrahydrocannabinol, and their optical isomers $\Delta 3,4$
187	cis or trans tetrahydrocannabinol, and its optical isomers, and since nomenclature of these
188	substances is not internationally standardized, compounds of these structures, regardless of
189	numerical designation of atomic positions covered;
190	(BB) Ethylamine analog of phencyclidine, some trade or other names:
191	N-ethyl-1-phenylcyclohexylamine, (1-phenylcyclohexyl)ethylamine,
192	N-(1-phenylcyclohexyl)ethylamine, cyclohexamine, PCE;
193	(CC) Pyrrolidine analog of phencyclidine, some trade or other names:
194	1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP;
195	(DD) Thiophene analog of phencyclidine, some trade or other names:
196	1-[1-(2-thienyl)-cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine, TPCP, TCP; and
197	(EE) 1-[1-(2-thienyl)cyclohexyl]pyrrolidine, some other names: TCPy.
198	(iv) Unless specifically excepted or unless listed in another schedule, any material
199	compound, mixture, or preparation which contains any quantity of the following substances
200	having a depressant effect on the central nervous system, including its salts, isomers, and salts
201	of isomers when the existence of the salts, isomers, and salts of isomers is possible within the
202	specific chemical designation:
203	(A) Mecloqualone; and
204	(B) Methaqualone.
205	(v) Any material, compound, mixture, or preparation containing any quantity of the
206	following substances having a stimulant effect on the central nervous system, including their
207	salts, isomers, and salts of isomers:
208	(A) Aminorex, some other names: aminoxaphen; 2-amino-5-phenyl-2-oxazoline; or
209	4,5-dihydro-5-phenyl-2-oxazolamine;
210	(B) Cathinone, some trade or other names: 2-amino-1-phenyl-1-propanone,
211	alpha-aminopropiophenone, 2-aminopropiophenone, and norephedrone;
212	(C) Fenethylline;
213	(D) Methcathinone, some other names: 2-(methylamino)-propiophenone;

#### H.B. 52

- 214 alpha-(methylamino)propiophenone; 2-(methylamino)-1-phenylpropan-1-one;
- 215 alpha-N-methylaminopropiophenone; monomethylpropion; ephedrone; N-methylcathinone;
- 216 methylcathinone; AL-464; AL-422; AL-463 and UR1432, its salts, optical isomers, and salts of
- 217 optical isomers;
- 218 (E) (±)cis-4-methylaminorex ((±)cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazolamine);
- 219 (F) N-ethylamphetamine; and
- 220 (G) N,N-dimethylamphetamine, also known as
- 221 N,N-alpha-trimethyl-benzeneethanamine; N,N-alpha-trimethylphenethylamine.
- (vi) Any material, compound, mixture, or preparation which contains any quantity of
   the following substances, including their optical isomers, salts, and salts of isomers, subject to
   temporary emergency scheduling:
- 225

(A) N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl); and

- 226 (B) N-[1- (2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl).
- (vii) Unless specifically excepted or unless listed in another schedule, any material,
  compound, mixture, or preparation which contains any quantity of gamma hydroxy butyrate
  (gamma hydrobutyric acid), including its salts, isomers, and salts of isomers.
- 230 (b) Schedule II:
- (i) Unless specifically excepted or unless listed in another schedule, any of the
  following substances whether produced directly or indirectly by extraction from substances of
  vegetable origin, or independently by means of chemical synthesis, or by a combination of
  extraction and chemical synthesis:
- (A) Opium and opiate, and any salt, compound, derivative, or preparation of opium or
  opiate, excluding apomorphine, dextrorphan, nalbuphine, nalmefene, naloxone, and naltrexone,
  and their respective salts, but including:
- 238 (I) Raw opium;
- 239 (II) Opium extracts;
- 240 (III) Opium fluid;
- 241 (IV) Powdered opium;
- 242 (V) Granulated opium;
- 243 (VI) Tincture of opium;
- 244 (VII) Codeine;

o 1 -	
245	(VIII) Ethylmorphine;
246	(IX) Etorphine hydrochloride;
247	(X) Hydrocodone;
248	(XI) Hydromorphone;
249	(XII) Metopon;
250	(XIII) Morphine;
251	(XIV) Oxycodone;
252	(XV) Oxymorphone; and
253	(XVI) Thebaine;
254	(B) Any salt, compound, derivative, or preparation which is chemically equivalent or
255	identical with any of the substances referred to in Subsection (2)(b)(i)(A), except that these
256	substances may not include the isoquinoline alkaloids of opium;
257	(C) Opium poppy and poppy straw;
258	(D) Coca leaves and any salt, compound, derivative, or preparation of coca leaves, and
259	any salt, compound, derivative, or preparation which is chemically equivalent or identical with
260	any of these substances, and includes cocaine and ecgonine, their salts, isomers, derivatives,
261	and salts of isomers and derivatives, whether derived from the coca plant or synthetically
262	produced, except the substances may not include decocainized coca leaves or extraction of coca
263	leaves, which extractions do not contain cocaine or ecgonine; and
264	(E) Concentrate of poppy straw, which means the crude extract of poppy straw in either
265	liquid, solid, or powder form which contains the phenanthrene alkaloids of the opium poppy.
266	(ii) Unless specifically excepted or unless listed in another schedule, any of the
267	following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and
268	ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific
269	chemical designation, except dextrorphan and levopropoxyphene:
270	(A) Alfentanil;
271	(B) Alphaprodine;
272	(C) Anileridine;
273	(D) Bezitramide;
274	(E) Bulk dextropropoxyphene (nondosage forms);
275	(F) Carfentanil;

276	(G) Dihydrocodeine;
277	(H) Diphenoxylate;
278	(I) Fentanyl;
279	(J) Isomethadone;
280	(K) Levo-alphacetylmethadol, some other names: levo-alpha-acetylmethadol,
281	levomethadyl acetate, or LAAM;
282	(L) Levomethorphan;
283	(M) Levorphanol;
284	(N) Metazocine;
285	(O) Methadone;
286	(P) Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl butane;
287	(Q) Moramide-Intermediate, 2-methyl-3-morpholino-1, 1-diphenylpropane-carboxylic
288	acid;
289	(R) Pethidine (meperidine);
290	(S) Pethidine-Intermediate-A, 4-cyano-1-methyl-4-phenylpiperidine;
291	(T) Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-carboxylate;
292	(U) Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-4-carboxylic acid;
293	(V) Phenazocine;
294	(W) Piminodine;
295	(X) Racemethorphan;
296	(Y) Racemorphan;
297	(Z) Remifentanil; and
298	(AA) Sufentanil.
299	(iii) Unless specifically excepted or unless listed in another schedule, any material,
300	compound, mixture, or preparation which contains any quantity of the following substances
301	having a stimulant effect on the central nervous system:
302	(A) Amphetamine, its salts, optical isomers, and salts of its optical isomers;
303	(B) Methamphetamine, its salts, isomers, and salts of its isomers;
304	(C) Phenmetrazine and its salts; and
305	(D) Methylphenidate.
306	(iv) Unless specifically excepted or unless listed in another schedule, any material,

307 compound, mixture, or preparation which contains any quantity of the following substances 308 having a depressant effect on the central nervous system, including its salts, isomers, and salts 309 of isomers when the existence of the salts, isomers, and salts of isomers is possible within the 310 specific chemical designation: 311 (A) Amobarbital; 312 (B) Glutethimide; 313 (C) Pentobarbital; 314 (D) Phencyclidine; 315 (E) Phencyclidine immediate precursors: 1-phenylcyclohexylamine and 316 1-piperidinocyclohexanecarbonitrile (PCC); and 317 (F) Secobarbital. 318 (v) (A) Unless specifically excepted or unless listed in another schedule, any material, 319 compound, mixture, or preparation which contains any quantity of Phenylacetone. 320 (B) Some of these substances may be known by trade or other names: 321 phenyl-2-propanone; P2P; benzyl methyl ketone; and methyl benzyl ketone. 322 (vi) Nabilone, another name for nabilone: 323  $(\pm)$ -trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6, 324 6-dimethyl-9H-dibenzo[b,d]pyran-9-one. 325 (c) Schedule III: 326 (i) Unless specifically excepted or unless listed in another schedule, any material, 327 compound, mixture, or preparation which contains any quantity of the following substances 328 having a stimulant effect on the central nervous system, including its salts, isomers whether 329 optical, position, or geometric, and salts of the isomers when the existence of the salts, isomers, 330 and salts of isomers is possible within the specific chemical designation: 331 (A) Those compounds, mixtures, or preparations in dosage unit form containing any 332 stimulant substances listed in Schedule II, which compounds, mixtures, or preparations were 333 listed on August 25, 1971, as excepted compounds under Section 1308.32 of Title 21 of the 334 Code of Federal Regulations, and any other drug of the quantitive composition shown in that 335 list for those drugs or which is the same except that it contains a lesser quantity of controlled 336 substances;

337 (B) Benzphetamine;

338	(C) Chlorphentermine;
339	(D) Clortermine; and
340	(E) Phendimetrazine.
341	(ii) Unless specifically excepted or unless listed in another schedule, any material,
342	compound, mixture, or preparation which contains any quantity of the following substances
343	having a depressant effect on the central nervous system:
344	(A) Any compound, mixture, or preparation containing amobarbital, secobarbital,
345	pentobarbital, or any salt of any of them, and one or more other active medicinal ingredients
346	which are not listed in any schedule;
347	(B) Any suppository dosage form containing amobarbital, secobarbital, or
348	pentobarbital, or any salt of any of these drugs which is approved by the Food and Drug
349	Administration for marketing only as a suppository;
350	(C) Any substance which contains any quantity of a derivative of barbituric acid or any
351	salt of any of them;
352	(D) Chlorhexadol;
353	(E) Buprenorphine;
354	(F) Any drug product containing gamma hydroxybutyric acid, including its salts,
355	isomers, and salts of isomers, for which an application is approved under the federal Food,
356	Drug, and Cosmetic Act, Section 505;
357	(G) Ketamine, its salts, isomers, and salts of isomers, some other names for ketamine:
358	± -2-(2-chlorophenyl)-2-(methylamino)-cyclohexanone;
359	(H) Lysergic acid;
360	(I) Lysergic acid amide;
361	(J) Methyprylon;
362	(K) Sulfondiethylmethane;
363	(L) Sulfonethylmethane;
364	(M) Sulfonmethane; and
365	(N) Tiletamine and zolazepam or any of their salts, some trade or other names for a
366	tiletamine-zolazepam combination product: Telazol, some trade or other names for tiletamine:
367	2-(ethylamino)-2-(2-thienyl)-cyclohexanone, some trade or other names for zolazepam:
368	4-(2-fluorophenyl)-6,8-dihydro-1,3,8-trimethylpyrazolo-[3,4-e] [1,4]-diazepin-7(1H)-one,

H.B. 52

369 flupyrazapon. 370 (iii) Dronabinol (synthetic) in sesame oil and encapsulated in a soft gelatin capsule in a 371 U.S. Food and Drug Administration approved drug product, some other names for dronabinol: 372 (6aR-trans)-6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol, or 373 (-)-delta-9-(trans)-tetrahydrocannabinol. 374 (iv) Nalorphine. 375 (v) Unless specifically excepted or unless listed in another schedule, any material, 376 compound, mixture, or preparation containing limited quantities of any of the following 377 narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid: 378 (A) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90 379 milligrams per dosage unit, with an equal or greater quantity of an isoquinoline alkaloid of 380 opium; 381 (B) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90 382 milligrams per dosage unit, with one or more active non-narcotic ingredients in recognized 383 therapeutic amounts; 384 (C) Not more than 300 milligrams of dihydrocodeinone per 100 milliliters or not more 385 than 15 milligrams per dosage unit, with a fourfold or greater quantity of an isoquinoline 386 alkaloid of opium; 387 (D) Not more than 300 milligrams of dihydrocodeinone per 100 milliliters or not more 388 than 15 milligrams per dosage unit, with one or more active, non-narcotic ingredients in 389 recognized therapeutic amounts; 390 (E) Not more than 1.8 grams of dihydrocodeine per 100 milliliters or not more than 90 391 milligrams per dosage unit, with one or more active non-narcotic ingredients in recognized 392 therapeutic amounts; 393 (F) Not more than 300 milligrams of ethylmorphine per 100 milliliters or not more 394 than 15 milligrams per dosage unit, with one or more active, non-narcotic ingredients in 395 recognized therapeutic amounts; 396 (G) Not more than 500 milligrams of opium per 100 milliliters or per 100 grams, or not 397 more than 25 milligrams per dosage unit, with one or more active, non-narcotic ingredients in 398 recognized therapeutic amounts; and 399 (H) Not more than 50 milligrams of morphine per 100 milliliters or per 100 grams with

- 400 one or more active, non-narcotic ingredients in recognized therapeutic amounts.
- 401 (vi) Unless specifically excepted or unless listed in another schedule, anabolic steroids
- 402 including any of the following or any isomer, ester, salt, or derivative of the following that
- 403 promotes muscle growth:
- 404 (A) Boldenone; 405 (B) Chlorotestosterone (4-chlortestosterone); 406 (C) Clostebol; 407 (D) Dehydrochlormethyltestosterone; 408 (E) Dihydrotestosterone (4-dihydrotestosterone); 409 (F) Drostanolone; 410 (G) Ethylestrenol; 411 (H) Fluoxymesterone; 412 (I) Formebulone (formebolone); 413 (J) Mesterolone; 414 (K) Methandienone; 415 (L) Methandranone; 416 (M) Methandriol; 417 (N) Methandrostenolone; 418 (O) Methenolone; 419 (P) Methyltestosterone; 420 (Q) Mibolerone; 421 (R) Nandrolone; 422 (S) Norethandrolone; 423 (T) Oxandrolone; 424 (U) Oxymesterone; 425 (V) Oxymetholone; 426 (W) Stanolone; 427 (X) Stanozolol; 428 (Y) Testolactone; 429 (Z) Testosterone; and 430 (AA) Trenbolone.

431 (vii) Anabolic steroids expressly intended for administration through implants to cattle
432 or other nonhuman species, and approved by the Secretary of Health and Human Services for
433 use, may not be classified as a controlled substance.

434 (d) Schedule IV:

(i) Unless specifically excepted or unless listed in another schedule, any material,
compound, mixture, or preparation containing not more than 1 milligram of difenoxin and not
less than 25 micrograms of atropine sulfate per dosage unit, or any salts of any of them.

(ii) Unless specifically excepted or unless listed in another schedule, any material,
compound, mixture, or preparation which contains any quantity of the following substances,
including its salts, isomers, and salts of isomers when the existence of the salts, isomers, and
salts of isomers is possible within the specific chemical designation:

- 442 (A) Alprazolam;
- 443 (B) Barbital;
- 444 (C) Bromazepam;
- 445 (D) Butorphanol;
- 446 (E) Camazepam;
- 447 (F) Carisoprodol;
- 448 (G) Chloral betaine;
- 449 (H) Chloral hydrate;
- 450 (I) Chlordiazepoxide;
- 451 (J) Clobazam;
- 452 (K) Clonazepam;
- 453 (L) Clorazepate;
- 454 (M) Clotiazepam;
- 455 (N) Cloxazolam;
- 456 (O) Delorazepam;
- 457 (P) Diazepam;
- 458 (Q) Dichloralphenazone;
- 459 (R) Estazolam;
- 460 (S) Ethchlorvynol;
- 461 (T) Ethinamate;

462	(U) Ethyl loflazepate;
463	(V) Fludiazepam;
464	(W) Flunitrazepam;
465	(X) Flurazepam;
466	(Y) Halazepam;
467	(Z) Haloxazolam;
468	(AA) Ketazolam;
469	(BB) Loprazolam;
470	(CC) Lorazepam;
471	(DD) Lormetazepam;
472	(EE) Mebutamate;
473	(FF) Medazepam;
474	(GG) Meprobamate;
475	(HH) Methohexital;
476	(II) Methylphenobarbital (mephobarbital);
477	(JJ) Midazolam;
478	(KK) Nimetazepam;
479	(LL) Nitrazepam;
480	(MM) Nordiazepam;
481	(NN) Oxazepam;
482	(OO) Oxazolam;
483	(PP) Paraldehyde;
484	(QQ) Pentazocine;
485	(RR) Petrichloral;
486	(SS) Phenobarbital;
487	(TT) Pinazepam;
488	(UU) Prazepam;
489	(VV) Quazepam;
490	(WW) Temazepam;
491	(XX) Tetrazepam;
492	(YY) Triazolam;

493 (ZZ) Zaleplon; and

494 (AAA) Zolpidem.

495 (iii) Any material, compound, mixture, or preparation of fenfluramine which contains
496 any quantity of the following substances, including its salts, isomers whether optical, position,
497 or geometric, and salts of the isomers when the existence of the salts, isomers, and salts of
498 isomers is possible.

499 (iv) Unless specifically excepted or unless listed in another schedule, any material,
500 compound, mixture, or preparation which contains any quantity of the following substances
501 having a stimulant effect on the central nervous system, including its salts, isomers whether
502 optical, position, or geometric isomers, and salts of the isomers when the existence of the salts,
503 isomers, and salts of isomers is possible within the specific chemical designation:

- 504 (A) Cathine ((+)-norpseudoephedrine);
- 505 (B) Diethylpropion;
- 506 (C) Fencamfamine;
- 507 (D) Fenproprex;
- 508 (E) Mazindol;
- 509 (F) Mefenorex;
- 510 (G) Modafinil;
- 511 (H) Pemoline, including organometallic complexes and chelates thereof;
- 512 (I) Phentermine;
- 513 (J) Pipradrol;
- 514 (K) Sibutramine; and
- 515 (L) SPA ((-)-1-dimethylamino-1,2-diphenylethane).
- 516 (v) Unless specifically excepted or unless listed in another schedule, any material,
- 517 compound, mixture, or preparation which contains any quantity of dextropropoxyphene
- 518 (alpha-(+)-4-dimethylamino-1, 2-diphenyl-3-methyl-2-propionoxybutane), including its salts.
- 519 (e) Schedule V: Any compound, mixture, or preparation containing any of the
- 520 following limited quantities of narcotic drugs, or their salts calculated as the free anhydrous
- 521 base or alkaloid, which includes one or more non-narcotic active medicinal ingredients in
- 522 sufficient proportion to confer upon the compound, mixture, or preparation valuable medicinal
- 523 qualities other than those possessed by the narcotic drug alone:

524	(i) not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;
525	(ii) not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100
526	grams;
527	(iii) not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100
528	grams;
529	(iv) not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of
530	atropine sulfate per dosage unit;
531	(v) not more than 100 milligrams of opium per 100 milliliters or per 100 grams;
532	(vi) not more than 0.5 milligram of difenoxin and not less than 25 micrograms of
533	atropine sulfate per dosage unit; and
534	(vii) unless specifically exempted or excluded or unless listed in another schedule, any
535	material, compound, mixture, or preparation which contains Pyrovalerone having a stimulant
536	effect on the central nervous system, including its salts, isomers, and salts of isomers.
537	Section 2. Section <b>58-37-4.2</b> is amended to read:
538	58-37-4.2. Listed controlled substances.
539	The following substances, their analogs, homologs, and synthetic equivalents are listed
540	controlled substances:
541	<u>(1) AB-001;</u>
542	<u>(2) AKB48;</u>
543	(3) alpha-Pyrrolidinovalerophenone (alpha-PVP);
544	[(1)] (4) AM-694; 1-[(5-fluoropentyl)-1H-indol-3-yl]-(2-iodophenyl)methanone;
545	<u>(5) AM-1248;</u>
546	[ <del>(2)</del> ] <u>(6)</u> AM-2201; 1-(5-fluoropentyl)-3-(1-naphthoyl)indole;
547	<u>(7) AM-2233;</u>
548	<u>(8) AM-679;</u>
549	<u>(9) A796,260;</u>
550	(10) Butylone;
551	[ <del>(3)</del> ] <u>(11)</u> CP 47,497 and its C6, C8, and C9 homologs;
552	2-[(1R,3S)-3-hydroxycyclohexyl] -5-(2-methyloctan-2-yl)phenol;
553	(12) Diisopropyltryptamine (DiPT);
554	(13) Ethylone;

555	(14) Fluoroisocathinone;
556	(15) Fluoromethamphetamine;
557	[ <del>(4)</del> ] <u>(16)</u> Fluoromethcathinone;
558	[ <del>(5)</del> ] <u>(17)</u> HU-210;
559	(6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)
560	-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol;
561	[(6)] (18) HU-211; Dexanabinol,(6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-
562	methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol;
563	[ <del>(7)</del> ] (19) JWH-015; (2-methyl-1-propyl-1H-indol-3-yl)-1-naphthalenyl-methanone;
564	[(8)] (20) JWH-018; Naphthalen-1-yl-(pentylindol-3-yl)methanone {also known as
565	1-Pentyl-3-(1-naphthoyl)indole};
566	[ <del>(9)</del> ] <u>(21)</u> JWH-019; 1-hexyl-3-(1-naphthoyl)indole;
567	[(10)] (22) JWH-073; Naphthalen-1-yl(1-butylindol-3-yl)methanone {also known as
568	1-Butyl-3-(1-naphthoyl)indole};
569	[(11)] (23) JWH-081; 4-methoxynaphthalen-1-yl-(1-pentylindol-3-yl)methanone;
570	[ <del>(12)</del> ] <u>(24)</u> JWH-122; CAS#619294-47-2; (1-Pentyl-3-(4-methyl-1-naphthoyl)indole);
571	[ <del>(13)</del> ] <u>(25)</u> JWH-200; 1-(2-(4-(morpholinyl)ethyl))-3-(1-naphthoyl)indole;
572	[(14)] (26) JWH-203; 1-pentyl-3-(2-chlorophenylacetyl)indole;
573	[(15)] (27) JWH-210; 4-ethyl-1-naphthalenyl(1-pentyl-1H-indol-3-yl)-methanone;
574	[(16)] (28) JWH-250; 1-pentyl-3-(2-methoxyphenylacetyl)indole;
575	[ <del>(17)</del> ] (29) JWH-251; 2-(2-methylphenyl)-1-(1-pentyl-1H-indol-3-yl)ethanone;
576	[(18)] (30) JWH-398; 1-pentyl-3-(4-chloro-1-naphthoyl)indole;
577	(31) MAM-2201;
578	(32) Methoxetamine;
579	(33) Naphyrone;
580	(34) Pentedrone;
581	(35) Pentylone;
582	[(19)] (36) RCS-4; 1-pentyl-3-(4-methoxybenzoyl)indole;
583	[(20)] (37) RCS-8; 1-(2-cyclohexylethyl)-3-(2-methoxyphenylacetyl)indole {also
584	known as BTW-8 and SR-18};
585	(28) STS 125.

585 <u>(38)</u> STS-135;

586	<u>(39) UR-144;</u>
587	(40) UR-144 N-(5-chloropentyl) analog;
588	<u>(41) XLR11;</u>
589	<u>(42) 2C-C;</u>
590	<u>(43) 2C-D;</u>
591	<u>(44) 2C-E;</u>
592	<u>(45) 2C-H;</u>
593	<u>(46) 2C-I;</u>
594	<u>(47) 2C-N;</u>
595	<u>(48) 2C-P;</u>
596	<u>(49) 2C-T-2;</u>
597	<u>(50)</u> <u>2C-T-4;</u>
598	<u>(51) 2NE1;</u>
599	(52) 25I-NBOMe;
600	(53) 2,5-Dimethoxy-4-chloroamphetamine (DOC);
601	[(21)] (54) 4-methylmethcathinone {also known as mephedrone};
602	[(22)] (55) 3,4-methylenedioxypyrovalerone {also known as MDPV};
603	[(23)] (56) 3,4-Methylenedioxymethcathinone {also known as methylone}; [and]
604	[(24)] (57) 4-methoxymethcathinone[-]:
605	(58) 4-Methyl-alpha-pyrrolidinopropiophenone;
606	(59) 4-Methylethcathinone;
607	(60) 5-Iodo-2-aminoindane (5-IAI); and
608	(61) 5-MeO-DALT.

Legislative Review Note as of 11-15-12 3:59 PM

Office of Legislative Research and General Counsel