



# House of Representatives *State of Utah*

UTAH STATE CAPITOL COMPLEX • 350 STATE CAPITOL  
P.O. BOX 145030 • SALT LAKE CITY, UTAH 84114-5030 • (801) 538-1029

February 16, 2016

Mr. Speaker:

The Business and Labor Committee recommends **H.B. 316**, BUILDING CODE REVIEW AND ADOPTION AMENDMENTS, by Representative B. Wilson, be replaced and reports a favorable recommendation on **4th Sub. H.B. 316**, BUILDING CODE REVIEW AND ADOPTION AMENDMENTS with the following amendments:

1. *Page 4, Line 101:*

101 15A-6-102, Utah Code Annotated 1953  
= **15A-6-201, Utah Code Annotated 1953**

2. *Page 100, Line 2873:*

2873 2018.

**Section 43. Section 15A-6-201 is enacted to read:**  
**15A-6-201. Polyurethane insulated concrete forms.**  
**(1) Notwithstanding any other provision of this title, a governing body in the state that issues a building permit may not:**  
**(a) deny issuing a building permit to a project solely because the project uses polyurethane insulated concrete form block that complies with Subsection (2); or**  
**(b) require a project to surface flame retardants on polyurethane insulated concrete form block that has a flame spread that is less than or equal to 25.**  
**(2) A project may use polyurethane insulated concrete form block if:**  
**(a) the polyurethane insulated concrete form block is manufactured using expanded polyurethane foam that:**

Bill Number



HB0316S04

Action Class



H

Action Code



HCRSUBAMD

- (i) has a flame spread index that is less than or equal to 50;
  - (ii) has a smoke index that is less than 350; and
  - (iii) is capable of withstanding fluid pressure created by fresh concrete;
- and
- (b) the project is designed and stamped by a structural engineer licensed in the state.
- =

**RENUMBER REMAINING SECTIONS ACCORDINGLY**

Respectfully,

Val L. Peterson  
Committee Chair

Voting: 11-2-1

7 HB0316.HC1.WPD 2/16/16 5:26 pm JWade/JTW SJ/AJS

Bill Number



HB0316S04

Action Class



H

Action Code



HCRSUBAMD