

R156-60d-102. Definitions.

In addition to the definitions in Title 58, Chapters 1 and 60, as used in Title 58, Chapters 1 and 60 or this rule:

- (2) "ASAM" means the American Society of Addiction Medicine Patient Placement Criteria.
- (3) "DSM-IV or 5" means the Diagnostic Statistical Manual of Mental Health Disorders published by the American Psychiatric Association.
- (4) "General supervision" means that the supervisor provides consultation with the supervisee by personal face to face contact, or direct voice contact by telephone or some other means within a reasonable time consistent with the acts and practices in which the supervisee is engaged.
- (6) "Initial assessment" means the procedure of gathering psycho-social information, which may include the application of the Addiction Severity Index, in order to recommend a level of treatment and to assist the mental health therapist supervisor in the information collection process and may include a referral to an appropriate treatment program.
- (9) "SASSI" means Substance Abuse Subtle Screening Inventory.
- (10) "Screening", as used in Subsection 58-60-502(9)(b) and (10)(b), means a brief interview conducted in person or by telephone to determine if there is a potential substance abuse problem. If a potential problem is identified, the screening may include a referral for an initial assessment or a substance use disorder evaluation. The screening may also include a preliminary ASAM level recommendation in order to expedite the subsequent assessment and evaluation process. Screening instruments such as the SASSI may be included in the screening process.
- (11) "Substance use disorder evaluation" means the process used to interpret information gathered from an initial assessment, other instruments as needed, and a face to face interview by a licensed mental health therapist in order to determine if an individual meets the DSM-IV or 5 criteria for substance abuse or dependence and is in need of treatment. If the need for treatment is determined, the substance use disorder evaluation process includes the determination of a DSM-IV or 5 diagnosis and the determination of an individualized treatment plan.
- (12) "Substance use disorder education program", as used in Subsection 58-60-506(2)(b) and (5)(b), means college or university coursework at an accredited institution.
- (13) "Unprofessional conduct," as defined in Title 58 Chapters 1 and 60, is further defined, in accordance with Subsection 58-1-203(1)(e), in Section R156-60d-502.

AT A GLANCE: THE SIX DIMENSIONS OF MULTIDIMENSIONAL ASSESSMENT

ASAM's criteria uses six dimensions to create a holistic, biopsychosocial assessment of an individual to be used for service planning and treatment across all services and levels of care. The six dimensions are:

1	DIMENSION 1	Acute Intoxication and/or Withdrawal Potential Exploring an individual's past and current experiences of substance use and withdrawal
2	DIMENSION 2	Biomedical Conditions and Complications Exploring an individual's health history and current physical condition
3	DIMENSION 3	Emotional, Behavioral, or Cognitive Conditions and Complications Exploring an individual's thoughts, emotions, and mental health issues
4	DIMENSION 4	Readiness to Change Exploring an individual's readiness and interest in changing
5	DIMENSION 5	Relapse, Continued Use, or Continued Problem Potential Exploring an individual's unique relationship with relapse or continued use or problems
6	DIMENSION 6	Recovery/Living Environment Exploring an individual's recovery or living situation, and the surrounding people, places, and things

Rating Severity Terms Presentation of Severity:

4 Highest severity level Patient presents with critical impairment in coping and functioning, with signs and symptoms, indicating an "imminent danger" concern.

3 Serious issue or difficulty coping with a given dimension Patient presents in or near "imminent danger".

2 Moderate difficulty in functioning Patient presents with moderate impairment, or somewhat persistent chronic issues; however, relevant skills, or support systems may be present.

1 Mildly difficult issue, or present minor signs and symptoms Any existing chronic issue or problems would be able to be resolved in a short period of time. 0 Non-issue or very low risk issue Patient presents no current risk

UTAH DUI MATRIX 2017

Screening, Assessment, Educational Series, Treatment, Supervised Probation³ and 24-7 Sobriety Program⁴ (§41-6a-505) (§41-6a-507)

SHALL order: \$ Screening \$ Assessment (if found appropriate by screening) \$ Educational series, unless treatment is ordered MAY order: \$ Supervised probation \$ Treatment, if appropriate \$ 24-7 sobriety program* \$ Combination of probation, treatment and/or 24-7 sobriety program*

SHALL order: \$ Screening \$ Assessment (if found appropriate by screening) \$ Educational series, unless treatment is ordered MAY order: \$ Supervised probation \$ Treatment, if appropriate \$ 24-7 sobriety program* \$ Combination of treatment and 24-7 sobriety program* SHALL order: \$ Screening \$ Assessment \$ Treatment as appropriate, unless 0-5 prison term is imposed \$ Supervised probation, unless 0-5 prison term is not imposed MAY order: \$ 24-7 sobriety program* Screening,