

Utah Vital Statistics Abortions 2021

Utah Vital Statistics Abortions 2021

August 2023 Technical Report No. 304 Office of Vital Records and Statistics Mission Statement: To provide a timely, accurate, and secure record of the vital events of the citizens of Utah. This publication was produced by the

Statistical Products Section

In the

Office of Vital Records and Statistics

Utah Department of Health and Human Services Division of Data, Systems, and Evaluation

Office of Vital Records and Statistics PO Box 141012 Salt Lake City, UT 84114-1012

Located in the Cannon Health Building 288 North 1460 West Salt Lake City, UT 84116

> Vitalrecords.utah.gov VRequest@utah.gov Phone: 801-528-6843

This information can be made available in alternative formats upon request.

TABLE OF CONTENTS

Page

- 1 Executive summary
- 2 Definitions
- 3 List of summary tables
- 4 List of reference tables
- 7-11 Summary tables
- 15-22 Reference tables
- 24 Technical appendix
- 25 2021 form used to report induced termination of pregnancy

Executive Summary

The purpose of the Utah Department of Health and Human Services Office of Vital Records and Statistics is to accurately, timely, and securely record the vital events for Utah residents. Utah began to compile data on legally performed abortions in 1974 to comply with Utah State law (§76-7-305.7) that required a report on abortions performed in Utah to be presented to the Utah State Legislature. This law has been repealed but the office continues to provide the report to the public. The abortion report makes commonly used vital records statistics available to lawmakers, health programs, health care providers, businesses, researchers, educational institutions, and members of the public.

Data are presented at the state level as well as the local health district. The reports do not contain abortion data at the national level. National data is published by the U.S. Centers for Disease Control and Prevention (CDC) and can be found in the Morbidity and Mortality Weekly Report, "Abortion Surveillance – United States". The most recent national report is for 2020 and can be found at

https://www.cdc.gov/mmwr/volumes/71/ss/ss7110a1.htm?s_cid=ss7110a1_w

Included in this report:

- The number of reported abortions in Utah took a sharp upward turn in 2021 with the total number of abortions performed in Utah at 3,127 and the number of abortions performed for Utah residents at 2,978. The last time numbers were this high was in 2015.
- The highest ratio of abortions per 1,000 births in 2021 was in the Salt Lake County health district with a ratio of 109.7 abortions per 1,000 births. The lowest reported was in the Southwest health district with a ratio of 11.6 per 1,000 births.
- In 2021, there were nine choices for "Reasons for an abortion". The reasons selected most often were socio-economic (1,473), elective (925), or contraception failure (447). These three total 2,845 of the 2,976 reasons for women living in Utah to have an abortion.

The report contains summary data tables and detailed reference tables for the 2021 calendar year. To protect individual privacy, Utah Department of Health and Human Services data suppression rules have been applied to the data in this report.

Utah IBIS-PH Query System Population Estimates. Retrieved on January 20, 2023, from Utah Department of Health and Human Services, Office of Research and Evaluation, Indicator-Based Information System for Public Health website:

https://ibis.health.utah.gov/ibisph-view/query/PopEst.html

Utah Department of Health, Data Suppression/Data Aggregation Guidelines Summary. Retrieved on January 20, 2023, from Utah Department of Health and Human Services, Office of Research and Evaluation, Indicator-Based Information System for Public Health website:

https://ibis.health.utah.gov/ibisph-view/pdf/resource/DataSuppressionSummary.pdf

Definitions

In 2021, Abortion was defined in Utah State law in §76-7a-101 Definitions.

(1)(a) "Abortion" means:

- (i) the intentional termination or attempted termination of human pregnancy after implantation of a fertilized ovum through a medical procedure carried out by a physician or through a substance used under the direction of a physician;
- (ii) the intentional killing or attempted killing of a live unborn child through a medical procedure carried out by a physician or through a substance used under the direction of a physician; or
- (iii) the intentional causing or attempted causing of a miscarriage through a medical procedure carried out by a physician or through a substance used under the direction of a physician.
- (b) "Abortion" does not include:
 - (i) removal of a dead unborn child;
 - (ii) removal of an ectopic pregnancy; or
 - (iii) the killing or attempted killing of an unborn child without the consent of the pregnant woman, unless:
 - (A) the killing or attempted killing is done through a medical procedure carried out by a physician or through a substance used under the direction of a physician; and
 - (B) the physician is unable to obtain the consent due to a medical emergency.

List of Summary Tables

Page

| 7 | Table 1. Estimated population for females 15 to 44 years of age, number of live births, and number, rate, and ratio of abortions: Utah residents, 1980 and 1990-2021 and Utah occurrences: 1980 and 1990- 2021 |
|----|---|
| 8 | Table 2. Abortions by state of residence: Utah occurrences, 2021 |
| 8 | Table 3. Abortions, live births, and abortion ratio by local health district: Utah residents, 2000, and 2009-2021 |
| 9 | Table 4. Abortions, live births, and ratio by marital status of woman: Utah residents, 1990, and 2000-2021 |
| 10 | Table 5. Population for females, five-year age groupings for 15 to 44 years of age: Utah residents, 1990 and 2000-2021 |
| 11 | Table 6. Abortion rate, five-year age groupings for 15 to 44 years of age: Utah residents, 1990 and 2000-2021 |
| 12 | Figure 1. Abortion ratio: Utah residents, 2000-2021 |

List of Reference Tables

Page

- 14 Table R1. Abortions by local health district and age of woman: Utah residents, 2021
- 14 Table R2. Abortions by local health district and month of occurrence: Utah residents, 2021
- 15 Table R3. Abortions by age and marital status of woman: Utah residents, 2021
- 15 Table R4. Abortions by weeks of gestation and marital status of woman: Utah residents, 2021
- 15 Table R5. Abortions by age and education of woman: Utah residents, 2021
- 16 Table R6. Abortions by age, race, and Hispanic origin of woman: Utah residents, 2021
- 16 Table R7. Abortions by weeks of gestation, race and Hispanic origin of woman: Utah residents, 2021
- 17 Table R8. Abortions by age of woman and number of prior live births: Utah residents, 2021
- 17 Table R9. Abortions by age of woman and number of prior abortions: Utah residents, 2021
- 17 Table R10. Abortions by weeks of gestation and number of prior abortions: Utah residents, 2021

(List of Reference Tables continued)

| 18 | Table R11. Abortions by age of woman and reason for termination: Utah residents, 2021 |
|----|--|
| 18 | Table R12. Abortions by weeks of gestation and reason for termination: Utah residents, 2021 |
| 19 | Table R13. Abortions by age of woman and weeks of gestation: Utah residents, 2021 |
| 20 | Table R14. Abortions by age of woman and method of termination: Utah residents, 2021 |
| 20 | Table R15. Abortions by weeks of gestation and method of termination: Utah residents, 2021 |
| 21 | Table R16. Abortions by age of woman and mention of any complications: Utah residents, 2021 |
| 21 | Table R17. Abortions by age of woman and use of contraception at time of pregnancy: Utah residents, 2021 |
| 22 | Table R18. Abortions by age of woman and method of contraception: Utah residents, 2021 |
| 22 | Table R19. Abortions by marital status of woman and method of contraception: Utah residents, 2021 |
| 23 | Table R20. Abortions by prior abortions and method of contraception: Utah residents, 2021 |
| 23 | Table R21. Abortions by education of woman and method of contraception: Utah residents, 2021 |

2021 Summary Tables:

Abortions

Table 1. Estimated population for females 15 to 44 years of age, number of live births, and number, rate, and ratio of abortions: Utah residents, 1980 and 1990-2021 and Utah occurrences: 1980 and 1990-2021

| | Estimated population | Live Births | | Abortio | ons | |
|------|------------------------------|-------------|--------|-------------------|--------------------|--------------------------|
| | for females | Residents | Re | esidents | | Occurrences ⁴ |
| Year | age 15-44 years ¹ | Number | Number | Rate ² | Ratio ³ | Number |
| 1980 | 342,817 | 41,786 | 3,821 | 11.1 | 91.4 | 4,086 |
| 1990 | 395,807 | 36,253 | 4,159 | 10.5 | 114.7 | 4,796 |
| 1991 | 411,839 | 36,019 | 3,759 | 9.1 | 104.4 | 4,213 |
| 1992 | 428,353 | 37,198 | 3,525 | 8.2 | 94.8 | 3,941 |
| 1993 | 443,618 | 37,048 | 3,615 | 8.1 | 97.6 | 3,945 |
| 1994 | 460,914 | 38,271 | 3,304 | 7.2 | 86.3 | 3,610 |
| 1995 | 475,165 | 39,554 | 3,292 | 6.9 | 83.2 | 3,705 |
| 1996 | 488,404 | 42,056 | 3,293 | 6.7 | 78.3 | 3,639 |
| 1997 | 502,401 | 43,009 | 3,140 | 6.2 | 73.0 | 3,408 |
| 1998 | 510,715 | 45,128 | 3,237 | 6.3 | 71.7 | 3,487 |
| 1999 | 520,259 | 46,243 | 3,160 | 6.1 | 68.3 | 3,381 |
| 2000 | 528,769 | 47,331 | 3,279 | 6.2 | 69.3 | 3,509 |
| 2001 | 534,884 | 47,915 | 3,372 | 6.3 | 70.4 | 3,594 |
| 2002 | 540,124 | 49,140 | 3,300 | 6.1 | 67.2 | 3,524 |
| 2003 | 543,155 | 49,834 | 3,338 | 6.1 | 67.0 | 3,576 |
| 2004 | 547,780 | 50,653 | 3,379 | 6.2 | 66.7 | 3,665 |
| 2005 | 555,517 | 51,517 | 3,279 | 5.9 | 63.6 | 3,556 |
| 2006 | 564,615 | 53,475 | 3,444 | 6.1 | 64.4 | 3,753 |
| 2007 | 576,269 | 55,063 | 3,516 | 6.1 | 63.9 | 3,932 |
| 2008 | 586,879 | 55,605 | 3,510 | 6.0 | 63.1 | 3,911 |
| 2009 | 596,032 | 53,849 | 3,270 | 5.5 | 60.7 | 3,665 |
| 2010 | 604,220 | 52,164 | 3,446 | 5.7 | 66.1 | 3,779 |
| 2011 | 615,799 | 51,144 | 3,081 | 5.0 | 60.2 | 3,386 |
| 2012 | 626,454 | 51,439 | 3,018 | 4.8 | 58.7 | 3,273 |
| 2013 | 635,620 | 50,914 | 2,893 | 4.6 | 56.8 | 3,102 |
| 2014 | 645,399 | 51,164 | 2,767 | 4.3 | 54.1 | 2,948 |
| 2015 | 658,765 | 50,776 | 2,986 | 4.5 | 58.8 | 3,176 |
| 2016 | 672,444 | 50,486 | 2,808 | 4.2 | 55.6 | 3,008 |
| 2017 | 686,482 | 48,578 | 2,759 | 4.0 | 56.8 | 2,923 |
| 2018 | 699,165 | 47,211 | 2,895 | 4.1 | 61.3 | 3,082 |
| 2019 | 712,029 | 46,832 | 2,776 | 3.9 | 59.3 | 2,922 |
| 2020 | 724,782 | 45,724 | 2,244 | 3.1 | 49.1 | 2,362 |
| 2021 | 739,453 | 46,719 | 2,978 | 4.0 | 63.7 | 3,129 |

¹The female population estimates, for years prior to 1999, were provided by Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOPB). For years 2000 and after, population estimates were produced by the Population Estimates Program of the U.S. Census Bureau in collaboration with the National Center for Health Statistics (NCHS). All population estimates apply to July 1 of the selected year. They are updated on IBIS regularly. For more information go to <u>http://ibis.health.utah.gov/query/PopEst.html</u>.

²The rate is per 1,000 females 15 to 44 years of age.

³The ratio is per 1,000 live births.

⁴Utah occurrences includes nonresident abortions occurring in Utah.

| State of residence | Number | Percent |
|--------------------|--------|---------|
| Total | 3,129 | 100.0 |
| Arizona | 7 | 0.2 |
| Idaho | 63 | 2.0 |
| Nevada | 17 | 0.5 |
| Texas | 7 | 0.2 |
| Utah | 2,978 | 95.2 |
| Wyoming | 37 | 1.2 |
| Other states* | 20 | 0.6 |

Table 2. Abortions by state of residence: Utah occurrences, 2021

*Other states: California, Colorado, Florida, Iowa, Montana, New York, North Carolina, Ohio, Washington, and Wisconsin.

Table 3. Abortions, live births, and abortion ratio by local health district: Utah residents, 2000 and 2009-2021

| | | | | Abortion ratio by year ¹ | | | | | | | | | | | | |
|---------------------------|---------|--------|----------|-------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | Abortion | | | | | | | | | | | | | |
| | ortions | births | ratio | | | | | | | | | | | | | |
| health district | 2021 | 2021 | 2021 | 2000 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
| Total | 2,978 | 46,719 | 63.7 | 69.3 | 60.7 | 66.1 | 60.2 | 58.7 | 56.8 | 54.1 | 58.8 | 55.6 | 56.8 | 61.3 | 59.3 | 49.1 |
| Bear River | 102 | 2,951 | 34.6 | 32.6 | 30.7 | 40.8 | 31.6 | 28.7 | 33.4 | 38.9 | 27.7 | 31.1 | 35.9 | 35.4 | 41.2 | 24.7 |
| Central Utah | 37 | 1,166 | 31.7 | 23.2 | 20.4 | 24.1 | 29.5 | 21.8 | 22.4 | 18.5 | 21.8 | 21.8 | 24.2 | 27.5 | 28.0 | 20.6 |
| Davis | 250 | 4,961 | 50.4 | 58.1 | 44.6 | 47.9 | 41.9 | 39.1 | 35.7 | 36.8 | 36.9 | 40.3 | 39.6 | 44.1 | 42.2 | 40.0 |
| Salt Lake | 1,665 | 15,173 | 109.7 | 117.2 | 109.7 | 119.0 | 106.4 | 107.7 | 100.6 | 94.4 | 105.4 | 94.6 | 93.7 | 103.8 | 99.2 | 109.7 |
| San Juan ² | 0 | 185 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Southeastern ² | 20 | 435 | 46.0 | 25.7 | 28.1 | 43.1 | 33.4 | 26.9 | 22.2 | 41.7 | 26.8 | 49.1 | 55.7 | 44.1 | 42.5 | 51.0 |
| Southwest | 39 | 3,359 | 11.6 | 3.9 | 4.1 | 4.4 | 3.6 | 3.9 | 2.2 | 3.0 | 5.1 | 5.8 | 8.0 | 10.0 | 7.7 | 8.1 |
| Summit | 41 | 430 | 95.3 | 190.3 | 160.1 | 179.4 | 152.7 | 175.5 | 143.5 | 171.4 | 169.4 | 152.6 | 142.9 | 155.6 | 129.8 | 100.8 |
| Tooele | 54 | 1,076 | 50.2 | 49.2 | 41.9 | 57.6 | 66.7 | 52.5 | 51.6 | 49.3 | 51.1 | 45.2 | 49.8 | 60.7 | 53.5 | 35.2 |
| TriCounty | 19 | 795 | 23.9 | 33.2 | 36.0 | 44.2 | 20.7 | 32.5 | 29.7 | 18.9 | 27.1 | 31.7 | 18.2 | 32.0 | 24.8 | 21.2 |
| Utah County | 441 | 12,135 | 36.3 | 23.7 | 26.0 | 24.9 | 25.0 | 21.9 | 22.9 | 22.7 | 27.6 | 27.0 | 32.6 | 32.5 | 31.5 | 28.2 |
| Wasatch | 17 | 381 | 44.6 | 71.0 | 48.8 | 55.3 | 92.4 | 57.9 | 55.7 | 52.7 | 44.1 | 46.7 | 55.7 | 66.7 | 79.9 | 50.3 |
| Weber-Morgan | 293 | 3,666 | 79.9 | 68.4 | 59.4 | 65.9 | 66.2 | 61.5 | 69.4 | 61.7 | 68.5 | 63.8 | 64.9 | 67.7 | 68.7 | 52.3 |

¹The ratio is per 1,000 live births and are not computed for fewer than seven events.

²Data for the San Juan health district was included in the Southeastern health district prior to 2015.

**All non-zero counts fewer than five are suppressed.

Table 4. Abortions, live births, and ratio by marital status of woman: Utah residents, 1990 and 2000-2021

| | | Total | | | Married ¹ | | ι | Jnmarried ² | |
|------|-----------|--------|-------------|-----------|----------------------|-------------|-----------|------------------------|-------------|
| | | | Ratio | | | Ratio | | | Ratio |
| | | Live | per 1,000 | | Live | per 1,000 | | Live | per 1,000 |
| Year | Abortions | births | live births | Abortions | births | live births | Abortions | births | live births |
| 1990 | 4,159 | 36,253 | 114.7 | 774 | 31,343 | 24.7 | 3,351 | 4,886 | 685.8 |
| 2000 | 3,279 | 47,331 | 69.3 | 809 | 39,135 | 20.7 | 2,455 | 8,175 | 300.3 |
| 2001 | 3,372 | 47,915 | 70.4 | 844 | 39,593 | 21.3 | 2,348 | 8,322 | 282.1 |
| 2002 | 3,300 | 49,140 | 67.2 | 756 | 40,671 | 18.6 | 2,268 | 8,469 | 267.8 |
| 2003 | 3,338 | 49,834 | 67.0 | 771 | 41,254 | 18.7 | 2,143 | 8,580 | 249.8 |
| 2004 | 3,379 | 50,653 | 66.7 | 795 | 41,822 | 19.0 | 2,270 | 8,831 | 257.0 |
| 2005 | 3,279 | 51,517 | 63.6 | 760 | 42,416 | 17.9 | 2,230 | 9,101 | 245.0 |
| 2006 | 3,444 | 53,475 | 64.4 | 830 | 43,412 | 19.1 | 2,187 | 10,063 | 217.3 |
| 2007 | 3,516 | 55,063 | 63.9 | 880 | 44,254 | 19.9 | 2,371 | 10,809 | 219.4 |
| 2008 | 3,510 | 55,605 | 63.1 | 762 | 44,281 | 17.2 | 2,390 | 11,324 | 211.1 |
| 2009 | 3,270 | 53,849 | 60.7 | 773 | 43,358 | 17.8 | 2,252 | 10,486 | 214.8 |
| 2010 | 3,446 | 52,164 | 66.1 | 944 | 42,273 | 22.3 | 2,251 | 9,891 | 227.6 |
| 2011 | 3,081 | 51,144 | 60.2 | 987 | 41,561 | 23.7 | 1,821 | 9,583 | 190.0 |
| 2012 | 3,018 | 51,439 | 58.7 | 916 | 41,822 | 21.9 | 1,819 | 9,596 | 189.6 |
| 2013 | 2,893 | 50,914 | 56.8 | 705 | 41,107 | 17.2 | 1,838 | 9,784 | 187.9 |
| 2014 | 2,767 | 51,164 | 54.1 | 697 | 41,441 | 16.8 | 1,951 | 9,690 | 201.3 |
| 2015 | 2,986 | 50,776 | 58.8 | 750 | 41,096 | 18.2 | 2,195 | 9,664 | 227.1 |
| 2016 | 2,808 | 50,486 | 55.6 | 682 | 41,047 | 16.6 | 2,077 | 9,412 | 220.7 |
| 2017 | 2,759 | 48,578 | 56.8 | 647 | 39,411 | 16.4 | 2,032 | 8,977 | 226.4 |
| 2018 | 2,895 | 47,211 | 61.3 | 801 | 37,905 | 21.1 | 2,072 | 9,091 | 227.9 |
| 2019 | 2,776 | 46,832 | 59.3 | 809 | 37,276 | 21.7 | 1,951 | 9,018 | 216.3 |
| 2020 | 2,244 | 45,724 | 49.1 | 592 | 36,386 | 16.3 | 1,635 | 8,853 | 184.7 |
| 2021 | 2,978 | 46,719 | 63.7 | 738 | 37,396 | 19.7 | 2,200 | 9,162 | 240.1 |

Table 5. Population for females, five-year age groupings for 15 to 44 years of age: Utah residents, 1990 and 2000-2021 Total females Five-year age groupings for females 15-44 years

| | females | | Five-vear age | grounings for | r females 15-44 | 1vears | |
|------|-----------|---------|---------------|---------------|-----------------|---------|---------|
| Year | age 15-44 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 |
| | age 15-44 | 1315 | 20 27 | 25 25 | 50 54 | | ++ 0+ |
| 1990 | 395,807 | 76,809 | 69,527 | 68,108 | 69,165 | 61,719 | 50,479 |
| | | | | | | | |
| 2000 | 528,769 | 109,105 | 113,713 | 85,514 | 72,066 | 74,162 | 74,209 |
| | | | | | | | |
| 2001 | 534,884 | 107,507 | 117,893 | 86,501 | 75,196 | 72,433 | 75,354 |
| 2002 | 540,124 | 105,723 | 120,489 | 89,315 | 77,867 | 71,166 | 75,564 |
| 2003 | 543,155 | 104,124 | 120,293 | 92,863 | 80,187 | 69,995 | 75,693 |
| 2004 | 547,780 | 103,674 | 119,184 | 96,309 | 82,628 | 70,378 | 75,607 |
| 2005 | 555,517 | 104,382 | 117,683 | 99,886 | 85,921 | 72,990 | 74,655 |
| 2006 | 564,615 | 105,061 | 115,729 | 105,473 | 88,019 | 76,585 | 73,748 |
| 2007 | 576,269 | 106,726 | 113,820 | 109,680 | 92,611 | 80,095 | 73,337 |
| 2008 | 586,879 | 108,218 | 113,211 | 111,343 | 98,229 | 82,830 | 73,048 |
| 2009 | 596,032 | 108,952 | 113,133 | 111,907 | 102,736 | 85,505 | 73,799 |
| 2010 | 604,220 | 109,679 | 112,983 | 111,236 | 105,982 | 88,192 | 76,148 |
| | | | | | | | |
| 2011 | 615,799 | 111,502 | 113,861 | 112,196 | 107,859 | 91,104 | 79,277 |
| 2012 | 626,454 | 113,130 | 114,496 | 112,974 | 109,591 | 93,927 | 82,336 |
| 2013 | 635,620 | 114,504 | 114,774 | 113,434 | 111,063 | 96,583 | 85,262 |
| 2014 | 645,399 | 115,999 | 115,194 | 113,967 | 112,621 | 99,324 | 88,294 |
| 2015 | 658,765 | 118,172 | 116,305 | 115,104 | 114,758 | 102,602 | 91,824 |
| 2016 | 672,444 | 120,408 | 117,369 | 116,248 | 116,946 | 105,987 | 95,486 |
| 2017 | 686,482 | 122,649 | 118,395 | 117,417 | 119,216 | 109,511 | 99,294 |
| 2018 | 699,165 | 124,687 | 119,212 | 118,324 | 121,212 | 112,810 | 102,920 |
| 2019 | 712,029 | 126,804 | 120,049 | 119,234 | 123,216 | 116,132 | 106,594 |
| 2020 | 724,782 | 128,889 | 120,845 | 120,102 | 125,195 | 119,456 | 110,295 |
| | | | | | | | |
| 2021 | 739,453 | 139,963 | 118,161 | 117,223 | 128,316 | 120,886 | 114,904 |
| | | | | | | | |

The female population estimates, for years prior to 1999, were provided by Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOPB). For years 2000 and after, population estimates were produced by the Population Estimates Program of the U.S. Census Bureau in collaboration with the National Center for Health Statistics (NCHS). All population estimates apply to July 1 of the selected year. They are updated on IBIS regularly. For more information go to http://ibis.health.utah.gov/query/PopEst.html. Table 6. Abortion rate, five-year age groupings for 15 to 44 years of age: Utah residents, 1990 and 2000-2021

| | Total females | | | · | C 1 4 | 1 | |
|------|------------------|------|-----------------------|----------------------|--------------|-------|-------|
| Year | age 15-44 | | -year age gr 20-24 | oupings for 25-29 | 30-34 | 35-39 | 40-44 |
| Tear | | 1515 | 20 24 | | 50 54 | | -++- |
| 1990 | 10.5 | 12.7 | 19.8 | 13.2 | 7.8 | 4.1 | 1.5 |
| 2000 | 6.2 | 5.3 | 10.3 | 8.4 | 6.0 | 3.4 | 1.1 |
| 2001 | 6.3 | 5.1 | 9.8 | 8.4 | 6.5 | 3.9 | 1.2 |
| 2002 | 6.1 | 4.8 | 9.5 | 8.6 | 5.9 | 3.9 | 1.2 |
| 2003 | 6.1 | 5.1 | 9.3 | 8.2 | 6.2 | 4.1 | 1.2 |
| 2004 | 6.2 | 4.9 | 10.0 | 7.8 | 6.0 | 4.0 | 1.3 |
| 2005 | 5.9 | 4.9 | 8.8 | 7.9 | 5.4 | 4.3 | 1.2 |
| 2006 | 6.1 | 5.3 | 9.7 | 8.0 | 5.5 | 3.8 | 1.2 |
| 2007 | 6.1 | 5.4 | 9.9 | 7.6 | 5.4 | 3.8 | 1.5 |
| 2008 | 6.0 | 5.2 | 9.1 | 7.9 | 5.2 | 3.9 | 1.7 |
| 2009 | 5.5 | 4.2 | 8.9 | 6.9 | 5.1 | 3.9 | 1.4 |
| 2010 | 5.7 | 3.7 | 8.5 | 6.9 | 4.7 | 3.1 | 1.5 |
| 2011 | 5.0 | 3.6 | 8.5 | 6.9 | 4.7 | 3.0 | 1.5 |
| 2012 | 4.8 | 3.2 | 8.3 | 6.1 | 4.7 | 3.6 | 1.5 |
| 2013 | 4.6 | 3.0 | 8.1 | 5.9 | 4.8 | 2.9 | 1.2 |
| 2014 | 4.3 | 2.8 | 7.6 | 5.6 | 4.2 | 3.3 | 1.1 |
| 2015 | 4.5 | 2.9 | 8.2 | 6.5 | 4.3 | 3.0 | 1.3 |
| 2016 | 4.2 | 2.3 | 7.5 | 6.1 | 3.9 | 3.0 | 1.1 |
| 2017 | 4.0 | 2.7 | 7.4 | 5.9 | 3.8 | 2.6 | 1.0 |
| 2018 | 4.1 | 3.1 | 7.5 | 6.1 | 4.0 | 2.7 | 0.9 |
| 2019 | 3.9 | 2.8 | 7.2 | 6.1 | 3.6 | 2.5 | 0.8 |
| 2020 | 3.1 | 2.0 | 6.0 | 4.6 | 3.1 | 1.8 | 0.8 |
| 2021 | 4.0 | 2.8 | 8.5 | 6.5 | 3.6 | 2.1 | 0.7 |

¹The rate is per 1,000 females 15-44 years of age. The abortion component of the rate for total all ages includes women less than 15 years of age, 45 years and older, and age unknown.




Figure 1. Abortion ratio: Utah residents, 2000-2021

2021 Reference Tables:

Abortions

| | Total | | | , | Age group | oings for f | emales 15 | 5-44 years | | | |
|-------------------|-----------|-------|-------|----------|-----------|-------------|-----------|------------|----------|----------|--------|
| Local health | females | Under | | 15 to 19 | | | | | | | 45 and |
| district | age 15-44 | 15 | Total | 15 to 17 | 18 to 19 | 20 to 24 | 25 to 29 | 30 to 34 | 35 to 39 | 40 to 44 | over |
| Total | 2,978 | 5 | 392 | 90 | 302 | 1,004 | 756 | 467 | 258 | 83 | 12 |
| Bear River | 102 | 0 | 18 | ** | 15 | 38 | 23 | 13 | 10 | 0 | 0 |
| Central Utah | 37 | 0 | 5 | ** | ** | 12 | 9 | 6 | 5 | 0 | 0 |
| Davis County | 250 | 0 | 31 | 8 | 23 | 93 | 65 | 32 | 20 | 8 | ** |
| Salt Lake County | 1,665 | ** | 107 | 42 | 165 | 536 | 421 | 288 | 148 | 53 | 9 |
| San Juan County | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Southeastern Utah | 20 | 0 | ** | 0 | ** | 6 | 5 | ** | ** | 0 | 0 |
| Southwest Utah | 39 | 0 | 8 | ** | ** | 16 | 8 | ** | ** | 0 | 0 |
| Summit County | 41 | 0 | ** | ** | ** | 9 | 18 | 5 | 5 | ** | 0 |
| Tooele County | 54 | 0 | 11 | ** | 8 | 16 | 17 | 6 | ** | 0 | ** |
| TriCounty | 19 | ** | ** | ** | ** | ** | ** | 6 | ** | ** | 0 |
| Utah County | 441 | ** | 63 | 16 | 47 | 152 | 119 | 60 | 30 | 14 | ** |
| Wasatch County | 17 | 0 | ** | 0 | ** | 5 | ** | ** | 5 | ** | 0 |
| Weber-Morgan | 293 | 0 | 40 | 10 | 30 | 118 | 65 | 40 | 25 | 5 | 0 |

Table R1. Abortions by local health district and age of woman: Utah residents, 2021

**All non-zero counts which are fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R2. Abortions by local health district and month of occurrence: Utah residents, 2021

| | Total | | | | | Mon | nth of oc | currenc | e | | | | |
|--------------------------|----------------------|-----|-----|-----|-----|-----|-----------|---------|-----|-----|-----|-----|-----|
| Local health district | females age 15-44 | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
| Total | 2,978 | 186 | 257 | 287 | 254 | 255 | 222 | 177 | 253 | 293 | 249 | 266 | 279 |
| Bear River | 102 | 5 | 10 | 8 | 14 | 8 | ** | 6 | 8 | 9 | 8 | 10 | 12 |
| Central Utah | 37 | ** | ** | ** | ** | ** | ** | ** | ** | 6 | ** | 6 | 5 |
| Davis County | 250 | 12 | 21 | 31 | 20 | 17 | 28 | 12 | 16 | 23 | 22 | 18 | 30 |
| Salt Lake County | 1,665 | 110 | 150 | 156 | 134 | 159 | 122 | 104 | 140 | 156 | 144 | 145 | 145 |
| San Juan County | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Southeastern Utah | 20 | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Southwest Utah | 39 | ** | 6 | ** | 6 | ** | ** | ** | 5 | ** | ** | ** | 6 |
| Summit County | 41 | 5 | ** | ** | 6 | ** | ** | ** | ** | ** | 7 | ** | ** |
| Tooele County | 54 | ** | ** | ** | ** | ** | 5 | 5 | ** | ** | ** | 9 | 5 |
| TriCounty | 19 | 0 | ** | 0 | ** | 5 | ** | ** | ** | ** | ** | ** | ** |
| Utah County | 441 | 25 | 33 | 49 | 40 | 36 | 24 | 22 | 41 | 48 | 31 | 42 | 50 |
| Wasatch County | 17 | ** | ** | ** | ** | 0 | ** | ** | ** | ** | 0 | ** | ** |
| Weber-Morgan | 293 | 18 | 25 | 27 | 20 | 15 | 28 | 20 | 28 | 37 | 26 | 28 | 21 |

**All non-zero counts which are fewer than five are suppressed.

Table R3. Abortions by age and marital status of woman: Utah residents, 2021

| | | Marital status of woman | | | | | | | | | | |
|----------------|-------|-------------------------|---------|---------|----------|-----------|------------|--|--|--|--|--|
| Age of woman | Total | Never | Married | Widowed | Divorced | Separated | Not stated | | | | | |
| Total | 2,978 | 1,976 | 606 | 8 | 216 | 132 | 40 | | | | | |
| Under 15 | 5 | 5 | 0 | 0 | 0 | 0 | 0 | | | | | |
| Total 15 to 19 | 392 | 382 | 5 | 0 | ** | 0 | ** | | | | | |
| 15 to 17 | 90 | 89 | 0 | 0 | ** | ** | 0 | | | | | |
| 18 to 19 | 302 | 293 | 5 | 0 | 0 | 0 | ** | | | | | |
| 20 to 24 | 1,004 | 852 | 104 | 0 | 12 | 23 | 13 | | | | | |
| 25 to 29 | 756 | 482 | 171 | ** | 51 | 37 | 14 | | | | | |
| 30 to 34 | 467 | 188 | 154 | ** | 78 | 40 | ** | | | | | |
| 35 to 39 | 258 | 56 | 121 | ** | 51 | 23 | ** | | | | | |
| 40 to 44 | 83 | 9 | 43 | ** | 20 | 9 | ** | | | | | |
| 45 and over | 12 | ** | 8 | 0 | ** | 0 | 0 | | | | | |

**All non-zero counts fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R4. Abortions by weeks of gestation and marital status of woman: Utah residents, 2021

| | | | | Marital status o | of woman | | |
|-------------|-------|---------|---------|------------------|----------|-----------|------------|
| Weeks of | | Never | | | | | |
| gestation | Total | married | Married | Widowed | Divorced | Separated | Not stated |
| Total | 2,978 | 1,976 | 606 | 8 | 216 | 132 | 40 |
| Under 5 | 29 | 22 | 6 | 0 | 0 | ** | 0 |
| 5-6 | 1,310 | 859 | 276 | 5 | 104 | 45 | 21 |
| 7-8 | 834 | 552 | 171 | ** | 56 | 39 | 14 |
| 9-10 | 344 | 238 | 53 | 0 | 26 | 24 | ** |
| 11-12 | 207 | 154 | 23 | ** | 14 | 14 | ** |
| 13-14 | 86 | 57 | 20 | 0 | 7 | ** | 0 |
| 15-20 | 128 | 77 | 35 | 0 | 8 | 7 | ** |
| 21 and over | 40 | 17 | 22 | 0 | ** | 0 | 0 |

The first day of last menstrual period is used to calculate gestation when the physician's clinical estimate is not available.

**All non-zero counts which are fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R5. Abortions by age and education of woman: Utah residents, 2021

| | | | Education o | of woman | |
|----------------|-------|------------------|-------------|-------------|------------|
| | | Did not graduate | High school | Beyond | |
| Age of woman | Total | high school | graduate | high school | Not stated |
| Total | 2,978 | 256 | 1,253 | 1,143 | 326 |
| Under 15 | 5 | 5 | 0 | 0 | 0 |
| Total 15 to 19 | 392 | 116 | 190 | 57 | 29 |
| 15 to 17 | 90 | 81 | 6 | 0 | ** |
| 18 to 19 | 302 | 35 | 184 | 57 | 26 |
| 20 to 24 | 1,004 | 49 | 502 | 359 | 94 |
| 25 to 29 | 756 | 39 | 304 | 327 | 86 |
| 30 to 34 | 467 | 24 | 159 | 219 | 65 |
| 35 to 39 | 258 | 16 | 73 | 128 | 41 |
| 40 to 44 | 83 | 6 | 22 | 46 | 9 |
| 45 and over | 12 | ** | ** | 6 | ** |
| Not stated | ** | 0 | 0 | ** | 0 |

**All non-zero counts which are fewer than five are suppressed.

| | | | | Race and His | panic origin (| of woman | | |
|----------------|-------|-------|-------|--------------|----------------|----------|-------|------------|
| | | | | | Asian and | | | |
| | | | | | Pacific | Native | | |
| Age of woman | Total | White | Black | Hispanic | Islander | American | Other | Not stated |
| Total | 2,978 | 1,592 | 131 | 973 | 188 | 38 | 14 | 42 |
| Under 15 | 5 | ** | ** | ** | 0 | ** | 0 | 0 |
| Total 15 to 19 | 392 | 195 | 17 | 158 | 10 | ** | ** | 6 |
| 15 to 17 | 90 | 49 | ** | 31 | ** | ** | 0 | ** |
| 18 to 19 | 302 | 146 | 13 | 127 | 9 | ** | ** | ** |
| 20 to 24 | 1,004 | 521 | 54 | 346 | 49 | 15 | 7 | 12 |
| 25 to 29 | 756 | 426 | 27 | 227 | 57 | 7 | ** | 10 |
| 30 to 34 | 467 | 253 | 23 | 137 | 37 | 8 | 0 | 9 |
| 35 to 39 | 258 | 145 | 6 | 72 | 24 | ** | ** | 5 |
| 40 to 44 | 83 | 45 | ** | 28 | 7 | 0 | 0 | 0 |
| 45 and over | 12 | 5 | 0 | ** | ** | 0 | 0 | 0 |
| Not stated | ** | ** | 0 | 0 | 0 | 0 | 0 | 0 |

Table R6. Abortions by age, race, and Hispanic origin of woman: Utah residents, 2021

**All non-zero counts fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R7. Abortions by weeks of gestation, race, and Hispanic origin of woman: Utah residents, 2021

| | | Race and Hispanic origin of woman | | | | | | | |
|--------------------|-------|-----------------------------------|-------|----------|-----------|----------|-------|------------|--|
| | | | | | Asian and | | | | |
| | | | | | Pacific | Native | | | |
| Weeks of gestation | Total | White | Black | Hispanic | Islander | American | Other | Not stated | |
| Total | 2,978 | 1,592 | 131 | 973 | 188 | 38 | 14 | 42 | |
| Under 5 | 29 | 14 | ** | 8 | ** | 0 | ** | ** | |
| 5-6 | 1,310 | 737 | 51 | 402 | 87 | 14 | 5 | 14 | |
| 7-8 | 834 | 427 | 40 | 296 | 44 | 11 | ** | 13 | |
| 9-10 | 344 | 179 | 18 | 112 | 22 | 7 | 0 | 6 | |
| 11-12 | 207 | 104 | 9 | 81 | 9 | ** | ** | ** | |
| 13-14 | 86 | 49 | ** | 22 | 10 | ** | 0 | 0 | |
| 15-20 | 128 | 59 | 6 | 41 | 14 | ** | ** | ** | |
| 21 and over | 40 | 23 | ** | 11 | ** | 0 | 0 | ** | |

The first day of last menstrual period is used to calculate gestation when the physician's clinical estimate is not available.

**All non-zero counts fewer than five are suppressed.

| | Table Ro. Abortions by age of woman and number of prior five birtins. Otal residents, 2021 | | | | | | | | |
|----------------|--|-------|-----|---------------|-------|-----------|---------|--|--|
| | | | | Prior live bi | rths | | | | |
| | | | | | | | | | |
| Age of woman | Total | None | One | Two | Three | Four Five | or more | | |
| Total | 2,978 | 1,548 | 564 | 455 | 230 | 87 | 76 | | |
| Under 15 | 5 | 5 | 0 | 0 | 0 | 0 | 0 | | |
| Total 15 to 19 | 392 | 365 | 22 | ** | 0 | 0 | 0 | | |
| 15 to 17 | 90 | 88 | ** | 0 | 0 | 0 | 0 | | |
| 18 to 19 | 302 | 277 | 20 | ** | 0 | 0 | 0 | | |
| 20 to 24 | 1,004 | 678 | 210 | 84 | 20 | 7 | ** | | |
| 25 to 29 | 756 | 316 | 175 | 160 | 67 | 20 | 12 | | |
| 30 to 34 | 467 | 130 | 91 | 104 | 85 | 25 | 31 | | |
| 35 to 39 | 258 | 45 | 46 | 77 | 41 | 27 | 19 | | |
| 40 to 44 | 83 | 5 | 18 | 24 | 16 | 8 | 11 | | |
| 45 and over | 12 | ** | ** | ** | ** | 0 | ** | | |
| | | | | | | | | | |

Table R8. Abortions by age of woman and number of prior live births: Utah residents, 2021

**All non-zero counts fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R9. Abortions by age of woman and number of prior abortions: Utah residents, 2021

| | | Prior abortions | | | | | | | |
|----------------|-------|-----------------|-----|-----|-------|------|--------------|--|--|
| Age of woman | Total | None | One | Two | Three | Four | Five or more | | |
| Total | 2,978 | 2,198 | 552 | 133 | 33 | 16 | 6 | | |
| Under 15 | 5 | 5 | 0 | 0 | 0 | 0 | 0 | | |
| Total 15 to 19 | 392 | 365 | 24 | 0 | 0 | 0 | 0 | | |
| 15 to 17 | 90 | 86 | ** | 0 | 0 | 0 | 0 | | |
| 18 to 19 | 302 | 279 | 20 | 0 | 0 | 0 | 0 | | |
| 20 to 24 | 1,004 | 792 | 159 | 32 | ** | ** | ** | | |
| 25 to 29 | 756 | 515 | 174 | 29 | 12 | ** | 0 | | |
| 30 to 34 | 467 | 298 | 112 | 37 | 6 | 8 | ** | | |
| 35 to 39 | 258 | 166 | 55 | 19 | 7 | ** | ** | | |
| 40 to 44 | 83 | 49 | 24 | 6 | ** | 0 | 0 | | |
| 45 and over | 12 | 7 | ** | 0 | ** | 0 | 0 | | |

**All non-zero counts fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R10. Abortions by weeks of gestation and number of prior abortions: Utah residents, 2021

| | , | 0 | | | | | |
|-------------|-------|-------|-----|-----------------|-------|------|---------|
| | | | F | Prior abortions | | | |
| Weeks of | | | | | | | Five or |
| gestation | Total | None | One | Two | Three | Four | more |
| Total | 2,978 | 2,198 | 552 | 133 | 33 | 16 | 6 |
| Under 5 | 29 | 22 | ** | ** | ** | 0 | 0 |
| 5-6 | 1,310 | 968 | 250 | 53 | 13 | 6 | ** |
| 7-8 | 834 | 623 | 151 | 29 | 11 | 7 | ** |
| 9-10 | 344 | 241 | 71 | 23 | ** | ** | 0 |
| 11-12 | 207 | 144 | 45 | 13 | ** | 0 | 0 |
| 13-14 | 86 | 63 | 14 | 7 | 0 | ** | ** |
| 15-20 | 128 | 98 | 16 | 7 | 0 | ** | 0 |
| 21 and over | 40 | 39 | ** | 0 | 0 | 0 | 0 |

The first day of last menstrual period is used to calculate gestation when the physician's clinical estimate is not available.

**All non-zero counts fewer than five are suppressed. Numbers may not add to total due to missing data.

| | - | | Reason for termination | | | | | | | |
|----------------|-------|------------|------------------------|-----------|------|--------|----------|---------|----------|--------|
| | | Maternal | Fetal | Drug/ | | | Socio- | Contra- | | |
| | | life | mal | radiation | | Mental | economic | ception | | Not |
| Age of woman | Total | endangered | formation | exposure | Rape | health | reasons | failure | Elective | stated |
| Total | 2,978 | ** | 13 | ** | 12 | 11 | 1,474 | 447 | 926 | 92 |
| Under 15 | 5 | 0 | 0 | 0 | ** | 0 | ** | 0 | 0 | 0 |
| Total 15 to 19 | 392 | 0 | 0 | | ** | ** | 208 | 68 | 104 | 8 |
| 15 to 17 | 90 | 0 | 0 | 0 | ** | 0 | 48 | 11 | 27 | ** |
| 18 to 19 | 302 | 0 | 0 | 0 | 0 | ** | 160 | 57 | 77 | 7 |
| 20 to 24 | 1,004 | 0 | ** | 0 | ** | ** | 529 | 171 | 280 | 15 |
| 25 to 29 | 756 | 0 | ** | 0 | ** | ** | 376 | 109 | 238 | 26 |
| 30 to 34 | 467 | ** | 5 | 0 | ** | ** | 198 | 57 | 181 | 22 |
| 35 to 39 | 258 | 0 | ** | ** | ** | 0 | 116 | 35 | 83 | 17 |
| 40 to 44 | 83 | 0 | 0 | 0 | 0 | ** | 38 | 6 | 35 | ** |
| 45 and over | 12 | ** | 0 | 0 | 0 | 0 | 5 | 0 | ** | ** |

Table R11. Abortions by age of woman and reason for termination: Utah residents, 2021

**All non-zero counts fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R12. Abortions by weeks of gestation and reason for termination: Utah residents, 2021

| - | | Reason for termination | | | | | | | | |
|-------------|-------|------------------------|------------|--------------------|------|--------|--------------------|--------------------|----------|--------|
| Weeks of | | Maternal life | Fetal mal- | Drug/ radiation | | Mental | Socio- economic | Contra- ception | | Not |
| gestation | Total | endangered | formation | exposure | Rape | health | reasons | failure | Elective | stated |
| Total | 2,978 | ** | 13 | ** | 12 | 11 | 1,474 | 447 | 926 | 92 |
| | | | | | | | | | | |
| Under 5 | 29 | 0 | 0 | 0 | 0 | 0 | 18 | 8 | ** | 0 |
| 5 to 6 | 1,310 | 0 | 0 | 0 | ** | 6 | 635 | 211 | 438 | 17 |
| 7 to 8 | 834 | 0 | 0 | 0 | 6 | ** | 410 | 121 | 285 | 8 |
| 9 to 10 | 344 | ** | ** | ** | 0 | 0 | 173 | 39 | 122 | 7 |
| 11 to 12 | 207 | 0 | 0 | 0 | 5 | 0 | 106 | 31 | 63 | ** |
| 13 to 14 | 86 | 0 | 0 | 0 | 0 | 0 | 51 | 17 | 12 | 6 |
| 15 to 20 | 128 | 0 | 7 | 0 | 0 | ** | 71 | 20 | ** | 28 |
| 21 and over | 40 | 0 | 5 | 0 | 0 | 0 | 9 | 0 | ** | 24 |

The first day of last menstrual period is used to calculate gestation when the physician's clinical estimate is not available.

**All non-zero counts fewer than five are suppressed.

| | | Weeks of gestation | | | | | | | |
|----------------|-------|--------------------|-------|-----|------|-------|-------|-------|--------|
| | | | | | | | | | 21 and |
| Age of woman | Total | Under 5 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-16 | over |
| Total | 2,978 | 29 | 1,310 | 834 | 344 | 207 | 86 | 128 | 40 |
| Under 15 | 5 | 0 | 0 | ** | ** | 0 | 0 | 0 | 0 |
| Total 15 to 19 | 392 | ** | 145 | 114 | 50 | 43 | 9 | 23 | 5 |
| 15 to 17 | 90 | 0 | 16 | 29 | 17 | 16 | ** | 7 | ** |
| 18 to 19 | 302 | ** | 129 | 85 | 33 | 27 | 7 | 16 | ** |
| 20 to 24 | 1,004 | 13 | 437 | 300 | 116 | 71 | 27 | 34 | 6 |
| 25 to 29 | 756 | 8 | 360 | 192 | 82 | 49 | 23 | 31 | 11 |
| 30 to 34 | 467 | ** | 211 | 122 | 58 | 29 | 15 | 19 | 10 |
| 35 to 39 | 258 | ** | 111 | 77 | 27 | 10 | 9 | 16 | 7 |
| 40 to 44 | 83 | ** | 40 | 24 | 8 | ** | ** | 5 | ** |
| 45 and over | 12 | 0 | 5 | ** | ** | ** | ** | 0 | 0 |

Table R13. Abortions by age of woman and weeks of gestation: Utah residents, 2021

The first day of last menstrual period is used to calculate gestation when the physician's clinical estimate is not available.

**All non-zero counts fewer than five are suppressed.

| | | | Meth | nod of termination | I | |
|----------------|-------|---|--|---|--------------------------------------|------------|
| Age of woman | Total | Surgical curettage, including D&C/D&E ¹ | Surgical hysterectomy/ hysterotomy | Intrauterine instillation ² | Medical non-surgical ³ | Not stated |
| Total | 2,978 | 1,264 | 0 | 7 | 1,707 | 0 |
| Under 15 | 5 | ** | 0 | 0 | ** | 0 |
| Total 15 to 19 | 392 | 158 | 0 | 0 | 235 | 0 |
| 15 to 17 | 90 | 45 | 0 | 0 | 45 | 0 |
| 18 to 19 | 302 | 113 | 0 | 0 | 189 | 0 |
| 20 to 24 | 1,004 | 391 | 0 | ** | 612 | 0 |
| 25 to 29 | 756 | 313 | 0 | ** | 440 | 0 |
| 30 to 34 | 467 | 231 | 0 | ** | 233 | 0 |
| 35 to 39 | 258 | 117 | 0 | 0 | 141 | 0 |
| 40 to 44 | 83 | 46 | 0 | 0 | 37 | 0 |
| 45 and over | 12 | 6 | 0 | 0 | 6 | 0 |

Table R14. Abortions by age of woman and method of termination: Utah residents, 2021

¹Surgical curettage, including D&C/D&E: dilation and curettage (D&C) procedures may also be called aspiration curettage, suction curettage, manual vacuum aspiration, menstrual extraction/regulation or sharp curettage. Dilation and evacuation procedures (D&E) may also be called intact dilation and evacuation (F&X), or partial-birth abortions. If one of these procedures is listed, the abortion is categorized as a surgical procedure, even if medications are listed, as medications may be used as part of the surgical procedure to facilitate its completion.

²Intrauterine instillation: Intra-amniotic injection, typically with saline, prostaglandin or urea.

³Medical non-surgical: Includes early medical terminations and medical induction of labor.

**All non-zero counts fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R15. Abortions by weeks of gestation and method of termination: Utah residents, 2021

| | | | Meth | nod of terminatio | n | |
|--------------------|-------|---|--|---|---------------------------------------|------------|
| Weeks of gestation | Total | Surgical curettage, including D&C/D&E ¹ | Surgical hysterectomy or hysterotomy | Intrauterine instillation ² | Medical non- surgical ³ | Not stated |
| Total | 2,978 | 1,264 | 0 | 7 | 1,707 | 0 |
| Under 5 | 29 | 6 | 0 | 0 | 23 | 0 |
| 5-6 | 1,310 | 353 | 0 | 0 | 957 | 0 |
| 7-8 | 834 | 277 | 0 | 0 | 557 | 0 |
| 9-10 | 344 | 194 | 0 | 0 | 150 | 0 |
| 11-12 | 207 | 204 | 0 | 0 | ** | 0 |
| 13-14 | 86 | 86 | 0 | 0 | 0 | 0 |
| 15-20 | 128 | 119 | 0 | 5 | ** | 0 |
| 21 and over | 40 | 25 | 0 | ** | 13 | 0 |

The first day of last menstrual period is used to calculate gestation when the physician's clinical estimate is not available.

¹Surgical curettage, including D&C/D&E: dilation and curettage (D&C) procedures may also be called aspiration curettage, suction curettage, manual vacuum aspiration, menstrual extraction/regulation or sharp curettage. Dilation and evacuation procedures (D&E) may also be called intact dilation and evacuation (F&X), or partial-birth abortions. If one of these procedures is listed, the abortion is categorized as a surgical procedure, even if medications are listed, as medications may be used as part of the surgical procedure to facilitate its completion.

²Intrauterine instillation: Intra-amniotic injection, typically with saline, prostaglandin or urea.

³Medical non-surgical: Includes early medical terminations and medical induction of labor.

**All non-zero counts fewer than five are suppressed.

| Table R16. Abortions | by age of woman and | mention of any com | plications: Utah r | esidents, 2021 |
|----------------------|---------------------|--------------------|--------------------|----------------|
| | | | | |

| | | Mention of any complications | |
|----------------|-------|------------------------------|-------|
| Age of woman | Total | Yes | No |
| Total | 2,978 | 7 | 2,971 |
| Under 15 | 5 | 0 | 5 |
| Total 15 to 19 | 392 | ** | 391 |
| 15 to 17 | 90 | ** | 89 |
| 18 to 19 | 302 | 0 | 302 |
| 20 to 24 | 1,004 | ** | 1,002 |
| 25 to 29 | 756 | ** | 755 |
| 30 to 34 | 467 | ** | 465 |
| 35 to 39 | 258 | 0 | 258 |
| 40 to 44 | 83 | ** | 82 |
| 45 and over | 12 | 0 | 12 |
| Not stated | ** | 0 | ** |

**All non-zero counts fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R17. Abortions by age of woman and use of contraception at time of pregnancy: Utah residents, 2021

| | | Use of contraception at time of pregnancy | | |
|----------------|-------|---|-------|--------|
| | | | | Not |
| Age of woman | Total | Yes | No | stated |
| Total | 2,978 | 1,475 | 1,458 | 45 |
| Under 15 | 5 | 0 | 5 | 0 |
| Total 15 to 19 | 392 | 113 | 149 | 0 |
| 15 to 17 | 90 | 29 | 58 | ** |
| 18 to 19 | 302 | 146 | 152 | ** |
| 20 to 24 | 1,004 | 500 | 494 | 10 |
| 25 to 29 | 756 | 374 | 373 | 9 |
| 30 to 34 | 467 | 239 | 216 | 12 |
| 35 to 39 | 258 | 130 | 122 | 6 |
| 40 to 44 | 83 | 51 | 31 | ** |
| 45 and over | 12 | 5 | 7 | 0 |

**All non-zero counts fewer than five are suppressed.

Table R18. Abortions by age of woman and method of contraception, Utah residents: 2021

| | | Method of contraception | | | |
|----------------|-------|-----------------------------------|---|--|------------|
| Age of woman | Total | Highly effective: Implant, IUD | Medium effective: shot, pill, patch, ring, diaphram | Least effective: condom, withdrawal, sponge, spermicide, natural family | Not stated |
| Total | 2,978 | 96 | 475 | 904 | 1,503 |
| Under 15 | 5 | 0 | 0 | 0 | 5 |
| Total 15 to 19 | 392 | 11 | 55 | 109 | 217 |
| 15 to 17 | 90 | ** | 10 | 17 | 61 |
| 18 to 19 | 302 | 9 | 45 | 92 | 156 |
| 20 to 24 | 1,004 | 39 | 191 | 270 | 504 |
| 25 to 29 | 756 | 17 | 118 | 239 | 382 |
| 30 to 34 | 467 | 19 | 63 | 157 | 228 |
| 35 to 39 | 258 | 9 | 36 | 85 | 128 |
| 40 to 44 | 83 | ** | 10 | 40 | 32 |
| 45 and over | 12 | 0 | ** | ** | 7 |
| Not stated | 1 | 0 | ** | 0 | 0 |

Tables R18—R21: Not stated includes those who indicated they did not use any sort of contraception.

**All non-zero counts fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R19. Abortions by marital status of woman and method of contraception: Utah residents, 2021

| | _ | Method of contraception | | | | |
|-------------------|-------|-------------------------|------------------------|---------------------|------------|--|
| | | | Least effective: | | | |
| | | | Moderately | condom, | | |
| | | | effective: shot, pill, | withdrawal, sponge, | | |
| Marital status of | | Highly effective: | patch, ring, | spermicide, natural | | |
| woman | Total | Implant, IUD | diaphram | family planning | Not stated | |
| | | | | | | |
| Total | 2,978 | 96 | 475 | 904 | 1,503 | |
| Never Married | 1,976 | 58 | 334 | 573 | 1,011 | |
| Married | 606 | 27 | 79 | 184 | 316 | |
| Widowed | 8 | 0 | ** | ** | 5 | |
| Divorced | 216 | 5 | 36 | 88 | 87 | |
| Separated | 132 | 5 | 13 | 52 | 62 | |
| Not stated | 40 | ** | 11 | 6 | 22 | |

**All non-zero counts fewer than five are suppressed.

Table R20. Abortions by prior abortions and method of contraception: Utah residents, 2021

| | Method of contraception | | | | |
|--------------------------------|-------------------------|---------------------|--------------------------|---------------------|--------|
| | | condom, withdrawal, | | | |
| | | | Moderately effective: | sponge, spermicide, | |
| | | 0, | shot, pill, patch, ring, | natural family | Not |
| Prior abortions | Total | Implant, IUD | diaphragm | planning | stated |
| Total | 2,978 | 96 | 475 | 904 | 1,503 |
| No prior abortions | 2,198 | 78 | 334 | 643 | 1,143 |
| One prior abortion | 552 | 11 | 96 | 187 | 258 |
| Two prior abortions | 133 | ** | 30 | 52 | 50 |
| Three prior abortions | 33 | 0 | 7 | 10 | 16 |
| Four prior abortions | 16 | ** | ** | ** | 9 |
| More than five prior abortions | 6 | ** | ** | ** | ** |
| Not stated | 40 | ** | 6 | 6 | 25 |

**All non-zero counts fewer than five are suppressed.

Numbers may not add to total due to missing data.

Table R21. Abortions by education of woman and method of contraception: Utah residents, 2021

| | | Method of contraception | | | | |
|-----------------------------|-------|-------------------------|--------------------------|--|--------|--|
| | | | Moderately effective: | Least effective: condom, withdrawal, sponge, spermicide, | | |
| | | Highly effective: | shot, pill, patch, ring, | natural family | Not | |
| Education of woman | Total | Implant, IUD | diaphram | planning | stated | |
| Total | 2,978 | 96 | 475 | 904 | 1,503 | |
| Under 12 years | 256 | ** | 34 | 69 | 149 | |
| High school graduate or GED | 1,253 | 31 | 199 | 406 | 617 | |
| Over 12 years | 1,143 | 53 | 213 | 389 | 488 | |
| Not stated | 326 | 8 | 29 | 40 | 249 | |

**All non-zero counts fewer than five are suppressed. Numbers may not add to total due to missing data.

2021 Appendix:

Abortions

Technical Appendix

The Utah Vital Records and Statistics Abortion Report was first published in 1977 and reported on the combined years of 1974 and 1975. In 1980, a second report was published that included 1974 through 1977 data (duplicating the years reported in the first report and adding years 1976 and 1977). The years 1978-1980 were reported in the statistical report published in 1982. Reports of the years from 1981 through 2017 were published annually from one to two years following the close of the data year. The time between the end of the data year and the publication of the report is used to gather and compile the data, which is done by hand from paper forms. Of some interest are the years 1983 and 1984. These two reports are marked in the Utah Digital Library as "unpublished" but a full report is available. Data for 1992, 1993, and 1994 were published in separate reports all published in 1996 and it appears data for 2002 was published separately in 2003 and then included with 2003 data and published in 2004. The last report was published in 2022 and reported 2020 data making this report of the 2021 data the 42nd report.

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Form 1) be filed with the State of Utah's Department of Health within ten days of the abortion.

The reported number of abortions to Utah residents performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by local health district in this report.

For both the summary and reference table in this report, data may be tabulated by local health district to meet the needs of local health departments.

Formulas used to compute rates and ratios used in this report are defined as follows:

| Abortion Data - | Total Number of Induced Abortions to Resident Females (1,000) |
|------------------|---|
| Abortion Rate = | Total Number of Resident Females 15-44 Years of Age |
| Abortion Ratio = | Total Number of Induced Abortions to Resident Females (1,000) |
| | Total Number of Live Births to Resident Females |

To protect individual privacy, Utah Department of Health and Human Services data suppression rules have been applied to the data in this report. All non-zero counts fewer than five are suppressed.

Tables from prior reports display data for counties within local health districts. The suppression rules used in this report make county data less informative so the decision was made to remove county data. There are 29 counties within the 13 local health districts. The local health districts and respective counties are Bear River (Box Elder, Cache, Rich), Central Utah (Juab, Millard, Piute, Sanpete, Sevier, Wayne), Davis, Salt Lake, San Juan, Southeastern (Carbon, Emery, Grand), Southwest (Beaver, Garfield, Iron, Kane, Washington), Summit, Tooele, TriCounty (Daggett, Duchesne, Uintah), Utah County, Wasatch, and Weber-Morgan (Morgan, Weber).

The form that follows was used in 2021 prior to the merge of the Department of Health into the Department of Health and Human Services.

The categorization of contraception methods is from the CDC Reproductive Health.

2021 Form Used to Report Induced Termination of Pregnancy

10

| | | | Unique Identifier # | State File # | | |
|---|---|--------------------------|--|--------------------------------------|------------|--|
| • UTAH DEPARTMENT | | | REPORT | T OF INDUCED | | |
| HEALTH | | | TERMINATION OF PREGNANCY Confidential. This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the State of Utah Code \$76-7-3 regarding abortion. It will be kept confidential pursuant to Title 26 Utah Health Code, Chapter 25 Confidential Information | | | |
| Office of Vital Records & Statistics | | | | | | |
| 1a. FACILITY NAME | E (if not a clinic or hospital, give | street address) | | ENCE | | |
| | | | Citv/Town | State | | |
| <u>1b.</u> CITY | | 1c. COUNTY | | | | |
| | | | County | Zip | | |
| <u>3.</u> PATIENT AGE | 4. PATIENT MARITAL STA | TUS | | | | |
| | 1 Never married | 🔿 3 Widowed | 8. PREVIOUS LIVE BIRTHS # | | 🔿 0 None | |
| | 2 Married | 4 Divorced | | | 125 | |
| | | 5 Separated | 9. PREVIOUS INDUCED TERMINATI | ONS # | 🔿 0 None | |
| | PANIC OR LATINA ORIGIN | <u></u> | | | | |
| | y Below ()2 No | r O 9 Unknown | | | | |
| 1 Mexican | y below ()2 NO | O 9 UTKITOWIT | DID SHE WANT TO BECOME PREG | VANTE OTTES OZINO | | |
| 2 Cuban | | | 11. WHEN PATIENT BECAME PREG | NANT, WAS SHE OR HER PARTNER | | |
| 3 Puerto Ricar | n | | USING CONTRACEPTION? | ∩ 1 Yes ∩ 2 No | | |
| O 4 Other - Spec | cify: | | OF REPORT OF INDUCED Intervent Confidential. This report will be used for statistical purposes by the Utah Depare used to insure compliance with the provisions of the State of Utah Code \$7 will be kept confidential pursuant to Title 26 Utah Health Code, Chapter 25 Confidential pursuant to Title 26 Utah Health Code, Chapter 25 Confidential pursuant to Title 26 Utah Health Code, Chapter 25 Confidential pursuant to Title 26 Utah Health Code, Chapter 25 Confidential pursuant to Title 26 Utah Health Code, Chapter 25 Confidential pursuant to Title 26 Utah Health Code, Chapter 25 Confidential pursuant to Title 26 Utah Health Code, Chapter 25 Confidential pursuant to Title 26 Utah Health Code, Chapter 25 Confidential pursuant to TRESIDENCE ed 2. PATIENT RESIDENCE g. PREVIOUS LIVE BIRTHS # | 2? | | |
| | | | - Contraction of the second se | | | |
| | | | | | | |
| 6. PATIENT RACE | nine in cruite de | 🔿 9 Unknown | | | | |
| | hispanic or latina) | | natural family p | anning | | |
| 2 Black or Afri | rican American rican - Specify tribe(s): | | 12 IF "NO" TO #11: What was the | primany reason for not using contras | ention? | |
| O S NULLVE AITE | neur opeeny enders). | | and the second sec | 9 Unknow | | |
|) 4 Alaskan Nat | ive | | 5 | 0 | | |
| - | aiian or other Pacific Isla | ander | - | | | |
| 🔿 6 Asian | | | | | | |
| 🔿 7 Other - Spec | cify: | | | | | |
| | | 20 10 0221 | | is sterile/could not get pregnant | | |
| | TION (highest grade comp | | O 7 Other - Specify: | | | |
| ○ 1 8th grade or ○ 2 9-12th grade | | 🔿 9 Unknown | | lmm | /dd/yy) | |
| | graduate or GED | | | | | |
| 4 Some colleg | | | | | LYes O2 No | |
| ◯ 5 Associate de | | | | (mm/dd/yy) | | |
| O 6 Bachelors de | egree (BA, AB, BS) | | MENSTRUAL PERIOD | 🔘 9 LMP da | te unknown | |
| | gree (MA, MS, MEng, M | Ed, MSW, MBA) | | /IVAL OUTSIDE THE UTERUS? | | |
| | r professional degree - | | OlYes OlNo (| 🔵 9 Unknown | | |
| Sile on All and the other states are a state of the | MD, DDs, DVM, LLB, JD) | | | | | |
| | N PROCEDURE SURGICAL (I Curettage (D&C) | , эреспу) | | TEDICAL (Specify) | | |
| | Evacuation (D&E) | | | anrev®) | | |
| 3 Hysterotom | | | O 2 Misoprostol (Cytotec®) or another prostaglandin | | | |
| 0 4 Gravid Hyst | | | | | | |
| ◯ 5 Other Surgio | cal - Specify: | | O 4 Other -Specity: | | | |
| <u>19a.</u> FETAL INDICA | TIONS FOR TERMINATION | N (check all that apply) | │ 1 Lethal Fetal Defect (| 2 Grave Fetal Defect | | |
| Specify defect: | | | | | | |
| | PHYSIC | CIAN MUST SIGN | PAGE 2 TURN OVER FOR | PAGE 2 >> | | |
| | | | Page 1 of 2 | | | |

| Induced Termination of Pregnance | y Page 2 Un | ique Identifier # | State File # | | | | |
|---|---|--|--|--|--|--|--|
| 19b. MATERNAL INDICATIONS FOR T | ERMINATION | 🔿 09 Unknown | | | | | |
| ○ 01 Cardiac Disease | 🔿 05 Rape | 10 Contraceptive Failur | e | | | | |
| ○ 02 Renal Disease | 06 Incest | 11 Elective | | | | | |
| 03 Malignancy | 07 Mental Health | 12 Other -Specify: | | | | | |
| 04 Drug/Radiation Exposure | 08 Socioeconomic r | reasons | | | | | |
| 20. ADVERSE EVENTS IMMEDIATELY F | OST PROCEDURE (check al | ll that apply) | | | | | |
| ○1 Hemorrhage | ○ 4 Anesthesia-relate | d Reaction | | | | | |
| ○ 2 Cervical Injury | ○ 5 Unplanned Hospi | tal Admission - Specify: | | | | | |
| ○ 3 Uterine Perforation | 🔿 6 Death | | | | | | |
| $\mathbf{D}\mathbf{C}$ | ○ 12 Other -Specify: _ | | | | | | |
| 21. PRESENCE OF CHORIONIC VILLI - | pathological description | 23. FETAL WEIGHT | | | | | |
| ○1 Yes ○2 No ○9 Unkno | | grams |] 9 Unknown | | | | |
| 22. PRESENCE OF EMBRYO OR FETAL | | | | | | | |
| O1 Yes O2 No O9 Unkno | 35 937539 | cm | [] 9 Unknown | | | | |
| | PATHOLOGIST | REPORT §76-7-309 | | | | | |
| ⊖ A copy of the pathologist repor | t (with all personal iden | tifying info redacted) is attache | ed answering #25 and #26. | | | | |
| OR 25. The pregnancy was | aborted by evacuating t | the uterus. ①1 Yes | () 2 No | | | | |
| 26. Medical Record in | dicating Down Syndrome | | INC | | | | |
| There IS a medical r | ecord which indicates th | rough a prenatal screening or | other diagnostic test | | | | |
| 10 C MARKED AND ANTIMAKAN | fetus had or may have l | Contraction - Contraction Contraction - Cont | | | | | |
| 1 1 | | through a prenatal screening o | or other diagnostic test | | | | |
| | l fetus had or may have l | | | | | | |
| | | AVIT AND SIGNATURE | | | | | |
| 27. OI certify that consent was volu | o production of the second | regnant woman as per Code §76- | 7-305 and §76-7-305.5 | | | | |
| OR | | | | | | | |
| | sent specified in Section §7 | 76-7-305 and §76-7-305.5 was NO | T obtained because: | | | | |
| 28a. OFurnishing the information | n would have resulted in a s | severely adverse effect on the phy | /sical or | | | | |
| mental health of the pres | gnant woman. | | | | | | |
| 28b. ()The abortion was necessa | ry to avert the death of the | woman on whom the abortion w | vas performed. | | | | |
| 28c. OThe abortion was necessar | | | 65 | | | | |
| 1/540 V/0X 1/2 (/5/4/2 V/0 | | the abortion was performed. | | | | | |
| 28d. ()The pregnancy was a resu | | | | | | | |
| 28e. OThe pregnancy was a resu | | | | | | | |
| 28f. OAt the time of the abortion | | s 14 years of age or younger | | | | | |
| 29. I, the physician, had knowledge at | t the time of the abortion t | hat the pregnant woman sought t | the abortion solely | | | | |
| because the unborn child had or may | y have had Down Syndrom | e. [§76-7-313(2)(c)(iii)]. | ◯ 1 Yes ◯ 2 No | | | | |
| 30. Physician's Declaration: I d | eclare under criminal | penalty under the law of Ut | tah that provisions 15a, | | | | |
| 17, 19a, and 19b of the forego | estimation at a process in the single second s | Contractive and the second distribution of the second distribu | AND AN ADDRESS AND ADDRESS ADDRE | | | | |
| 31. PRINTED NAME OF PHYSICIAN - pe | rformed the procedure. UCA | 78B-18a-106. 32. Physician's Li | icense # | | | | |
| | | | | | | | |
| | | | | | | | |
| 33. PHYSICIAN SIGNATURE | | 34. DATE SIGNED |) | | | | |
| | | | | | | | |
| Mail completed form to Utah State Office of Vital Records and Statistics | | | | | | | |
| MAILING ADDRESS: PO Box 141012 • SALT LAKE CITY, UT 84114-1012 | | | | | | | |
| | | OVRS Form 60 March 2021 | ana a antipolitico | | | | |
| | Page 2 of 2 | | | | | | |
| | | , - | | | | | |