



# House of Representatives *State of Utah*

UTAH STATE CAPITOL COMPLEX • 350 STATE CAPITOL  
P.O. BOX 145030 • SALT LAKE CITY, UTAH 84114-5030 • (801) 538-1029

January 26, 2010

Mr. Speaker:

The Business and Labor Committee reports a favorable recommendation on **H.B. 45**, STATE CONSTRUCTION CODE ADOPTION, by Representative M. Morley, with the following amendments:

1. *Page 16, Lines 475 through 477:*

475	<u>Grand County</u>				
476	<u>Moab</u>	<u>3965 ft.</u>	<del>{5}</del>	<u>25</u>	<u>36</u>
477	<u>Iron County</u>				

2. *Page 27, Lines 834 through 836:*

834	<u>Millard County</u>				
835	<del>{Millard}</del>	<u>Fillmore</u>	<u>5000 ft.</u>	<u>30</u>	<u>43</u>
836	<u>Delta</u>	<u>4623 ft.</u>	<u>30</u>	<u>43</u>	

3. *Page 54, Lines 1670 through 1672:*

1670 Section 204. Statewide Amendments to the IMC.

1671 The following are adopted as amendments to the IMC to be applicable statewide:

**(1) In IMC, Section 403, a new Section 403.8 is added as follows: "Retrospective effect. Removal, alteration, or abandonment shall not be required, and continued use and maintenance shall be allowed, for a ventilation system within an existing installation that complies with the requirements of this Section 403 regardless whether the ventilation system satisfied the minimum ventilation rate requirements of prior law."**

1672 ~~{(1)}~~ **(2)** IMC, Section 1101.10, is deleted.

Respectfully,

James A. Dunnigan  
Committee Chair

Bill Number



HB0045

Action Class



H

Action Code



HCRAMD

H.B. 45  
Business and Labor Committee Report  
January 26, 2010 - Page 2

Voting: 9-3-2

3 HB0045.HC1.WPD 1/26/10 3:30 pm bhowe/BRH PO/BRH

*Bill Number*



HB0045

*Action Class*



H

*Action Code*



HCRAMD