

4th Sub. H.B. 316

BUILDING CODE REVIEW AND ADOPTION AMENDMENTS

Representative **Marc K. Roberts** proposes the following amendments:

1. *Page 4, Line 101:*

101 15A-6-102, Utah Code Annotated 1953
 = 15A-6-201, Utah Code Annotated 1953

2. *Page 100, Line 2873:*

2873 2018.

Section 43. Section 15A-6-201 is enacted to read:

15A-6-201. Polyurethane insulated concrete forms.

(1) Notwithstanding any other provision of this title, a governing body in the state that issues a building permit may not:

(a) deny issuing a building permit to a project solely because the project uses polyurethane insulated concrete form block that complies with Subsection (2); or

(b) require a project to surface flame retardants on polyurethane insulated concrete form block that has a flame spread that is less than or equal to 25.

(2) A project may use polyurethane insulated concrete form block if:

(a) the polyurethane insulated concrete form block is manufactured using expanded polyurethane foam that:

(i) has a flame spread index that is less than or equal to 50;

(ii) has a smoke index that is less than 350; and

(iii) is capable of withstanding fluid pressure created by fresh concrete; and

(b) the project is designed and stamped by a structural engineer licensed in the state. =

RENUMBER REMAINING SECTIONS ACCORDINGLY