

268 [(†)] (4) In Section 505 of the IWUIC Class 2 IGNITION-RESISTANT CONSTRUCTION
269 Subsections 505.5 and 505.7 are deleted.["

270 Section 4. Section 15A-4-201 is amended to read:

271 **15A-4-201. General provision.**

272 [(†)] The amendments in this part are adopted as amendments to the IRC to be
273 applicable to specified jurisdiction.

274 [~~2~~] A local amendment to the following which may be applied to detached one and
275 two family dwellings and multiple single family dwellings shall be applicable to the
276 corresponding provisions of the IRC for the local jurisdiction to which the local amendment
277 has been made:]

278 [(a) IBC under Part 1, Local Amendments to International Building Code;]

279 [(b) IPC under Part 3, Local Amendments to International Plumbing Code;]

280 [(c) IMC under Part 4, Local Amendments to International Mechanical Code;]

281 [(d) IFGC under Part 5, Local Amendments to International Fuel Gas Code;]

282 [(e) NEC under Part 6, Local Amendments to National Electrical Code; and]

283 [(f) IECC under Part 7, Local Amendments to International Energy Conservation
284 Code.]

285 Section 5. Section 15A-4-206 is amended to read:

286 **15A-4-206. Amendments to IRC applicable to Park City Corporation or Park
287 City Fire District.**

288 ~~§~~→ [f] ←~~§~~ (1) The following amendment is adopted as an amendment to the IRC for the
288a Park

289 City Corporation, Appendix P, of the 2006 IRC is adopted. ~~§~~→ [h] ←~~§~~

290 [~~2~~] The following amendments are adopted as amendments to the IRC for Park City
291 Corporation and Park City Fire District:

292 [(a)] (1) IRC, Section R905.7, is deleted and replaced with the following: "R905.7
293 Wood shingles. The installation of wood shingles shall comply with the provisions of this
294 section.

295 Wood roof covering is prohibited in areas with a combined rating of more than 11 using the
296 following tables with a score of 9 for weather factors.

TABLE
WILDFIRE HAZARD SEVERITY SCALE

297
298