

28 2902.1, Minimum Number of Required Plumbing Facilities ^{a,h}.

29 (b) In the row for "E" occupancy in the field for "OTHER" a new footnote i is added.

30 (c) In the row for "I-4" occupancy in the field for "OTHER" a new footnote i is added.

31 (d) A new footnote h is added as follows: "FOOTNOTE: h. When provided, subject to
32 footnote j, in public toilet facilities there shall be an equal number of diaper changing facilities
33 in male toilet rooms and female toilet rooms."

34 (e) A new footnote i is added to the table as follows: "FOOTNOTE i: Non-residential
35 child care facilities shall comply with additional sink requirements of Utah Administrative
36 Code R430-100-4."

37 (f) A new footnote j is added to the table as follows: "FOOTNOTE j: A building
38 owned by a state government entity or by a political subdivision of the state that allows access
39 to the public shall provide diaper changing facilities in accordance with footnote h if ~~H~~→ [the
40 building is] ←~~H~~ :

41 1. ~~H~~→ the building is ←~~H~~ newly constructed; or

42 2. ~~H~~→ a bathroom in the building is ←~~H~~ renovated."

43 (2) A new IBC, Section [P]2902.7, is added as follows:

44 "[P]2902.7 Toilet Facilities for Workers.

45 Toilet facilities shall be provided for construction workers and such facilities shall be
46 maintained in a sanitary condition. Construction worker toilet facilities of the nonsewer type
47 shall conform to ANSI Z4.3."

48 (3) In IBC, Section 3006.5, a new exception is added as follows: "Exception: Hydraulic
49 elevators and roped hydraulic elevators with a rise of 50 feet or less."

Legislative Review Note
Office of Legislative Research and General Counsel