

30 (b) In the row for "E" occupancy in the field for "OTHER" a new footnote i is added.

31 (c) In the row for "I-4" occupancy in the field for "OTHER" a new footnote i is added.

32 (d) A new footnote h is added as follows: "FOOTNOTE: h. When provided, subject to
33 footnote j, in public toilet facilities there shall be an equal number of diaper changing facilities
34 in male toilet rooms and female toilet rooms."

35 (e) A new footnote i is added to the table as follows: "FOOTNOTE i: Non-residential
36 child care facilities shall comply with additional sink requirements of Utah Administrative
37 Code R430-100-4."

38 (f) A new footnote j is added to the table as follows: "FOOTNOTE j: A building
39 owned by a state government entity or by a political subdivision of the state that allows access
40 to the public shall provide diaper changing facilities in accordance with footnote h if:

41 1. the building is newly constructed; or

42 2. a bathroom in the building is renovated."

43 (2) A new IBC, Section [P]2902.7, is added as follows:

44 "[P]2902.7 Toilet Facilities for Workers.

45 Toilet facilities shall be provided for construction workers and such facilities shall be
46 maintained in a sanitary condition. Construction worker toilet facilities of the nonsewer type
47 shall conform to ANSI Z4.3."

48 (3) In IBC, Section 3006.5, a new exception is added as follows: "Exception: Hydraulic
49 elevators and roped hydraulic elevators with a rise of 50 feet or less."