

1 **CONTROLLED SUBSTANCES ACT AMENDMENTS**

2 2018 GENERAL SESSION

3 STATE OF UTAH

4 **Chief Sponsor: Paul Ray**

5 Senate Sponsor: Allen M. Christensen

7 **LONG TITLE**

8 **General Description:**

9 This bill modifies the Utah Controlled Substances Act.

10 **Highlighted Provisions:**

11 This bill:

- 12 ▶ adds certain substances to the lists of controlled substances and Schedule I
- 13 controlled substances; and
- 14 ▶ makes technical changes.

15 **Money Appropriated in this Bill:**

16 None

17 **Other Special Clauses:**

18 None

19 **Utah Code Sections Affected:**

20 AMENDS:

21 **58-37-4**, as last amended by Laws of Utah 2017, Chapters 172 and 432

22 **58-37-4.2**, as last amended by Laws of Utah 2017, Chapter 172

24 *Be it enacted by the Legislature of the state of Utah:*

25 Section 1. Section **58-37-4** is amended to read:

26 **58-37-4. Schedules of controlled substances -- Schedules I through V -- Findings**
27 **required -- Specific substances included in schedules.**

28 (1) There are established five schedules of controlled substances known as Schedules I,
29 II, III, IV, and V which consist of substances listed in this section.

30 (2) Schedules I, II, III, IV, and V consist of the following drugs or other substances by
 31 the official name, common or usual name, chemical name, or brand name designated:

32 (a) Schedule I:

33 (i) Unless specifically excepted or unless listed in another schedule, any of the
 34 following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and
 35 ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific
 36 chemical designation:

37 (A) Acetyl-alpha-methylfentanyl

38 (N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);

39 (B) Acetyl fentanyl: (N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);

40 (C) Acetylmethadol;

41 (D) Acryl fentanyl (N-(1-Phenethylpiperidin-4-yl)-N-phenylacrylamide);

42 [~~(D)~~] (E) Allylprodine;

43 [~~(E)~~] (F) Alphacetylmethadol, except levo-alphacetylmethadol also known as
 44 levo-alpha-acetylmethadol, levomethadyl acetate, or LAAM;

45 [~~(F)~~] (G) Alphameprodine;

46 [~~(G)~~] (H) Alphamethadol;

47 [~~(H)~~] (I) Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl]
 48 propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-propanilido) piperidine);

49 [~~(I)~~] (J) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl)ethyl-4-
 50 piperidinyl]-N-phenylpropanamide);

51 [~~(J)~~] (K) Benzylpiperazine;

52 [~~(K)~~] (L) Benzethidine;

53 [~~(L)~~] (M) Betacetylmethadol;

54 [~~(M)~~] (N) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-
 55 piperidinyl]-N-phenylpropanamide);

56 [~~(N)~~] (O) Beta-hydroxy-3-methylfentanyl, other name: N-[1-(2-hydroxy-2-
 57 phenethyl)-3-methyl-4-piperidinyl]-N-phenylpropanamide;

- 58 [~~(O)~~] (P) Betameprodine;
- 59 [~~(P)~~] (Q) Betamethadol;
- 60 [~~(Q)~~] (R) Betaprodine;
- 61 [~~(R)~~] (S) Butyryl fentanyl[\cdot] (N-(1-(2-phenylethyl)-4-piperidiny)-N-phenylbutyramide);
- 62 [~~(S)~~] (T) Clonitazene;
- 63 (U) Cyclopropyl fentanyl
- 64 (N-(1-Phenethylpiperidin-4-yl)-N-phenylcyclopropanecarboxamide);
- 65 [~~(T)~~] (V) Dextromoramide;
- 66 [~~(U)~~] (W) Diampromide;
- 67 [~~(V)~~] (X) Diethylthiambutene;
- 68 [~~(W)~~] (Y) Difenoxin;
- 69 [~~(X)~~] (Z) Dimenoxadol;
- 70 [~~(Y)~~] (AA) Dimepheptanol;
- 71 [~~(Z)~~] (BB) Dimethylthiambutene;
- 72 [~~(AA)~~] (CC) Dioxaphetyl butyrate;
- 73 [~~(BB)~~] (DD) Dipipanone;
- 74 [~~(CC)~~] (EE) Ethylmethylthiambutene;
- 75 (FF) Etizolam
- 76 (1-Methyl-6-o-chlorophenyl-8-ethyl-4H-s-triazolo[3,4-c]thieno[2,3-e]1,4-diazepine);
- 77 [~~(DD)~~] (GG) Etonitazene;
- 78 [~~(EE)~~] (HH) Etoxeridine;
- 79 [~~(FF)~~] (II) Furanyl fentanyl[\cdot] (N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]
- 80 furan-2-carboxamide);
- 81 [~~(GG)~~] (JJ) Furethidine;
- 82 [~~(HH)~~] (KK) Hydroxypethidine;
- 83 [~~(II)~~] (LL) Ketobemidone;
- 84 [~~(JJ)~~] (MM) Levomoramide;
- 85 [~~(KK)~~] (NN) Levophenacymorphan;

- 86 (OO) Methoxyacetyl fentanyl
 87 (2-Methoxy-N-(1-phenylethylpiperidinyl-4-yl)-N-acetamide);
 88 [~~LL~~] (PP) Morpheridine;
 89 [~~MM~~] (QQ) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
 90 [~~NN~~] (RR) Noracymethadol;
 91 [~~OO~~] (SS) Norlevorphanol;
 92 [~~PP~~] (TT) Normethadone;
 93 [~~QQ~~] (UU) Norpipanone;
 94 [~~RR~~] (VV) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-
 95 piperidinyl] propanamide);
 96 (WW) Para-fluoroisobutyryl fentanyl
 97 (N-(4-Fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);
 98 [~~SS~~] (XX) PEPAP (1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine);
 99 [~~TT~~] (YY) Phenadoxone;
 100 [~~UU~~] (ZZ) Phenampromide;
 101 [~~VV~~] (AAA) Phenomorphan;
 102 [~~WW~~] (BBB) Phenoperidine;
 103 [~~XX~~] (CCC) Piritramide;
 104 [~~YY~~] (DDD) Proheptazine;
 105 [~~ZZ~~] (EEE) Properidine;
 106 [~~AAA~~] (FFF) Propiram;
 107 [~~BBB~~] (GGG) Racemoramide;
 108 (HHH) Tetrahydrofuran fentanyl
 109 (N-(1-Phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-carboxamide);
 110 [~~CCC~~] (III) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]-
 111 propanamide;
 112 [~~DDD~~] (JJJ) Tilidine;
 113 [~~EEE~~] (KKK) Trimeperidine;

114 [~~(FFF)~~] (LLL) 3-methylfentanyl, including the optical and geometric isomers
115 (N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]- N-phenylpropanamide);
116 [~~(GGG)~~] (MMM) 3-methylthiofentanyl
117 (N-[(3-methyl-1-(2-thienyl)ethyl-4-piperidyl]-N-phenylpropanamide); [~~and~~]
118 [~~(HHH)~~] (NNN) 3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide
119 also known as U-47700[:]; and
120 (OOO) 4-cyano CUMYL-BUTINACA.

121 (ii) Unless specifically excepted or unless listed in another schedule, any of the
122 following opium derivatives, their salts, isomers, and salts of isomers when the existence of the
123 salts, isomers, and salts of isomers is possible within the specific chemical designation:

- 124 (A) Acetorphine;
- 125 (B) Acetyldihydrocodeine;
- 126 (C) Benzylmorphine;
- 127 (D) Codeine methylbromide;
- 128 (E) Codeine-N-Oxide;
- 129 (F) Cyprenorphine;
- 130 (G) Desomorphine;
- 131 (H) Dihydromorphine;
- 132 (I) Drotebanol;
- 133 (J) Etorphine (except hydrochloride salt);
- 134 (K) Heroin;
- 135 (L) Hydromorphinol;
- 136 (M) Methyldesorphine;
- 137 (N) Methylhydromorphine;
- 138 (O) Morphine methylbromide;
- 139 (P) Morphine methylsulfonate;
- 140 (Q) Morphine-N-Oxide;
- 141 (R) Myrophine;

- 142 (S) Nicocodeine;
- 143 (T) Nicomorphine;
- 144 (U) Normorphine;
- 145 (V) Pholcodine; and
- 146 (W) Thebacon.
- 147 (iii) Unless specifically excepted or unless listed in another schedule, any material,
- 148 compound, mixture, or preparation which contains any quantity of the following hallucinogenic
- 149 substances, or which contains any of their salts, isomers, and salts of isomers when the
- 150 existence of the salts, isomers, and salts of isomers is possible within the specific chemical
- 151 designation; as used in this Subsection (2)(a)(iii) only, "isomer" includes the optical, position,
- 152 and geometric isomers:
- 153 (A) Alpha-ethyltryptamine, some trade or other names: etryptamine; Monase;
- 154 α -ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole; α -ET; and AET;
- 155 (B) 4-bromo-2,5-dimethoxy-amphetamine, some trade or other names:
- 156 4-bromo-2,5-dimethoxy- α -methylphenethylamine; 4-bromo-2,5-DMA;
- 157 (C) 4-bromo-2,5-dimethoxyphenethylamine, some trade or other names:
- 158 2-(4-bromo-2,5-dimethoxyphenyl)-1-aminoethane; alpha-desmethyl DOB; 2C-B, Nexus;
- 159 (D) 2,5-dimethoxyamphetamine, some trade or other names:
- 160 2,5-dimethoxy- α -methylphenethylamine; 2,5-DMA;
- 161 (E) 2,5-dimethoxy-4-ethylamphetamine, some trade or other names: DOET;
- 162 (F) 4-methoxyamphetamine, some trade or other names:
- 163 4-methoxy- α -methylphenethylamine; paramethoxyamphetamine, PMA;
- 164 (G) 5-methoxy-3,4-methylenedioxyamphetamine;
- 165 (H) 4-methyl-2,5-dimethoxy-amphetamine, some trade and other names:
- 166 4-methyl-2,5-dimethoxy- α -methylphenethylamine; "DOM"; and "STP";
- 167 (I) 3,4-methylenedioxy amphetamine;
- 168 (J) 3,4-methylenedioxymethamphetamine (MDMA);
- 169 (K) 3,4-methylenedioxy-N-ethylamphetamine, also known as N-ethyl-

- 170 alpha-methyl-3,4(methylenedioxy)phenethylamine, N-ethyl MDA, MDE, MDEA;
- 171 (L) N-hydroxy-3,4-methylenedioxyamphetamine, also known as
- 172 N-hydroxy-alpha-methyl-3,4(methylenedioxy)phenethylamine, and N-hydroxy MDA;
- 173 (M) 3,4,5-trimethoxy amphetamine;
- 174 (N) Bufotenine, some trade and other names:
- 175 3-(β -Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,
- 176 N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine;
- 177 (O) Diethyltryptamine, some trade and other names: N,N-Diethyltryptamine; DET;
- 178 (P) Dimethyltryptamine, some trade or other names: DMT;
- 179 (Q) Ibogaine, some trade and other names:
- 180 7-Ethyl-6,6 β ,7,8,9,10,12,13-octahydro-2-methoxy-6,9-methano-5H-pyrido [1', 2':1,2] azepino
- 181 [5,4-b] indole; Tabernanthe iboga;
- 182 (R) Lysergic acid diethylamide;
- 183 (S) Marijuana;
- 184 (T) Mescaline;
- 185 (U) Parahexyl, some trade or other names:
- 186 3-Hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran; Synhexyl;
- 187 (V) Peyote, meaning all parts of the plant presently classified botanically as
- 188 *Lophophora williamsii* Lemaire, whether growing or not, the seeds thereof, any extract from
- 189 any part of such plant, and every compound, manufacture, salts, derivative, mixture, or
- 190 preparation of such plant, its seeds or extracts (Interprets 21 USC 812(c), Schedule I(c) (12));
- 191 (W) N-ethyl-3-piperidyl benzilate;
- 192 (X) N-methyl-3-piperidyl benzilate;
- 193 (Y) Psilocybin;
- 194 (Z) Psilocyn;
- 195 (AA) Tetrahydrocannabinols, naturally contained in a plant of the genus *Cannabis*
- 196 (*cannabis* plant), as well as synthetic equivalents of the substances contained in the *cannabis*
- 197 plant, or in the resinous extractives of *Cannabis*, sp. and/or synthetic substances, derivatives,

198 and their isomers with similar chemical structure and pharmacological activity to those
199 substances contained in the plant, such as the following: Δ 1 cis or trans tetrahydrocannabinol,
200 and their optical isomers Δ 6 cis or trans tetrahydrocannabinol, and their optical isomers Δ 3,4
201 cis or trans tetrahydrocannabinol, and its optical isomers, and since nomenclature of these
202 substances is not internationally standardized, compounds of these structures, regardless of
203 numerical designation of atomic positions covered;

204 (BB) Ethylamine analog of phencyclidine, some trade or other names:

205 N-ethyl-1-phenylcyclohexylamine, (1-phenylcyclohexyl)ethylamine,

206 N-(1-phenylcyclohexyl)ethylamine, cyclohexamine, PCE;

207 (CC) Pyrrolidine analog of phencyclidine, some trade or other names:

208 1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP;

209 (DD) Thiophene analog of phencyclidine, some trade or other names:

210 1-[1-(2-thienyl)-cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine, TPCP, TCP; and

211 (EE) 1-[1-(2-thienyl)cyclohexyl]pyrrolidine, some other names: TCPy.

212 (iv) Unless specifically excepted or unless listed in another schedule, any material
213 compound, mixture, or preparation which contains any quantity of the following substances
214 having a depressant effect on the central nervous system, including its salts, isomers, and salts
215 of isomers when the existence of the salts, isomers, and salts of isomers is possible within the
216 specific chemical designation:

217 (A) Mecloqualone; and

218 (B) Methaqualone.

219 (v) Any material, compound, mixture, or preparation containing any quantity of the
220 following substances having a stimulant effect on the central nervous system, including their
221 salts, isomers, and salts of isomers:

222 (A) Aminorex, some other names: aminoxaphen; 2-amino-5-phenyl-2-oxazoline; or
223 4,5-dihydro-5-phenyl-2-oxazolamine;

224 (B) Cathinone, some trade or other names: 2-amino-1-phenyl-1-propanone,
225 alpha-aminopropiophenone, 2-aminopropiophenone, and norephedrone;

- 226 (C) Fenethylamine;
- 227 (D) Methcathinone, some other names: 2-(methylamino)-propionophenone;
- 228 alpha-(methylamino)propionophenone; 2-(methylamino)-1-phenylpropan-1-one;
- 229 alpha-N-methylaminopropionophenone; monomethylpropion; ephedrone; N-methylcathinone;
- 230 methylcathinone; AL-464; AL-422; AL-463 and UR1432, its salts, optical isomers, and salts of
- 231 optical isomers;
- 232 (E) (±)cis-4-methylaminorex ((±)cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazolamine);
- 233 (F) N-ethylamphetamine; and
- 234 (G) N,N-dimethylamphetamine, also known as
- 235 N,N-alpha-trimethyl-benzeneethanamine; N,N-alpha-trimethylphenethylamine.
- 236 (vi) Any material, compound, mixture, or preparation which contains any quantity of
- 237 the following substances, including their optical isomers, salts, and salts of isomers, subject to
- 238 temporary emergency scheduling:
- 239 (A) N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl); and
- 240 (B) N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl).
- 241 (vii) Unless specifically excepted or unless listed in another schedule, any material,
- 242 compound, mixture, or preparation which contains any quantity of gamma hydroxy butyrate
- 243 (gamma hydrobutyric acid), including its salts, isomers, and salts of isomers.
- 244 (b) Schedule II:
- 245 (i) Unless specifically excepted or unless listed in another schedule, any of the
- 246 following substances whether produced directly or indirectly by extraction from substances of
- 247 vegetable origin, or independently by means of chemical synthesis, or by a combination of
- 248 extraction and chemical synthesis:
- 249 (A) Opium and opiate, and any salt, compound, derivative, or preparation of opium or
- 250 opiate, excluding apomorphine, dextrorphan, nalbuphine, nalmefene, naloxone, and naltrexone,
- 251 and their respective salts, but including:
- 252 (I) Raw opium;
- 253 (II) Opium extracts;

- 254 (III) Opium fluid;
- 255 (IV) Powdered opium;
- 256 (V) Granulated opium;
- 257 (VI) Tincture of opium;
- 258 (VII) Codeine;
- 259 (VIII) Ethylmorphine;
- 260 (IX) Etorphine hydrochloride;
- 261 (X) Hydrocodone;
- 262 (XI) Hydromorphone;
- 263 (XII) Metopon;
- 264 (XIII) Morphine;
- 265 (XIV) Oxycodone;
- 266 (XV) Oxymorphone; and
- 267 (XVI) Thebaine;
- 268 (B) Any salt, compound, derivative, or preparation which is chemically equivalent or
- 269 identical with any of the substances referred to in Subsection (2)(b)(i)(A), except that these
- 270 substances may not include the isoquinoline alkaloids of opium;
- 271 (C) Opium poppy and poppy straw;
- 272 (D) Coca leaves and any salt, compound, derivative, or preparation of coca leaves, and
- 273 any salt, compound, derivative, or preparation which is chemically equivalent or identical with
- 274 any of these substances, and includes cocaine and ecgonine, their salts, isomers, derivatives,
- 275 and salts of isomers and derivatives, whether derived from the coca plant or synthetically
- 276 produced, except the substances may not include decocainized coca leaves or extraction of coca
- 277 leaves, which extractions do not contain cocaine or ecgonine; and
- 278 (E) Concentrate of poppy straw, which means the crude extract of poppy straw in either
- 279 liquid, solid, or powder form which contains the phenanthrene alkaloids of the opium poppy.
- 280 (ii) Unless specifically excepted or unless listed in another schedule, any of the
- 281 following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and

282 ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific
283 chemical designation, except dextrorphan and levopropoxyphene:

- 284 (A) Alfentanil;
- 285 (B) Alphaprodine;
- 286 (C) Anileridine;
- 287 (D) Bezitramide;
- 288 (E) Bulk dextropropoxyphene (nondosage forms);
- 289 (F) Carfentanil;
- 290 (G) Dihydrocodeine;
- 291 (H) Diphenoxylate;
- 292 (I) Fentanyl;
- 293 (J) Isomethadone;
- 294 (K) Levo-alpha-acetylmethadol, some other names: levo-alpha-acetylmethadol,
295 levomethadyl acetate, or LAAM;
- 296 (L) Levomethorphan;
- 297 (M) Levorphanol;
- 298 (N) Metazocine;
- 299 (O) Methadone;
- 300 (P) Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl butane;
- 301 (Q) Moramide-Intermediate, 2-methyl-3-morpholino-1, 1-diphenylpropane-carboxylic
302 acid;
- 303 (R) Pethidine (meperidine);
- 304 (S) Pethidine-Intermediate-A, 4-cyano-1-methyl-4-phenylpiperidine;
- 305 (T) Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-carboxylate;
- 306 (U) Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-4-carboxylic acid;
- 307 (V) Phenazocine;
- 308 (W) Piminodine;
- 309 (X) Racemethorphan;

- 310 (Y) Racemorphan;
- 311 (Z) Remifentanyl; and
- 312 (AA) Sufentanyl.
- 313 (iii) Unless specifically excepted or unless listed in another schedule, any material,
- 314 compound, mixture, or preparation which contains any quantity of the following substances
- 315 having a stimulant effect on the central nervous system:
- 316 (A) Amphetamine, its salts, optical isomers, and salts of its optical isomers;
- 317 (B) Methamphetamine, its salts, isomers, and salts of its isomers;
- 318 (C) Phenmetrazine and its salts; and
- 319 (D) Methylphenidate.
- 320 (iv) Unless specifically excepted or unless listed in another schedule, any material,
- 321 compound, mixture, or preparation which contains any quantity of the following substances
- 322 having a depressant effect on the central nervous system, including its salts, isomers, and salts
- 323 of isomers when the existence of the salts, isomers, and salts of isomers is possible within the
- 324 specific chemical designation:
- 325 (A) Amobarbital;
- 326 (B) Glutethimide;
- 327 (C) Pentobarbital;
- 328 (D) Phencyclidine;
- 329 (E) Phencyclidine immediate precursors: 1-phenylcyclohexylamine and
- 330 1-piperidinocyclohexanecarbonitrile (PCC); and
- 331 (F) Secobarbital.
- 332 (v) (A) Unless specifically excepted or unless listed in another schedule, any material,
- 333 compound, mixture, or preparation which contains any quantity of Phenylacetone.
- 334 (B) Some of these substances may be known by trade or other names:
- 335 phenyl-2-propanone; P2P; benzyl methyl ketone; and methyl benzyl ketone.
- 336 (vi) Nabilone, another name for nabilone:
- 337 (\pm)-trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6,

338 6-dimethyl-9H-dibenzo[b,d]pyran-9-one.

339 (c) Schedule III:

340 (i) Unless specifically excepted or unless listed in another schedule, any material,
341 compound, mixture, or preparation which contains any quantity of the following substances
342 having a stimulant effect on the central nervous system, including its salts, isomers whether
343 optical, position, or geometric, and salts of the isomers when the existence of the salts, isomers,
344 and salts of isomers is possible within the specific chemical designation:

345 (A) Those compounds, mixtures, or preparations in dosage unit form containing any
346 stimulant substances listed in Schedule II, which compounds, mixtures, or preparations were
347 listed on August 25, 1971, as excepted compounds under Section 1308.32 of Title 21 of the
348 Code of Federal Regulations, and any other drug of the quantitative composition shown in that
349 list for those drugs or which is the same except that it contains a lesser quantity of controlled
350 substances;

351 (B) Benzphetamine;

352 (C) Chlorphentermine;

353 (D) Clortermine; and

354 (E) Phendimetrazine.

355 (ii) Unless specifically excepted or unless listed in another schedule, any material,
356 compound, mixture, or preparation which contains any quantity of the following substances
357 having a depressant effect on the central nervous system:

358 (A) Any compound, mixture, or preparation containing amobarbital, secobarbital,
359 pentobarbital, or any salt of any of them, and one or more other active medicinal ingredients
360 which are not listed in any schedule;

361 (B) Any suppository dosage form containing amobarbital, secobarbital, or
362 pentobarbital, or any salt of any of these drugs which is approved by the Food and Drug
363 Administration for marketing only as a suppository;

364 (C) Any substance which contains any quantity of a derivative of barbituric acid or any
365 salt of any of them;

- 366 (D) Chlorhexadol;
- 367 (E) Buprenorphine;
- 368 (F) Any drug product containing gamma hydroxybutyric acid, including its salts,
369 isomers, and salts of isomers, for which an application is approved under the federal Food,
370 Drug, and Cosmetic Act, Section 505;
- 371 (G) Ketamine, its salts, isomers, and salts of isomers, some other names for ketamine:
372 \pm -2-(2-chlorophenyl)-2-(methylamino)-cyclohexanone;
- 373 (H) Lysergic acid;
- 374 (I) Lysergic acid amide;
- 375 (J) Methyprylon;
- 376 (K) Sulfondiethylmethane;
- 377 (L) Sulfonethylmethane;
- 378 (M) Sulfonmethane; and
- 379 (N) Tiletamine and zolazepam or any of their salts, some trade or other names for a
380 tiletamine-zolazepam combination product: Telazol, some trade or other names for tiletamine:
381 2-(ethylamino)-2-(2-thienyl)-cyclohexanone, some trade or other names for zolazepam:
382 4-(2-fluorophenyl)-6,8-dihydro-1,3,8-trimethylpyrazolo-[3,4-e] [1,4]-diazepin-7(1H)-one,
383 flupyrzapon.
- 384 (iii) Dronabinol (synthetic) in sesame oil and encapsulated in a soft gelatin capsule in a
385 U.S. Food and Drug Administration approved drug product, some other names for dronabinol:
386 (6aR-trans)-6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol, or
387 (-)-delta-9-(trans)-tetrahydrocannabinol.
- 388 (iv) Nalorphine.
- 389 (v) Unless specifically excepted or unless listed in another schedule, any material,
390 compound, mixture, or preparation containing limited quantities of any of the following
391 narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid:
- 392 (A) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90
393 milligrams per dosage unit, with an equal or greater quantity of an isoquinoline alkaloid of

394 opium;

395 (B) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90
396 milligrams per dosage unit, with one or more active non-narcotic ingredients in recognized
397 therapeutic amounts;

398 (C) Not more than 300 milligrams of dihydrocodeinone per 100 milliliters or not more
399 than 15 milligrams per dosage unit, with a fourfold or greater quantity of an isoquinoline
400 alkaloid of opium;

401 (D) Not more than 300 milligrams of dihydrocodeinone per 100 milliliters or not more
402 than 15 milligrams per dosage unit, with one or more active, non-narcotic ingredients in
403 recognized therapeutic amounts;

404 (E) Not more than 1.8 grams of dihydrocodeine per 100 milliliters or not more than 90
405 milligrams per dosage unit, with one or more active non-narcotic ingredients in recognized
406 therapeutic amounts;

407 (F) Not more than 300 milligrams of ethylmorphine per 100 milliliters or not more
408 than 15 milligrams per dosage unit, with one or more active, non-narcotic ingredients in
409 recognized therapeutic amounts;

410 (G) Not more than 500 milligrams of opium per 100 milliliters or per 100 grams, or not
411 more than 25 milligrams per dosage unit, with one or more active, non-narcotic ingredients in
412 recognized therapeutic amounts; and

413 (H) Not more than 50 milligrams of morphine per 100 milliliters or per 100 grams with
414 one or more active, non-narcotic ingredients in recognized therapeutic amounts.

415 (vi) Unless specifically excepted or unless listed in another schedule, anabolic steroids
416 including any of the following or any isomer, ester, salt, or derivative of the following that
417 promotes muscle growth:

418 (A) Boldenone;

419 (B) Chlorotestosterone (4-chlortestosterone);

420 (C) Clostebol;

421 (D) Dehydrochlormethyltestosterone;

- 422 (E) Dihydrotestosterone (4-dihydrotestosterone);
- 423 (F) Drostanolone;
- 424 (G) Ethylestrenol;
- 425 (H) Fluoxymesterone;
- 426 (I) Formebolone (formebolone);
- 427 (J) Mesterolone;
- 428 (K) Methandienone;
- 429 (L) Methandranone;
- 430 (M) Methandriol;
- 431 (N) Methandrostenolone;
- 432 (O) Methenolone;
- 433 (P) Methyltestosterone;
- 434 (Q) Mibolerone;
- 435 (R) Nandrolone;
- 436 (S) Norethandrolone;
- 437 (T) Oxandrolone;
- 438 (U) Oxymesterone;
- 439 (V) Oxymetholone;
- 440 (W) Stanolone;
- 441 (X) Stanozolol;
- 442 (Y) Testolactone;
- 443 (Z) Testosterone; and
- 444 (AA) Trenbolone.
- 445 (vii) Anabolic steroids expressly intended for administration through implants to cattle
- 446 or other nonhuman species, and approved by the Secretary of Health and Human Services for
- 447 use, may not be classified as a controlled substance.
- 448 (d) Schedule IV:
- 449 (i) Unless specifically excepted or unless listed in another schedule, any material,

450 compound, mixture, or preparation containing not more than 1 milligram of difenoxin and not
451 less than 25 micrograms of atropine sulfate per dosage unit, or any salts of any of them.

452 (ii) Unless specifically excepted or unless listed in another schedule, any material,
453 compound, mixture, or preparation which contains any quantity of the following substances,
454 including its salts, isomers, and salts of isomers when the existence of the salts, isomers, and
455 salts of isomers is possible within the specific chemical designation:

456 (A) Alprazolam;

457 (B) Barbital;

458 (C) Bromazepam;

459 (D) Butorphanol;

460 (E) Camazepam;

461 (F) Carisoprodol;

462 (G) Chloral betaine;

463 (H) Chloral hydrate;

464 (I) Chlordiazepoxide;

465 (J) Clobazam;

466 (K) Clonazepam;

467 (L) Clorazepate;

468 (M) Clotiazepam;

469 (N) Cloxazolam;

470 (O) Delorazepam;

471 (P) Diazepam;

472 (Q) Dichloralphenazone;

473 (R) Estazolam;

474 (S) Ethchlorvynol;

475 (T) Ethinamate;

476 (U) Ethyl loflazepate;

477 (V) Fludiazepam;

- 478 (W) Flunitrazepam;
- 479 (X) Flurazepam;
- 480 (Y) Halazepam;
- 481 (Z) Haloxazolam;
- 482 (AA) Ketazolam;
- 483 (BB) Loprazolam;
- 484 (CC) Lorazepam;
- 485 (DD) Lormetazepam;
- 486 (EE) Mebutamate;
- 487 (FF) Medazepam;
- 488 (GG) Meprobamate;
- 489 (HH) Methohexital;
- 490 (II) Methylphenobarbital (mephobarbital);
- 491 (JJ) Midazolam;
- 492 (KK) Nimetazepam;
- 493 (LL) Nitrazepam;
- 494 (MM) Nordiazepam;
- 495 (NN) Oxazepam;
- 496 (OO) Oxazolam;
- 497 (PP) Paraldehyde;
- 498 (QQ) Pentazocine;
- 499 (RR) Petrichloral;
- 500 (SS) Phenobarbital;
- 501 (TT) Pinazepam;
- 502 (UU) Prazepam;
- 503 (VV) Quazepam;
- 504 (WW) Temazepam;
- 505 (XX) Tetrazepam;

506 (YY) Triazolam;
507 (ZZ) Zaleplon; and
508 (AAA) Zolpidem.

509 (iii) Any material, compound, mixture, or preparation of fenfluramine which contains
510 any quantity of the following substances, including its salts, isomers whether optical, position,
511 or geometric, and salts of the isomers when the existence of the salts, isomers, and salts of
512 isomers is possible.

513 (iv) Unless specifically excepted or unless listed in another schedule, any material,
514 compound, mixture, or preparation which contains any quantity of the following substances
515 having a stimulant effect on the central nervous system, including its salts, isomers whether
516 optical, position, or geometric isomers, and salts of the isomers when the existence of the salts,
517 isomers, and salts of isomers is possible within the specific chemical designation:

- 518 (A) Cathine ((+)-norpseudoephedrine);
- 519 (B) Diethylpropion;
- 520 (C) Fencamfamine;
- 521 (D) Fenproporex;
- 522 (E) Mazindol;
- 523 (F) Mefenorex;
- 524 (G) Modafinil;
- 525 (H) Pemoline, including organometallic complexes and chelates thereof;
- 526 (I) Phentermine;
- 527 (J) Pipradrol;
- 528 (K) Sibutramine; and
- 529 (L) SPA ((-)-1-dimethylamino-1,2-diphenylethane).

530 (v) Unless specifically excepted or unless listed in another schedule, any material,
531 compound, mixture, or preparation which contains any quantity of dextropropoxyphene
532 (alpha-(+)-4-dimethylamino-1, 2-diphenyl-3-methyl-2-propionoxybutane), including its salts.

533 (e) Schedule V:

534 (i) Any compound, mixture, or preparation containing any of the following limited
535 quantities of narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid,
536 which includes one or more non-narcotic active medicinal ingredients in sufficient proportion
537 to confer upon the compound, mixture, or preparation valuable medicinal qualities other than
538 those possessed by the narcotic drug alone:

539 (A) not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;

540 (B) not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100
541 grams;

542 (C) not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100
543 grams;

544 (D) not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of
545 atropine sulfate per dosage unit;

546 (E) not more than 100 milligrams of opium per 100 milliliters or per 100 grams;

547 (F) not more than 0.5 milligram of difenoxin and not less than 25 micrograms of
548 atropine sulfate per dosage unit;

549 (G) unless specifically exempted or excluded or unless listed in another schedule, any
550 material, compound, mixture, or preparation which contains Pyrovalerone having a stimulant
551 effect on the central nervous system, including its salts, isomers, and salts of isomers; and

552 (H) all forms of Tramadol.

553 (ii) Cannabidiol in a drug product that is approved by the United States Food and Drug
554 Administration.

555 Section 2. Section **58-37-4.2** is amended to read:

556 **58-37-4.2. Listed controlled substances.**

557 The following substances, their analogs, homologs, and synthetic equivalents are listed
558 controlled substances:

559 (1) AB-001;

560 (2) AB-PINACA;

561 N-[1-(aminocarbonyl)-2-methylpropyl]-1-pentyl-1H-indazole-3-carboxamide;

- 562 (3) AB-FUBINACA; N-[1-(aminocarbonyl)-2-methylpropyl]-1-[(4-fluorophenyl)
563 methyl]-1H-indazole-3-carboxamide;
- 564 (4) AB-CHMINACA
565 (N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide);
- 566 [~~(4)~~] (5) ADB-CHMINACA[;] (N-[(2S)-1-amino-3,3-dimethyl-1-oxobutan-2-yl]-1-
567 (cyclohexylmethyl)indazole-3-carboxamide);
- 568 [~~(5)~~] (6) ADB-FUBINACA[;] (N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-
569 (4-fluorobenzyl)-1H-indazole-3-carboxamide);
- 570 [~~(6)~~] (7) AKB48;
- 571 (8) alpha-Pyrrolidinohexanophenone (alpha-PHP)
572 (1-Phenyl-2-(pyrrolidin-1-yl)hexan-1-one);
- 573 [~~(7)~~] (9) alpha-Pyrrolidinovalerophenone (alpha-PVP);
- 574 [~~(8)~~] (10) AM-694[;] (1-[(5-fluoropentyl)-1H-indol-3-yl]-(2-iodophenyl)methanone);
- 575 [~~(9)~~] (11) AM-1248;
- 576 [~~(10)~~] (12) AM-2201[;] (1-(5-fluoropentyl)-3-(1-naphthoyl)indole);
- 577 [~~(11)~~] (13) AM-2233;
- 578 [~~(12)~~] (14) AM-679;
- 579 [~~(13)~~] (15) A796,260;
- 580 [~~(14)~~] (16) Butylone;
- 581 [~~(15)~~] (17) CP 47,497 and its C6, C8, and C9 homologs[;]
582 (2-[(1R,3S)-3-hydroxycyclohexyl]-5-(2-methyloctan-2-yl)phenol);
- 583 [~~(16)~~] (18) Diisopropyltryptamine (DiPT);
- 584 [~~(17)~~] (19) Ethylone;
- 585 [~~(18)~~] (20) Ethylphenidate;
- 586 [~~(19)~~] (21) Fluoroisocathinone;
- 587 [~~(20)~~] (22) Fluoromethamphetamine;
- 588 [~~(21)~~] (23) Fluoromethcathinone;
- 589 [~~(22)~~] (24) FUB-AMB; methyl (1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)valinate;

- 590 [~~(23)~~] (25) HU-210;
591 (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)
592 -6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol;
593 [~~(24)~~] (26) HU-211; Dexanabinol,(6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-
594 methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol;
595 [~~(25)~~] (27) JWH-015; (2-methyl-1-propyl-1H-indol-3-yl)-1-naphthalenyl-methanone;
596 [~~(26)~~] (28) JWH-018; Naphthalen-1-yl-(pentylindol-3-yl)methanone {also known as
597 1-Pentyl-3-(1-naphthoyl)indole};
598 [~~(27)~~] (29) JWH-019; 1-hexyl-3-(1-naphthoyl)indole;
599 [~~(28)~~] (30) JWH-073; Naphthalen-1-yl(1-butylindol-3-yl)methanone {also known as
600 1-Butyl-3-(1-naphthoyl)indole};
601 [~~(29)~~] (31) JWH-081; 4-methoxynaphthalen-1-yl-(1-pentylindol-3-yl)methanone;
602 [~~(30)~~] (32) JWH-122; CAS#619294-47-2; (1-Pentyl-3-(4-methyl-1-naphthoyl)indole);
603 [~~(31)~~] (33) JWH-200; 1-(2-(4-(morpholinyl)ethyl))-3-(1-naphthoyl)indole;
604 [~~(32)~~] (34) JWH-203; 1-pentyl-3-(2-chlorophenylacetyl)indole;
605 [~~(33)~~] (35) JWH-210; 4-ethyl-1-naphthalenyl(1-pentyl-1H-indol-3-yl)-methanone;
606 [~~(34)~~] (36) JWH-250; 1-pentyl-3-(2-methoxyphenylacetyl)indole;
607 [~~(35)~~] (37) JWH-251; 2-(2-methylphenyl)-1-(1-pentyl-1H-indol-3-yl)ethanone;
608 [~~(36)~~] (38) JWH-398; 1-pentyl-3-(4-chloro-1-naphthoyl)indole;
609 [~~(37)~~] (39) MAM-2201;
610 [~~(38)~~] (40) MAM-2201;
611 (1-(5-fluoropentyl)-1H-indol-3-yl)(4-ethyl-1-naphthalenyl)-methanone;
612 [~~(39)~~] (41) Methoxetamine;
613 [~~(40)~~] (42) Naphyrone;
614 [~~(41)~~] (43) PB-22; 1-pentyl-1H-indole-3-carboxylic acid 8-quinolinyl ester;
615 [~~(42)~~] (44) Pentedrone;
616 [~~(43)~~] (45) Pentylone;
617 [~~(44)~~] (46) RCS-4; 1-pentyl-3-(4-methoxybenzoyl)indole;

618 [~~(45)~~] (47) RCS-8; 1-(2-cyclohexylethyl)-3-(2-methoxyphenylacetyl)indole {also
619 known as BTW-8 and SR-18};
620 [~~(46)~~] (48) STS-135;
621 [~~(47)~~] (49) UR-144;
622 [~~(48)~~] (50) UR-144 N-(5-chloropentyl) analog;
623 [~~(49)~~] (51) XLR11;
624 [~~(50)~~] (52) 2C-C;
625 [~~(51)~~] (53) 2C-D;
626 [~~(52)~~] (54) 2C-E;
627 [~~(53)~~] (55) 2C-H;
628 [~~(54)~~] (56) 2C-I;
629 [~~(55)~~] (57) 2C-N;
630 [~~(56)~~] (58) 2C-P;
631 [~~(57)~~] (59) 2C-T-2;
632 [~~(58)~~] (60) 2C-T-4;
633 [~~(59)~~] (61) 2NE1;
634 [~~(60)~~] (62) 25I-NBOMe;
635 [~~(61)~~] (63) 2,5-Dimethoxy-4-chloroamphetamine (DOC);
636 [~~(62)~~] (64) 4-methylmethcathinone {also known as mephedrone};
637 [~~(63)~~] (65) 3,4-methylenedioxypyrovalerone {also known as MDPV};
638 [~~(64)~~] (66) 3,4-Methylenedioxymethcathinone {also known as methylone};
639 [~~(65)~~] (67) 4-methoxymethcathinone;
640 [~~(66)~~] (68) 4-Methyl-alpha-pyrrolidinopropiophenone;
641 [~~(67)~~] (69) 4-Methylethcathinone;
642 [~~(68)~~] (70) 5F-AKB48;
643 1-(5-fluoropentyl)-N-tricyclo[3.3.1.1^{3,7}]dec-1-yl-1H-indazole-3- carboxamide;
644 (71) 5-Fluoro ADB (Methyl
645 N- $\{$ [1-(5-fluoropentyl)-1H-indazol-3-yl]carbonyl $\}$ -3-methyl-valinate);

646 (72) 5-Fluoro AMB (Methyl
647 N- {[1-(5-fluoropentyl)-1H-indazol-3-yl]carbonyl} valinate);
648 [~~(69)~~] (73) 5-fluoro-PB-22; 1-(5-fluoropentyl)-1H-indole-3-carboxylic acid
649 8-quinoliny ester;
650 [~~(70)~~] (74) 5-Iodo-2-aminoindane (5-IAI);
651 [~~(71)~~] (75) 5-MeO-DALT;
652 [~~(72)~~] (76) 25B-NBOMe; 2-(r-bromo-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)
653 methyl]ethanamine;
654 [~~(73)~~] (77) 25C-NBOMe; 2-(4Chloro-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)
655 methyl]ethanamine; and
656 [~~(74)~~] (78) 25H-NBOMe;
657 2-(2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine.