

243 (b) after exception 1, new exceptions 2 and 3 are added as follows:

244 "2. Where multiple-user facilities are designed to serve all genders, the minimum fixture count
 245 shall be calculated 100 percent, based on total occupant load. In such multiple-user user
 246 facilities, each fixture type shall be in accordance with ICC A117.1 and each urinal that is
 247 provided shall be located in a stall.

248 3. Distribution of the sexes is not required where single-user water closets and bathing room
 249 fixtures are provided in accordance with Section 403.1.2."

250 (3) In IPC, Section 403.1.2, the following changes are made:

251 (a) the word "facility" or "facilities" is deleted in:

252 (i) the title;

253 (ii) the first sentence; and

254 (iii) the second sentence;

255 (b) the words "as being available" are added in the second sentence after the words
 256 "shall be identified";

257 (c) the word "either" in the second sentence is deleted and replaced by the words "all
 258 persons regardless of their"; and

259 (d) a third sentence is added as follows: "The total number of fixtures shall be
 260 permitted to be based on the required number of separate facilities or based on the aggregate of
 261 any combination of single-user or separate facilities."

262 (4) In IPC, Section 403.2, after exception 4, new exceptions 5 and 6 are added as
 263 follows:

264 "5. Separate facilities shall not be required to be designated by sex where single-user toilets
 265 rooms are provided in accordance with Section 403.1.2.

266 6. Separate facilities shall not be required where rooms having both water closets and lavatory
 267 fixtures are designed for use by both sexes and ~~§~~ → [privacy for water closets are installed in
 268 accordance with Section 405.3.4. Urinals shall be located in an area visually separated from the
 269 remainder of the facility or each urinal that is provided shall be located in a stall] each water closet
 269a or urinal occupies a separate compartment containing floor-to-ceiling walls and a door to
 269b ensure that each compartment is completely enclosed ←§ ."

270 [(2)] (5) A new IPC, Section 406.3, is added as follows: "406.3 Automatic clothes
 271 washer safe pans. Safe pans, when installed under automatic clothes washers, shall be installed
 272 in accordance with Section 504.7."

273 [(3)] (6) A new IPC, Section 413.5, is added as follows: "413.5 Public toilet rooms.