

1 **TINTED VEHICLE WINDOWS AMENDMENTS**

2 2022 GENERAL SESSION

3 STATE OF UTAH

4 **Chief Sponsor: Daniel McCay**

5 House Sponsor: Walt Brooks

6 **LONG TITLE**

7 **General Description:**

8 This bill amends the allowable window tint on motor vehicle windows.

9 **Highlighted Provisions:**

10 This bill:

11 ▶ amends the allowable window tint on motor vehicle windows.

12 **Money Appropriated in this Bill:**

13 None

14 **Other Special Clauses:**

15 None

16 **Utah Code Sections Affected:**

17 AMENDS:

18 41-6a-1635, as last amended by Laws of Utah 2021, Chapter 99

19 *Be it enacted by the Legislature of the state of Utah:*

20 Section 1. Section 41-6a-1635 is amended to read:

21 **41-6a-1635. Windshields and windows -- Tinting -- Obstructions reducing
22 visibility -- Wipers -- Prohibitions.**

23 (1) Except as provided in Subsections (2), (3), and (4) a person may not operate a
24 motor vehicle with:

25 (a) a windshield that allows less than 70% light transmittance;

26 (b) a front side window that allows less than [43%] 35% light transmittance, with no
27 more than a 5% variance observed by a peace officer metering the light transmittance;

(c) any windshield or window that is composed of, covered by, or treated with any material or component that presents a metallic or mirrored appearance;

(d) any sign, poster, or other nontransparent material on the windshield or side windows of the motor vehicle except:

(i) a certificate or other paper required to be so displayed by law; or

(ii) the vehicle's identification number displayed or etched in accordance with rules by the department under Section 41-6a-1601; or

(2) $\alpha = 1.1$ in Section 4.1, $\alpha = 1$ in 4.2, and $\alpha = 0.5$ in 4.3.

(2) (i) A structure or object which will obstruct the operator's view.

(2) (a) A person may not operate a motor vehicle with an object mounted in a manner that materially obstructs the operator's view.

(b) A person shall ensure that an object or device hanging or mounted in compliance with Subsection (2)(a) is used in accordance with this chapter.

(3) Nontransparent materials may be used:

(a) along the top edge of the windshield if the materials do not extend downward more than four inches from the top edge of the windshield or beyond the AS-1 line whichever is lowest;

(b) in the lower left-hand corner of the windshield provided they do not extend more than three inches to the right of the left edge or more than four inches above the bottom edge of the windshield; or

(c) on the rear windows including rear side windows located behind the vehicle operator.

(4) A windshield or other window is considered to comply with the requirements of Subsection (1) if the windshield or other window meets the federal statutes and regulations for motor vehicle window composition, covering, light transmittance, and treatment.

(5) Except for material used on the windshield in compliance with Subsections (3)(a) and (b), a motor vehicle with tinting or nontransparent material on any window shall be equipped with rear-view mirrors mounted on the left side and on the right side of the motor vehicle to reflect to the driver a view of the highway to the rear of the motor vehicle.

58 (6) (a) (i) The windshield on a motor vehicle shall be equipped with a device for
59 cleaning rain, snow, or other moisture from the windshield.

60 (ii) The device shall be constructed to be operated by the operator of the motor vehicle.

61 (b) A windshield wiper on a motor vehicle shall be maintained in good working order.

62 (7) A person may not have for sale, sell, offer for sale, install, cover, or treat a
63 windshield or window in violation of this section.

64 (8) Notwithstanding this section, any person subject to the federal Motor Vehicle
65 Safety Standards, including motor vehicle manufacturers, distributors, dealers, importers, and
66 repair businesses, shall comply with the federal standards on motor vehicle window tinting.

67 (9) A violation of this section is an infraction.