



UTAH STATE SENATE

UTAH STATE CAPITOL COMPLEX • 320 STATE CAPITOL
P.O. BOX 145115 • SALT LAKE CITY, UTAH 84114-5115 • (801) 538-1035

February 27, 2024

Mr. President,

The Revenue and Taxation Committee reports a favorable recommendation on **2nd Sub. H.B. 518**, STATE CONSTRUCTION CODE MODIFICATIONS, by Representative T. W. Peterson, with the following amendments:

1. *Page 33, Lines 977 through 979:*

977 (19) IRC, Section E3902.18 is deleted.

(20) IRC, Section 4002.11, is deleted and replaced with the following: "4002.11 Bathtub and Shower Space. Receptacles shall not be installed within or directly over a bathtub or shower stall."

978 {~~(20)~~} **(21)** IRC, Chapter 44, is amended by deleting the standard for "ANCE."

979 (21) In IRC, Chapter 44, the standard for ASHRAE is amended by changing "34-2013"

RENUMBER REMAINING SUBSECTIONS ACCORDINGLY.

Respectfully,

Daniel McCay
Chair

Voting: 4-0-4

5 HB0518.SC1.wpd 2/27/24 5:48 pm cstitt/CS3 TM/RW

Bill Number



HB0518S02

Action Class



S

Action Code



SCRAMD